

NAME OF THE APPLICANT :
M/s MOTHY SPINNER PRIVATE LIMITED

S.NO	DESCRIPTION	FSI AREA	NON-FSI AREA	TOTAL BUILT-UP AREA
------	-------------	----------	--------------	---------------------

JOINERY DETAILS:			REFERENCE:
SYMBOL	DESCRIPTION	Metre	
Rs	ROLLING SHUTTER	3.60 x 4.20	 FIRE ALARM SYSTEM
Rs1	ROLLING SHUTTER	3.60 x 3.60	 HOSE REEL
Sd	STEEL DOOR	1.80 x 2.40	 FIRE FIGHTING EQUIPMENT
Sd1	STEEL DOOR	1.50 x 2.40	
Sd1	SLIDING DOOR	3.00 x 3.00	 DRINKING WATER
W	WINDOW	1.80 x 1.50	
V	VENTILATOR	1.80 x 0.60	
D1	DOOR	0.90 x 2.40	
D2	DOOR	0.76 x 2.40	
ATD	AIR TIGHT DOOR	0.97 x 1.97	

For MOTHY SPINNER PRIVATE LIMITED

 DIRECTOR


Er. S. RAMACHANDRAN, M.E. M.I.E.
Structural Engineer Gr-I
DTCP Reg. No DTCP/NAMAKKAL/RSE-1/001/2021
Res: 4/580 Muthalaipalli Thottam,
Valayakaranur, Komarpalayam-638183


T. JOHN YOGARAJ
Archiset Grade I (RA) CA / 2000 / 26980
Reg No. Coimbatore (LPVRA/SR-I/19/03/006
B.3 Anand Abodes (Shalom)
38-A, Anna Street, Venkatasapuram,
Coimbatore - 641 025. Cell:98940 98210



PLAN SHOWING THE PROPOSED CONSTRUCTION OF GALVALUME SHEET ROOF AND RCC ROOF BUILDING FOR SPINNING MILL PURPOSE OWNED BY "M/s MOTH SPINNER PRIVATE LIMITED" FOR INDUSTRIAL PURPOSE (ORANGE CATEGORY) AT S.F.No: 226/1B, 2B, 227/1A, 1B, 2, 3, 229/1, 3, 5, 233/1B, 2B, 234/2B, 3E2, 4C, 5A2, 235/2A1A2, 236/1A1B, ANANGUR VILLAGE, KUMARAPALAYAM TALUK, NAMAKKAL DISTRICT.

ALL DIMENSION ARE IN METER

NAME OF THE APPLICANT :


M/s MOTH SPINNER PRIVATE LIMITED

AREA DETAILS:


S.NO	DESCRIPTION	FSI AREA	NON-FSI AREA	TOTAL BUILT-UP AREA
PROPOSED BUILDING				
BLOCK-1 (MAIN FACTORY BUILDING-1)				
1	GROUND FLOOR (GI SHEET)	13440.03	-	13440.03
2	GROUND FLOOR (RCC)	539.85	-	539.85
3	FIRST FLOOR (RCC)	539.85	-	539.85
4	SECOND FLOOR (RCC)	91.57	-	91.57
5	THIRD FLOOR (RCC)	91.57	-	91.57
TOTAL		14702.87	-	14702.87

JOINERY DETAILS:



SYMBOL	DESCRIPTION	Metre	REFERENCE:
Rs	ROLLING SHUTTER	3.60 x 4.20	⊗ FIRE ALARM SYSTEM
Rs1	ROLLING SHUTTER	3.60 x 3.60	⊗ HOSE REEL
Sd	STEEL DOOR	1.80 x 2.40	⊗ FIRE FIGHTING EQUIPMENT
Sd1	STEEL DOOR	1.50 x 2.40	
Sld	SLIDING DOOR	3.00 x 3.00	
W	WINDOW	1.80 x 1.50	
V	VENTILATOR	1.80 x 0.60	
D1	DOOR	0.90 x 2.40	
D2	DOOR	0.76 x 2.40	
ATD	AIR TIGHT DOOR	0.97 x 1.97	




NORTHERN SIDE PART ELEVATION




NORTHERN SIDE ELEVATION

FIRST FLOOR PLAN
COMPRESSOR ROOM



SECTION ON C-C





SECTION ON B-B



SECTION ON A-A

Second Floor - Plan
(Ro Room)

Section on D-D

First Floor - Plan
(Ro Water Tank)THIRD FLOOR - PLAN
(Raw Water Tank)

APPLICANT :

For MOTH SPINNER PRIVATE LIMITED

S. Narasimha
DIRECTOR

STRUCTURAL ENGINEER :

Er.S.RAMACHANDRAN, M.E., M.I.E.,
Structural Engineer Gr-I
DTCP Reg. No DTCP/NAMAKKAL/RSE-1/001/2021
Res: 4/580 Muthalaipatti Thottam,
Valayakaranur, Kumarapalayam-638183

REGISTERED ENGINEER :

T. JOHN YOGARAJ
Architect Grade I (RA) CA / 2000 / 76960
Reg No: Certificate LP/RA/CA-1/18/03/005
B-3 Anand Abodes (Ghulam)
38-A, Anna Street, Vankitsouram,
Coimbatore - 641 025. Call:98940 38212

PLAN SHOWING THE PROPOSED CONSTRUCTION OF GALVALUME SHEET ROOF AND RCC ROOF BUILDING FOR SPINNING MILL PURPOSE OWNED BY "M/s MOTH SPINNER PRIVATE LIMITED" FOR INDUSTRIAL PURPOSE (ORANGE CATEGORY) AT S.F.No: 226/1B, 2B, 227/1A, 1B, 2, 3, 229/1, 3, 5, 233/1B, 2B, 234/2B, 3E2, 4C, 5A2, 235/2A1A2, 236/1A1B, ANANGUR VILLAGE, KUMARAPALAYAM TALUK, NAMAKKAL DISTRICT.

ALL DIMENSION ARE IN METER				
NAME OF THE APPLICANT :				
M/s MOTH SPINNER PRIVATE LIMITED				

AREA DETAILS:				
S.NO	DESCRIPTION	FSI AREA	NON-FSI AREA	TOTAL BUILT-UP AREA

PROPOSED BUILDING				
BLOCK-2 (MAIN FACTORY BUILDING-2)				
1	GROUND FLOOR (GI SHEET)	8495.98	-	8495.98
2	GROUND FLOOR (RCC)	679.92	-	679.92
3	FIRST FLOOR (GI SHEET)	163.84	-	163.84
TOTAL		9339.74	-	9339.74

JOINERY DETAILS:			
SYMBOL	DESCRIPTION	Metre	REFERENCE:
Rs	ROLLING SHUTTER	3.60 x 4.20	FIRE ALARM SYSTEM
Rs1	ROLLING SHUTTER	3.60 x 3.60	
Sd	STEEL DOOR	1.80 x 2.40	HOSE REEL
Sd1	STEEL DOOR	1.50 x 2.40	
Sld	SLIDING DOOR	3.00 x 3.00	FIRE FIGHTING EQUIPMENT
W	WINDOW	1.80 x 1.50	
V	VENTILATOR	1.80 x 0.60	DRINKING WATER
D1	DOOR	0.90 x 2.40	
D2	DOOR	0.76 x 2.40	
ATD	AIR TIGHT DOOR	0.97 x 1.97	

MAIN BUILDING 2 - FIRST FLOOR PLAN

MAIN BUILDING 2 - GROUND FLOOR PLAN

PLAN SHOWING THE PROPOSED CONSTRUCTION OF GALVALUME SHEET ROOF AND RCC ROOF BUILDING FOR SPINNING MILL PURPOSE OWNED BY "M/s MOTHY SPINNER PRIVATE LIMITED" FOR INDUSTRIAL PURPOSE (ORANGE CATEGORY) AT S.F.No: 226/1B, 2B, 227/1A, 1B, 2, 3, 229/1, 3, 5, 233/1B, 2B, 234/2B, 3E2, 4C, 5A2, 235/2A1A2, 236/1A1B, ANANGUR VILLAGE, KUMARAPALAYAM TALUK, NAMAKKAL DISTRICT.

ALL DIMENSION ARE IN METER

NAME OF THE APPLICANT :

M/s MOTHY SPINNER PRIVATE LIMITED

AREA DETAILS:

S.NO	DESCRIPTION	FSI AREA	NON-FSI AREA	TOTAL BUILT-UP AREA
PROPOSED BUILDING				
BLOCK-2 (MAIN FACTORY BUILDING-2)				
1	GROUND FLOOR (GI SHEET)	8495.98	-	8495.98
2	GROUND FLOOR (RCC)	679.92	-	679.92
3	FIRST FLOOR (GI SHEET)	163.84	-	163.84
TOTAL		9339.74	-	9339.74

JOINERY DETAILS:

SYMBOL	DESCRIPTION	Metre	REFERENCE:
Rs	ROLLING SHUTTER	3.60 x 4.20	☼ FIRE ALARM SYSTEM
Rs1	ROLLING SHUTTER	3.60 x 3.60	
Sd	STEEL DOOR	1.80 x 2.40	☼ HOSE REEL
Sd1	STEEL DOOR	1.50 x 2.40	☼ FIRE FIGHTING EQUIPMENT
Sld	SLIDING DOOR	3.00 x 3.00	
W	WINDOW	1.80 x 1.50	☼ DRINKING WATER
V	VENTILATOR	1.80 x 0.60	
D1	DOOR	0.90 x 2.40	
D2	DOOR	0.76 x 2.40	
ATD	AIR TIGHT DOOR	0.97 x 1.97	

NORTHERN SIDE ELEVATION

SOLAR PANELS

MAIN BUILDING 2 - ROOF FLOOR PLAN

APPLICANT :

For MOTHY SPINNER PRIVATE LIMITED
9/10/2021
DIRECTOR

STRUCTURAL ENGINEER :

Er.S.RAMACHANDRAN, M.E., M.I.E.
Structural Engineer Gr-I
DTP Reg. No DTP/NAMAKKAL/SE-1001/2021
Res: 4/650 Muthalaipuli Thottam,
Valayakaranur, Kumarapalayam-638163

REGISTERED ENGINEER :

T. JOHN YOGARAJ
Architect Grade I (RAC) CA - 20052 / 20060
Reg No: Consultant / PPA/VA/GR-4/10/03/006
B-3 Anna Street, Vaidyanthapuram,
Coimbatore - 641 025. Cell:98940 98219

PLAN SHOWING THE PROPOSED CONSTRUCTION OF GALVALUME SHEET ROOF AND RCC ROOF BUILDING FOR SPINNING MILL PURPOSE OWNED BY "M/s MOTHY SPINNER PRIVATE LIMITED" FOR INDUSTRIAL PURPOSE (ORANGE CATEGORY) AT S.F.No: 226/1B, 2B, 227/1A, 1B, 2, 3, 229/1, 3, 5, 233/1B, 2B, 234/2B, 3E2, 4C, 5A2, 235/2A1A2, 236/1A1B, ANANGUR VILLAGE, KUMARAPALAYAM TALUK, NAMAKKAL DISTRICT.

ALL DIMENSION ARE IN METER

NAME OF THE APPLICANT :

M/s MOTHY SPINNER PRIVATE LIMITED

AREA DETAILS:

S.NO	DESCRIPTION	FSI AREA	NON-FSI AREA	TOTAL BUILT-UP AREA
PROPOSED BUILDING				
BLOCK-2 (MAIN FACTORY BUILDING-2)				
1	GROUND FLOOR (GI SHEET)	8495.98	-	8495.98
2	GROUND FLOOR (RCC)	679.92	-	679.92
3	FIRST FLOOR (GI SHEET)	163.84	-	163.84
TOTAL		9339.74	-	9339.74

JOINERY DETAILS:

SYMBOL	DESCRIPTION	Metre	REFERENCE:
Rs	ROLLING SHUTTER	3.60 x 4.20	 FIRE ALARM SYSTEM  HOSE REEL  FIRE FIGHTING EQUIPMENT  DRINKING WATER
Rs1	ROLLING SHUTTER	3.60 x 3.60	
Sd	STEEL DOOR	1.80 x 2.40	
Sd1	STEEL DOOR	1.50 x 2.40	
Sld	SLIDING DOOR	3.00 x 3.00	
W	WINDOW	1.80 x 1.50	
V	VENTILATOR	1.80 x 0.60	
D1	DOOR	0.90 x 2.40	
D2	DOOR	0.76 x 2.40	
ATD	AIR TIGHT DOOR	0.97 x 1.97	


APPLICANT :


For MOTHY SPINNER PRIVATE LIMITED
G. Mothy
DIRECTOR

STRUCTURAL ENGINEER :



Er.S.RAMACHANDRAN, M.E., M.I.E.,
Structural Engineer Gr-I
DTCP Reg. No DTCP/NAMAKKAL/RSE-1/001/2021
Res: 4/580 Muthalaipalli Thottam,
Valayakaranur, Kumarapalayam-638183

REGISTERED ENGINEER :



T. JOHN YOGARAJ
Architect Grade I (IA) CA / 2000 / 29900
Reg No: Coimbatore LP/IA/CA/GR-1/10/02/006
B.S Anand Alondra (Shalom)
38-A, Anna Street, Venkateswaram,
Coimbatore - 641 025. Cell:98940 98212



SECTION ON A-A



SECTION ON B-B



SECTION ON C-C

PLAN SHOWING THE PROPOSED CONSTRUCTION OF GALVALUME SHEET ROOF AND RCC ROOF BUILDING FOR SPINNING MILL PURPOSE OWNED BY "M/s MOTHY SPINNER PRIVATE LIMITED" FOR INDUSTRIAL PURPOSE (ORANGE CATEGORY) AT S.F.No: 226/1B, 2B, 227/1A, 1B, 2, 3, 229/1, 3, 5, 233/1B, 2B, 234/2B, 3E2, 4C, 5A2, 235/2A1A2, 236/1A1B, ANANGUR VILLAGE, KUMARAPALAYAM TALUK, NAMAKKAL DISTRICT.

ALL DIMENSION ARE IN METER

NAME OF THE APPLICANT :

M/s MOTHY SPINNER PRIVATE LIMITED

AREA DETAILS:

S.NO	DESCRIPTION	FSI AREA	NON-FSI AREA	TOTAL BUILT-UP AREA
PROPOSED BUILDING				
BLOCK-3 (POWER HOUSE AND GENERATOR ROOM)				
1	GROUND FLOOR (GI SHEET)	328.82	-	328.82
2	GROUND FLOOR (RCC)	459.59	-	459.59
3	FIRST FLOOR (GI SHEET)	453.00	-	453.00
TOTAL		1241.41	-	1241.41

JOINERY DETAILS:

SYMBOL	DESCRIPTION	Metre	REFERENCE:
Rs	ROLLING SHUTTER	3.00 x 3.00	FIRE ALARM SYSTEM HOSE REEL FIRE FIGHTING EQUIPMENT DRINKING WATER
Rs1	ROLLING SHUTTER	3.60 x 4.20	
Std	STEEL DOOR	3.00 x 3.60	
D	DOOR	1.20 x 2.40	
Sld	SLIDING DOOR	1.20 x 2.40	
W	WINDOW	1.80 x 1.50	
V	VENTILATOR	1.80 x 0.60	

APPLICANT :


For MOTHY SPINNER PRIVATE LIMITED
G. Manojkumar
DIRECTOR

STRUCTURAL ENGINEER :


Er.S.RAMACHANDRAN, M.E., M.I.E.
Structural Engineer Gr-I
DTCP Reg. No DTCP/NAMAKKAL/RSE-1/001/2021
Res: 4/580 Muthalaipalli Thottam,
Valayakaranur, Komarapalayam-638183

REGISTERED ENGINEER :


T. JOHN YOGARAJ
Architect Grade I (RA) CA / 2000 / 26990
Reg No: Coimbatore LP/RA/CA-12/16/03/006
B.3 Ariand Abodins (Shilpam)
38-A, Anna Street, Venkatasapuram,
Coimbatore - 641 025. Cell:98940 98212




POWER HOUSE & GENERATOR ROOM- ELEVATION




SECTION ON B-B (GENERATOR ROOM)




POWER HOUSE & GENERATOR ROOM- GROUND FLOOR PLAN



COMPRESSOR ROOM - FIRST FLOOR PLAN



SECTION ON - A A (Power House)



POWER HOUSE & GENERATOR ROOM- ROOF PLAN

PLAN SHOWING THE PROPOSED CONSTRUCTION OF GALVALUME SHEET ROOF AND RCC ROOF BUILDING FOR SPINNING MILL PURPOSE OWNED BY "M/s MOTHY SPINNER PRIVATE LIMITED" FOR INDUSTRIAL PURPOSE (ORANGE CATEGORY) AT S.F.No: 226/1B, 2B, 227/1A, 1B, 2, 3, 229/1, 3, 5, 233/1B, 2B, 234/2B, 3E2, 4C, 5A2, 235/2A1A2, 236/1A1B, ANANGUR VILLAGE, KUMARAPALAYAM TALUK, NAMAKKAL DISTRICT.

ALL DIMENSION ARE IN METER

NAME OF THE APPLICANT :

M/s MOTHY SPINNER PRIVATE LIMITED


AREA DETAILS:

S.NO	DESCRIPTION	FSI AREA	NON-FSI AREA	TOTAL BUILT-UP AREA
PROPOSED BUILDING				
BLOCK-4 (GENTS DORMITORY)				
1	STILT FLOOR (RCC)	452.26	-	452.26
2	FIRST FLOOR (RCC)	452.26	-	452.26
3	SECOND FLOOR (RCC)	452.26	-	452.26
BLOCK-5 (LADIES DORMITORY)				
4	GROUND FLOOR (RCC)	340.63	-	340.63
5	FIRST FLOOR (RCC)	340.63	-	340.63
6	SECOND FLOOR (RCC)	340.63	-	340.63
TOTAL		2378.67	-	2378.67

JOINERY DETAILS:

SYMBOL	DESCRIPTION	METRE	SYMBOL	DESCRIPTION	METRE
D1	DOOR	0.75 x 2.10	W4	WINDOW	1.50 x 1.20
D3	DOOR	0.90 x 2.10	W5	WINDOW	1.80 x 1.20
D4	DOOR	1.00 x 2.10	W6	WINDOW	2.10 x 1.20
D5	DOOR	1.05 x 2.10	W7	WINDOW	2.40 x 1.20
D6	DOOR	1.50 x 2.10	W8	WINDOW	2.70 x 1.20
GD1	GLASS DOOR	0.90 x 2.10	W9	WINDOW	3.00 x 2.10
GD2	GLASS DOOR	1.50 x 2.40	W10	WINDOW	4.80 x 2.40
PD1	PVC DOOR	0.75 x 2.10	V	VENTILATOR	0.60 x 0.90
PD2	PVC DOOR	0.90 x 2.10	V1	VENTILATOR	0.60 x 0.60
W3	WINDOW	1.20 x 1.20	V2	VENTILATOR	0.90 x 0.60

REFERENCE:

-  FIRE ALARM SYSTEM
-  HOSE REEL
-  FIRE FIGHTING EQUIPMENT
-  DRINKING WATER

APPLICANT :

STRUCTURAL ENGINEER :


For MOTHY SPINNER PRIVATE LIMITED

 T. JOHN YOGARAJ
 Director



Er.S.RAMACHANDRAN, M.E., M.I.E.
 Structural Engineer Gr-I
 DTCP Reg. No DTCP/NAMAKKAL/RSE-1/001/2021
 Res: 4/580 Muthalaipatti Thottam,
 Valayakaranur, Kumarapalayam-638183

REGISTERED ENGINEER :



T. JOHN YOGARAJ
 Architect Grade I (RA) CA / 2000 / 28980
 Reg No: Coimbatore LPS/RA/GR-I/1103/005
 B-3 Anand Abodes (Ghulam)
 38-A, Anna Street, Venkataswaram,
 Coimbatore - 641 025. Cell:09849 08212




GENTS DORMITORY - SECTION 1-1




GENTS DORMITORY - ELEVATION - A




GENTS DORMITORY BLOCK - TERRACE FLOOR PLAN (BLOCK-4)




GENTS DORMITORY - TYPICAL FLOOR PLAN (FIRST & SECOND FLOOR) - (BLOCK-4)




GENTS DORMITORY BLOCK - STILT FLOOR PLAN (BLOCK-4)




LADIES DORMITORY - SECTION 1-1




LADIES DORMITORY - ELEVATION - A




LADIES DORMITORY - TERRACE FLOOR PLAN (BLOCK-5)







LADIES DORMITORY - TYPICAL FLOOR PLAN (FIRST & SECOND FLOOR) - (BLOCK-5)



LADIES DORMITORY - GROUND FLOOR PLAN (BLOCK-5)




FAMILY QUARTERS: ELEVATION - A

FAMILY QUARTERS: TERRACE
FLOOR PLAN (BLOCK-6)FAMILY QUARTERS: TYPICAL FLOOR PLAN
(FIRST & SECOND FLOOR) - (BLOCK-6)FAMILY QUARTERS: GROUND
FLOOR PLAN (BLOCK-6)


FAMILY BLOCK - SECTION 1 - 1

TOILET




ELEVATION

SECTION 1-1




FLOOR PLAN (BLOCK-11)


PO AND GUEST ROOM




ELEVATION - D-2



SECTION 3-3



GROUND FLOOR PLAN - (BLOCK-7)

PO BLOCK - TERRACE
FLOOR PLAN - (BLOCK-7)

PLAN SHOWING THE PROPOSED CONSTRUCTION OF GALVALUME SHEET ROOF AND RCC ROOF BUILDING FOR SPINNING MILL PURPOSE OWNED BY "M/s MOTHY SPINNER PRIVATE LIMITED" FOR INDUSTRIAL PURPOSE (ORANGE CATEGORY) AT S.F.No: 226/1B, 2B, 227/1A, 1B, 2, 3, 229/1, 3, 5, 233/1B, 2B, 234/2B, 3E2, 4C, 5A2, 235/2A1A2, 236/1A1B, ANANGUR VILLAGE, KUMARAPALAYAM TALUK, NAMAKKAL DISTRICT.

ALL DIMENSION ARE IN METER

NAME OF THE APPLICANT :

M/s MOTHY SPINNER PRIVATE LIMITED

AREA DETAILS:

S.NO	DESCRIPTION	FSI AREA	NON-FSI AREA	TOTAL BUILT-UP AREA
------	-------------	----------	--------------	---------------------

PROPOSED BUILDING

BLOCK-6 (FAMILY QUARTERS)

1	GROUND FLOOR (RCC)	495.22	-	495.22
2	FIRST FLOOR (RCC)	495.22	-	495.22
3	SECOND FLOOR (RCC)	495.22	-	495.22

BLOCK-7 (PO AND GUEST ROOM)

4	GROUND FLOOR (GI SHEET)	217.88	-	217.88
---	-------------------------	--------	---	--------

BLOCK-11 (TOILET)

5	GROUND FLOOR (RCC)	90.56	-	90.56
TOTAL		1794.10	-	1794.10

JOINERY DETAILS:

SYMBOL	DESCRIPTION	METRE	SYMBOL	DESCRIPTION	METRE
D1	DOOR	0.75 x 2.10	W4	WINDOW	1.50 x 1.20
D3	DOOR	0.90 x 2.10	W5	WINDOW	1.80 x 1.20
D4	DOOR	1.00 x 2.10	W6	WINDOW	2.10 x 1.20
D5	DOOR	1.05 x 2.10	W7	WINDOW	2.40 x 1.20
D6	DOOR	1.50 x 2.10	W8	WINDOW	2.70 x 1.20
GD1	GLASS DOOR	0.90 x 2.10	W9	WINDOW	3.00 x 2.10
GD2	GLASS DOOR	1.50 x 2.40	W10	WINDOW	4.80 x 2.40
PD1	PVC DOOR	0.75 x 2.10	V	VENTILATOR	0.60 x 0.90
PD2	PVC DOOR	0.90 x 2.10	V1	VENTILATOR	0.60 x 0.60
W3	WINDOW	1.20 x 1.20	V2	VENTILATOR	0.90 x 0.60

APPLICANT :

For MOTHY SPINNER PRIVATE LIMITED
S. Muthaiah
DIRECTOR

REFERENCE:

- FIRE ALARM SYSTEM
- HOSE REEL
- FIRE FIGHTING EQUIPMENT
- DRINKING WATER


STRUCTURAL ENGINEER :

S. Ramachandran
Er.S.RAMACHANDRAN, M.E., M.I.E.,
Structural Engineer Gr-I
DTCP Reg. No DTCP/NAMAKKAL/RS-1/001/2021
Res: 4/580 Muthalaipalli Thottam,
Valayakaranur, Kumarapalayam-636 183


REGISTERED ENGINEER :

T. John Yogaraj
T. JOHN YOGARAJ
Architect Grade 1 (RA) CA / 2000 / 26980
Reg No: Coimbatore LP/CA/2011/10/03/006
B-3 Anand Abad (Shilpam)
30-A, Anna Street, Vankalapuram,
Coimbatore - 641 025. Call:98940 99212


OFFICE




ELEVATION - A



SECTION 1 - 1




GROUND FLOOR PLAN - (BLOCK-9)




TERRACE PLAN - (BLOCK-9)


CANTEN




TERRACE FLOOR PLAN - (BLOCK-8)




FIRST FLOOR PLAN - (BLOCK-8)




GROUND FLOOR PLAN - (BLOCK-8)

SECURITY-2 & BILLING OFFICE
SCALE 1:100


FRONT ELEVATION



SECTION A - A




GROUND FLOOR PLAN - (BLOCK-10)




TERRACE FLOOR PLAN - (BLOCK-10)

SECURITY - 1




NORTH SIDE ELEVATION

SECTION - B - B





EAST SIDE ELEVATION



GROUND FLOOR PLAN

ROOF PLAN

CANTEN ELEVATION - A



CANTEN - SECTION 1-1

PLAN SHOWING THE PROPOSED CONSTRUCTION OF GALVALUME SHEET ROOF AND RCC ROOF BUILDING FOR SPINNING MILL PURPOSE OWNED BY "M/s MOTHI SPINNER PRIVATE LIMITED" FOR INDUSTRIAL PURPOSE (ORANGE CATEGORY) AT S.F.No: 226/1B, 2B, 227/1A, 1B, 2, 3, 229/1, 3, 5, 233/1B, 2B, 234/2B, 3E2, 4C, 5A2, 235/2A1A2, 236/1A1B, ANANGUR VILLAGE, KUMARAPALAYAM TALUK, NAMAKKAL DISTRICT.

ALL DIMENSION ARE IN METER

NAME OF THE APPLICANT :

M/s MOTHI SPINNER PRIVATE LIMITED

AREA DETAILS:

S.NO	DESCRIPTION	FSI AREA	NON-FSI AREA	TOTAL BUILT-UP AREA
------	-------------	----------	--------------	---------------------

PROPOSED BUILDING

BLOCK-8 (CANTEN)

1	GROUND FLOOR (RCC)	353.56	-	353.56
2	FIRST FLOOR (RCC)	183.36	-	183.36

BLOCK-9 (OFFICE)

3	GROUND FLOOR (RCC)	313.12	-	313.12
---	--------------------	--------	---	--------

BLOCK-10 (BILLING AND SECURITY OFFICE)

4	GROUND FLOOR (RCC)	54.59	-	54.59
---	--------------------	-------	---	-------

SECURITY BLOCK

5	GROUND FLOOR (RCC)	6.25	-	6.25
TOTAL		910.88	-	910.88

JOINERY DETAILS:

SYMBOL	DESCRIPTION	METRE	SYMBOL	DESCRIPTION	METRE
D1	DOOR	0.75 x 2.10	W4	WINDOW	1.50 x 1.20
D3	DOOR	0.90 x 2.10	W5	WINDOW	1.80 x 1.20
D4	DOOR	1.00 x 2.10	W6	WINDOW	2.10 x 1.20
D5	DOOR	1.05 x 2.10	W7	WINDOW	2.40 x 1.20
D6	DOOR	1.50 x 2.10	W8	WINDOW	2.70 x 1.20
GD1	GLASS DOOR	0.90 x 2.10	W9	WINDOW	3.00 x 2.10
GD2	GLASS DOOR	1.50 x 2.40	W10	WINDOW	4.80 x 2.40
PD1	PVC DOOR	0.75 x 2.10	V	VENTILATOR	0.60 x 0.90
PD2	PVC DOOR	0.90 x 2.10	V1	VENTILATOR	0.60 x 0.60
W3	WINDOW	1.20 x 1.20	V2	VENTILATOR	0.90 x 0.60

APPLICANT :

For MOTHI SPINNER PRIVATE LIMITED

9.10.2023
DIRECTOR

REFERENCE:


- FIRE ALARM SYSTEM
- HOSE REEL
- FIRE FIGHTING EQUIPMENT
- DRINKING WATER

STRUCTURAL ENGINEER :


Er.S.RAMACHANDRAN, M.E., M.I.E.
Structural Engineer Gr-I
DTCPR Reg. No DTCPR/NAMAKKAL/RSE-1/001/2021
Res: 4/580 Muthalaipalli Thottam,
Velayakannur, Kumarapalayam-638183

REGISTERED ENGINEER :

T. JOHN YOGARAJ
Architect Grade I (RA) CA / 2009 / 20800
Reg No: Coimbatore LPV/RA/GR-1/1883/008
B-3 Arund Abades (Shulom)
38-A, Anna Street, Varkkaduram,
Coimbatore - 641 025. CoR:08840 88212



SITE PLAN
SCALE = 1:100



MACHINERY DETAILS					SURVEY NUMBER WISE AREA DETAILS					SHEET NO.01/10					
S.NO	MACHINE NAME	No.S	H.P	TOTAL H.P	S.NO	S.F.No	HECTARE	SQ.m		PLAN SHOWING THE PROPOSED CONSTRUCTION OF GALVALUME SHEET AND RCC ROOF BUILDING FOR SPINNING MILL FACTORY PURPOSE OWNED BY "M/s MOTH SPINNER PRIVATE LIMITED" FOR INDUSTRIAL PURPOSE (ORANGE CATEGORY) AT S.F.No. 226/1B, 2B, 227/1A, 1B, 2, 3, 229/1, 3, 5, 233/1B, 2B, 234/2B, 3E2, 4C, 5A2, 236/1A1B, ANNANGIR VILLAGE AND PANCHAYAT, KUMARAPALAYAM TALUK, NAMAKKAL DISTRICT.					
1	BO	01	9.39	9.39	1	226/1B	0-14.58	1458.00		ALL DIMENSIONS ARE IN METER					
2	MT FAN	01	8.71	8.71	2	226/2B	0-67.00	6700.00		NAME OF THE APPLICANT: M/s MOTH SPINNER PRIVATE LIMITED					
3	CTG-CD-1SS	03	25.28	75.84	3	227/1A	0-4.00	400.00		AREA DETAILS:					
4	TD-9T	01	18.36	18.36	4	227/1B	0-52.00	5200.00		AS PER PATTI AS PER DOCUMENT 85112.00 Sq.m 21.0225 Acres (or) 85074.33 Sq.m					
5	TD-10	02	18.10	36.20	5	227/2	0-40.00	4000.00		ONLINE APPLICATION NUMBER : SWP/RPA/0077979/2023					
6	BO-A-2300	01	18.10	18.10	6	227/3	0-36.50	3650.00		AREA DETAILS:					
7	MT FAN	01	10.05	10.05	7	229/1	0-82.50	8250.00		S.NO DESCRIPTION PSI AREA NON-PSI AREA TOTAL BUILT-UP AREA					
8	MX-U6	02	18.36	36.72	8	229/2	0-92.00	9200.00		PROPOSED BUILDING					
9	MT FAN	01	7.37	7.37	9	229/3	0-71.00	7100.00		BLOCK-1 (MAIN FACTORY BUILDING-1)					
10	TO-T1	02	17.09	34.18	10	233/1B	0-66.40	6640.00		1 GROUND FLOOR (GI SHEET) 13440.03 - 13440.03					
11	MT FAN	02	7.37	14.74	11	233/2B	0-79.00	7900.00		2 GROUND FLOOR (RCC) 539.85 - 539.85					
12	CTG-CD-1SS	05	25.28	126.40	12	234/2B	0-34.24	3424.00		3 FIRST FLOOR (RCC) 539.85 - 539.85					
13	TD-9T	01	18.04	18.04	13	234/2E2	0-44.13	4413.00		4 SECOND FLOOR (RCC) 91.57 - 91.57					
14	TD-10	02	18.10	36.20	14	234/4C	0-54.80	5480.00		5 THIRD FLOOR (RCC) 91.57 - 91.57					
15	BO-A-2300	01	18.10	18.10	15	234/5A2	0-64.78	6478.00		BLOCK-2 (MAIN FACTORY BUILDING-2)					
16	MT FAN	01	10.05	10.05	16	236/1A1B	0-75.19	7519.00		6 GROUND FLOOR (GI SHEET) 8495.90 - 8495.90					
17	MT FAN	01	7.37	7.37	17	236/2	0-40.00	4000.00		7 GROUND FLOOR (RCC) 679.92 - 679.92					
18	MX-U6	02	18.36	36.72	18	236/3	0-40.00	4000.00		8 FIRST FLOOR (GI SHEET) 163.84 - 163.84					
19	TO-T1	01	17.09	17.09	19	236/4	0-40.00	4000.00		BLOCK-3 (POWER HOUSE AND GENERATOR ROOM)					
20	MT FAN	01	7.37	7.37	20	236/5	0-40.00	4000.00		10 GROUND FLOOR (GI SHEET) 328.82 - 328.82					
21	CTG-CD-1SS	05	25.28	126.40	21	236/6	0-40.00	4000.00		11 GROUND FLOOR (RCC) 459.59 - 459.59					
22	TD-9T	01	18.36	18.36	22	236/7	0-40.00	4000.00		12 FIRST FLOOR (GI SHEET) 453.00 - 453.00					
23	TD-10	02	18.10	36.20	23	236/8	0-40.00	4000.00		BLOCK-4 (GENTS DORMITORY)					
24	MT FAN	01	10.08	10.08	24	236/9	0-40.00	4000.00		13 STYL FLOOR (RCC) 452.26 - 452.26					
25	MX-U-10	01	18.93	18.93	25	236/10	0-40.00	4000.00		14 FIRST FLOOR (RCC) 452.26 - 452.26					
26	MT FAN	01	7.37	7.37	26	236/11	0-40.00	4000.00		15 SECOND FLOOR (RCC) 452.26 - 452.26					
27	CLU	01	16.61	16.61	27	236/12	0-40.00	4000.00		BLOCK-5 (LADIES DORMITORY)					
28	MT FAN	01	7.37	7.37	28	236/13	0-40.00	4000.00		16 GROUND FLOOR (RCC) 340.63 - 340.63					
29	CTG-CD-1SS IDF	01	27.08	27.08	29	236/14	0-40.00	4000.00		17 FIRST FLOOR (RCC) 340.63 - 340.63					
30	TD-10	02	18.10	36.20	30	236/15	0-40.00	4000.00		18 SECOND FLOOR (RCC) 340.63 - 340.63					
31	VIRTEX-870EX	10	60.82	608.20	31	236/16	0-40.00	4000.00		BLOCK-6 (FAMILY QUARTERS)					
32	SIMPLEX LF 4280	06	76.50	459.00	32	236/17	0-40.00	4000.00		16 GROUND FLOOR (RCC) 495.22 - 495.22					
33	PYS	01	25.34	25.34	33	236/18	0-40.00	4000.00		17 FIRST FLOOR (RCC) 495.22 - 495.22					
34	SPINNING GLW 95 XL	17	162.60	2764.20	34	236/19	0-40.00	4000.00		18 SECOND FLOOR (RCC) 495.22 - 495.22					
35	R-PLANT	01	134.54	134.54	35	236/20	0-40.00	4000.00		BLOCK-7 (PO AND GUEST ROOM)					
36	BR-A CARDING-2	01	129.71	129.71	36	236/21	0-40.00	4000.00		28 GROUND FLOOR (GI SHEET) 217.88 - 217.88					
39	PREPARATION	01	120.47	120.47	39	236/22	0-40.00	4000.00		BLOCK-8 (CANTEN)					
40	SPINNING -1H	01	174.76	174.76	40	236/23	0-40.00	4000.00		26 GROUND FLOOR (RCC) 353.56 - 353.56					
41	SPINNING -2H	01	174.76	174.76	41	236/24	0-40.00	4000.00		27 FIRST FLOOR (RCC) 183.36 - 183.36					
42	COMPRESSOR-1	01	220.51	220.51	42	236/25	0-40.00	4000.00		BLOCK-9 (OFFICE)					
43	COMPRESSOR-2	01	220.51	220.51	43	236/26	0-40.00	4000.00		28 GROUND FLOOR (RCC) 313.12 - 313.12					
44	COMPRESSOR-3	01	152.41	152.41	44	236/27	0-40.00	4000.00		BLOCK-10 (BILLING AND SECURITY OFFICE)					
45	COMPRESSOR-4	01	181.90	181.90	45	236/28	0-40.00	4000.00		29 GROUND FLOOR (GI SHEET) 54.59 - 54.59					
46	COMPRESSOR-5	01	152.41	152.41	46	236/29	0-40.00	4000.00		BLOCK-11 (TOILET)					
47	COMPRESSOR-6	01	120.64	120.64	47	236/30	0-40.00	4000.00		30 GROUND FLOOR (RCC) 90.56 - 90.56					
48	DYER-1	01	13.40	13.40	48	236/31	0-40.00	4000.00		SECURITY BLOCK					
49	DYER-2	01	13.40	13.40	49	236/32	0-40.00	4000.00		31 GROUND FLOOR (RCC) 6.25 - 6.25					
50	DYER-3	01	13.40	13.40	50	236/33	0-40.00	4000.00		TOTAL					
51	DYER-4	01	13.40	13.40	51	236/34	0-40.00	4000.00		TOTAL					
52	MLSB	01	182.31	182.31	52	236/35	0-40.00	4000.00		Floor Space Index = Total PSI Area / Total Area As per Document = 30367.67 / 85074.33 = 0.35 < 1.50					
TOTAL NO.OF WORKERS =350					TOTAL H.P.					7285.23					

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR

TO ANNANGIR

TO CHINNA ANNANGIR