









ELEVATION @ EAST SIDE




SECTION "AA" @ SOUTH SIDE




LP / TCP / (TD) TLPA / NO : 64/2023
PLANNING PERMISSION NO : 65/2023
Planning Assistant : V.Premkumar
Draughts Man Grade-III : S.Kalimuthu
Surveyor : B.Jayarani




SECOND FLOOR PLAN




THIRD FLOOR PLAN



GROUND FLOOR PLAN



FIRST FLOOR PLAN



PLAN SHOWING THE EXISTING & PROPOSED CONSTRUCTION OF A
HIGHER SECONDARY SCHOOL BUILDING IN S.F.NO: 656/1B3 AT
NALLUR VILLAGE, TIRUPPUR SOUTH TALUK, TIRUPPUR DISTRICT.

SCALE :- 1:100
APPLICANT NAME: The Correspondent M s Ananta
Veda International School
APPLICATION NO: SWP/BPA/018868/2023

AREA DETAILS:-	IN SQ.MI	IN ACRE
AREA OF SITE AS PER PATTA	1540.00	0.38 Acre
AREA OF SITE AS PER DOCUMENT	1540.00	0.38 Acre
SUPER IMPOSED PLOT AREA	1662.76	0.41 Acre

S.No	FLOOR	FSI	NON-FSI	TOTAL
1	GROUND FLOOR	438.90	-	438.90
2	FIRST FLOOR	438.90	-	438.90
3	SECOND FLOOR	438.90	-	438.90
4	THIRD FLOOR	50.20	31.40	81.60
	TOTAL AREA	1366.90	31.40	1398.30

F.S.I CALCULATION AS PER SITE AREA:-
F.S.I (1366.90/1540.00) = 0.888

BUILDING HEIGHT :-
HEIGHT OF THE BUILDING = 14.09 Mt
CLASS ROOM AREA = 485.40 Sq.m

PARKING DETAILS	REQUIRED	PROVIDED
TOTAL CAR PARKING	02 No's	06 No's (Including PH)
TOTAL TWO WHEELER PARKING	11 No's	20 No's
TOTAL CYCLE WHEELER PARKING	98 No's	100 No's
OSR DETAILS	REQUIRED (Sq.m)	PROVIDED (Sq.m)
OSR AREA	166.30	166.80 (10.03%)

SYMBOL	JOINERY DETAILS	SIZE IN METER
D	DOOR	1.52 X 2.44
D1	DOOR	1.22 X 2.44
D2	DOOR	0.84 X 2.44
SD	SLIDING DOOR	2.44 X 2.44
W	WINDOW	1.83 X 1.83
W1	WINDOW	0.91 X 1.83
SW	WINDOW	1.83 X 1.83
V	VENTILATOR	0.91 X 0.91
V1	VENTILATOR	1.83 X 0.91

COLOUR INDEX:-	
BOUNDARY OF THE SITE	Green
EXISTING ROADS	Yellow
PROPOSED CONSTRUCTION	Red
PROPOSED DRIVEWAY	White

NOTE:-
* All Dimensions are in Metre
* Rainwater percolation pits provided all round the site.
* All round compound wall Provided.
* S.T.P provided in the SW Corner of the Site.
* Sump and Fire Sump provided.
* Lightning Conductor provided in the roof.
* Fire Detecting and Extinguishing system provided.
* Emergency Alarm provided. Sand buckets provided.

S. Pradeep
Er. S. PRADEEP, B.E., M.E.(ST)
REGISTERED STRUCTURAL ENGINEER Grade-II
DTC/NAMAKKAL/RSE-II/001/2022
First Floor, No. 02, MIG-2208, Gandhimaa Nagar,
Peelamedu, Coimbatore - 641 004.
Ph: 96550 08064
REGISTERED STRUCTURAL ENGINEER

S. Pradeep
Er. S. PRADEEP, B.E., M.E.(ST)
REGISTERED ENGINEER Grade - II
DTC/NAMAKKAL/RE-II/003/2022
First Floor, No. 02, MIG-2208, Gandhimaa Nagar,
Peelamedu, Coimbatore - 641 004.
Ph: 96550 08064
REGISTERED ENGINEER / ARCHITECT

OWNER / APPLICANT
SHEET.NO:01