

Verified RealEstate™

Your trusted partner for buying, selling, and managing property,
ensuring hassle-free service with 100% transparency.

3/350/2 Mettukuppam,
OMR Thoraipakkam,
Chennai, India

hello@verified.realestate

+91 9996 12 9996


www.verified.realestate

Official Property Record



PADUR – STILT+19 FLOORS – AREA STATEMENT

Sl.No.	Block	Floor	Flat No.	Type	RERA Carpet Area (sec 2(k)) (sq.m)	Exclusive Balcony (sq.m)	Proportionate Common Area (sq.m)	Total Area (sq.m)	UDS land Area (sq.m)	Car Parking (Nos.)	
										COVERED	OPEN
	BLOCK A	GROUND, 1ST & 2ND	RETAIL AREA	COMMERCIAL						8	
1	BLOCK A	1ST FLOOR	A 101	2B/1T	36.24	2.39	16.72	59.08	10.31		
2	BLOCK A	1ST FLOOR	A 102	2B/1T	37.10	2.33	17.05	60.29	10.51		
3	BLOCK A	1ST FLOOR	A 103	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
4	BLOCK A	1ST FLOOR	A 104	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
5	BLOCK A	1ST FLOOR	A 105	3B/2T	51.61	3.16	23.43	82.86	14.44		
6	BLOCK A	1ST FLOOR	A 106	3B/2T	51.61	3.16	23.44	82.86	14.45		
7	BLOCK A	1ST FLOOR	A 107	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
8	BLOCK A	1ST FLOOR	A 108	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
9	BLOCK A	1ST FLOOR	A 109	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
10	BLOCK A	1ST FLOOR	A 110	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
11	BLOCK A	1ST FLOOR	A 111	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
12	BLOCK A	1ST FLOOR	A 112	3B/2T	51.61	3.16	23.43	82.86	14.44		
13	BLOCK A	1ST FLOOR	A 113	3B/2T	51.60	3.16	23.46	82.86	14.47		
14	BLOCK A	1ST FLOOR	A 114	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
15	BLOCK A	1ST FLOOR	A 115	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
16	BLOCK A	1ST FLOOR	A 116	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
17	BLOCK A	1ST FLOOR	A 117	1B/1T	29.19	1.71	13.49	47.38	8.32		
18	BLOCK A	1ST FLOOR	A 118	1B/1T	29.19	1.71	13.49	47.38	8.32		
19	BLOCK A	1ST FLOOR	A 119	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
20	BLOCK A	1ST FLOOR	A 120	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
21	BLOCK A	1ST FLOOR	A 121	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
22	BLOCK A	1ST FLOOR	A 122	3B/2T	51.61	3.16	23.42	82.86	14.44		
23	BLOCK A	1ST FLOOR	A 123	3B/2T	51.60	3.16	23.46	82.86	14.47		
24	BLOCK A	1ST FLOOR	A 124	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
25	BLOCK A	1ST FLOOR	A 125	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
26	BLOCK A	1ST FLOOR	A 126	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
27	BLOCK A	1ST FLOOR	A 127	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
28	BLOCK B	1ST FLOOR	B 101	2B/1T	36.24	2.39	16.72	59.08	10.31		
29	BLOCK B	1ST FLOOR	B 102	2B/1T	37.10	2.33	17.07	60.29	10.52		
30	BLOCK B	1ST FLOOR	B 103	2B/1T	37.10	2.33	17.05	60.29	10.51		
31	BLOCK B	1ST FLOOR	B 104	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
32	BLOCK B	1ST FLOOR	B 105	3B/2T	51.61	3.16	23.44	82.86	14.45		
33	BLOCK B	1ST FLOOR	B 106	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
34	BLOCK B	1ST FLOOR	B 107	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
35	BLOCK B	1ST FLOOR	B 108	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
36	BLOCK B	1ST FLOOR	B 109	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
37	BLOCK B	1ST FLOOR	B 110	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
38	BLOCK B	1ST FLOOR	B 111	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
39	BLOCK B	1ST FLOOR	B 112	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
40	BLOCK B	1ST FLOOR	B 113	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
41	BLOCK B	1ST FLOOR	B 114	3B/2T	51.61	3.16	23.43	82.86	14.44		
42	BLOCK B	1ST FLOOR	B 115	3B/2T	51.60	3.16	23.46	82.86	14.47		
43	BLOCK B	1ST FLOOR	B 116	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
44	BLOCK B	1ST FLOOR	B 117	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
45	BLOCK B	1ST FLOOR	B 118	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
46	BLOCK B	1ST FLOOR	B 119	1B/1T	29.19	1.71	13.49	47.38	8.32		
47	BLOCK B	1ST FLOOR	B 120	1B/1T	29.19	1.71	13.49	47.38	8.32		
48	BLOCK B	1ST FLOOR	B 121	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
49	BLOCK B	1ST FLOOR	B 122	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
50	BLOCK B	1ST FLOOR	B 123	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
51	BLOCK B	1ST FLOOR	B 124	3B/2T	51.61	3.16	23.43	82.86	14.44		
52	BLOCK B	1ST FLOOR	B 125	3B/2T	51.60	3.16	23.46	82.86	14.47		
53	BLOCK B	1ST FLOOR	B 126	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
54	BLOCK B	1ST FLOOR	B 127	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
55	BLOCK B	1ST FLOOR	B 128	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
56	BLOCK B	1ST FLOOR	B 129	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
57	BLOCK B	1ST FLOOR	B 130	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
58	BLOCK B	1ST FLOOR	B 131	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
59	BLOCK B	1ST FLOOR	B 132	2B/2T - R	49.68	2.95	22.52	79.61	13.88		


ARVINDHAN RANGAN
 Registered Architect-CA/1991/14238
 No: 17/35, II Main Road, Gandhi Nagar
 Adyar, CHENNAI - 600 020

60	BLOCK B	1ST FLOOR	B 133	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
61	BLOCK B	1ST FLOOR	B 134	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
62	BLOCK B	1ST FLOOR	B 135	2B/1T	37.05	2.33	16.95	60.29	10.45		
63	BLOCK B	1ST FLOOR	B 136	2B/1T	37.05	2.33	17.00	60.29	10.48		
64	BLOCK B	1ST FLOOR	B 137	2B/1T	36.24	2.39	16.71	59.08	10.30		
65	BLOCK C	1ST FLOOR	C 101	2B/1T	36.24	2.39	16.72	59.08	10.31		
66	BLOCK C	1ST FLOOR	C 102	2B/1T	37.10	2.33	17.07	60.29	10.52		
67	BLOCK C	1ST FLOOR	C 103	2B/1T	37.10	2.33	17.05	60.29	10.51		
68	BLOCK C	1ST FLOOR	C 104	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
69	BLOCK C	1ST FLOOR	C 105	3B/2T	51.60	3.16	23.47	82.86	14.47		
70	BLOCK C	1ST FLOOR	C 106	3B/2T	51.61	3.16	23.44	82.86	14.45		
71	BLOCK C	1ST FLOOR	C 107	3B/2T	51.61	3.16	23.44	82.86	14.45		
72	BLOCK C	1ST FLOOR	C 108	3B/2T	51.61	3.16	23.44	82.86	14.45		
73	BLOCK C	1ST FLOOR	C 109	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
74	BLOCK C	1ST FLOOR	C 110	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
75	BLOCK C	1ST FLOOR	C 111	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
76	BLOCK C	1ST FLOOR	C 112	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
77	BLOCK C	1ST FLOOR	C 113	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
78	BLOCK C	1ST FLOOR	C 114	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
79	BLOCK C	1ST FLOOR	C 115	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
80	BLOCK C	1ST FLOOR	C 116	3B/2T	51.61	3.16	23.43	82.86	14.44		
81	BLOCK C	1ST FLOOR	C 117	3B/2T	51.60	3.16	23.46	82.86	14.47		
82	BLOCK C	1ST FLOOR	C 118	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
83	BLOCK C	1ST FLOOR	C 119	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
84	BLOCK C	1ST FLOOR	C 120	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
85	BLOCK C	1ST FLOOR	C 121	1B/1T	29.19	1.71	13.49	47.38	8.32		
86	BLOCK C	1ST FLOOR	C 122	1B/1T	29.19	1.71	13.49	47.38	8.32		
87	BLOCK C	1ST FLOOR	C 123	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
88	BLOCK C	1ST FLOOR	C 124	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
89	BLOCK C	1ST FLOOR	C 125	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
90	BLOCK C	1ST FLOOR	C 126	3B/2T	51.61	3.16	23.43	82.86	14.44		
91	BLOCK C	1ST FLOOR	C 127	3B/2T	51.60	3.16	23.46	82.86	14.47		
92	BLOCK C	1ST FLOOR	C 128	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
93	BLOCK C	1ST FLOOR	C 129	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
94	BLOCK C	1ST FLOOR	C 130	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
95	BLOCK C	1ST FLOOR	C 131	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
96	BLOCK C	1ST FLOOR	C 132	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
97	BLOCK C	1ST FLOOR	C 133	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
98	BLOCK C	1ST FLOOR	C 134	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
99	BLOCK C	1ST FLOOR	C 135	3B/2T	51.60	3.16	23.46	82.86	14.46		
100	BLOCK C	1ST FLOOR	C 136	3B/2T	51.60	3.16	23.47	82.86	14.47		
101	BLOCK C	1ST FLOOR	C 137	3B/2T	51.61	3.16	23.44	82.86	14.45		
102	BLOCK C	1ST FLOOR	C 138	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
103	BLOCK C	1ST FLOOR	C 139	2B/1T	37.05	2.33	16.96	60.29	10.46		
104	BLOCK C	1ST FLOOR	C 140	2B/1T	37.05	2.33	17.00	60.29	10.48		
105	BLOCK C	1ST FLOOR	C 141	2B/1T	36.24	2.39	16.71	59.08	10.30		
106	BLOCK D	1ST FLOOR	D 101	1B/1T	29.19	1.71	13.37	47.38	8.24		
107	BLOCK D	1ST FLOOR	D 102	1B/1T	29.19	1.71	13.27	47.38	8.18		
108	BLOCK D	1ST FLOOR	D 103	1B/1T	29.19	1.71	13.29	47.38	8.19		
109	BLOCK D	1ST FLOOR	D 104	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
110	BLOCK D	1ST FLOOR	D 105	1B/1T	28.95	1.71	13.50	47.38	8.32		
111	BLOCK D	1ST FLOOR	D 106	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
112	BLOCK D	1ST FLOOR	D 107	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
113	BLOCK D	1ST FLOOR	D 108	1B/1T	28.95	1.71	13.33	47.38	8.22		
114	BLOCK D	1ST FLOOR	D 109	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
115	BLOCK D	1ST FLOOR	D 110	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
116	BLOCK D	1ST FLOOR	D 111	1B/1T	29.19	1.71	13.27	47.38	8.18		
117	BLOCK D	1ST FLOOR	D 112	1B/1T	29.19	1.71	13.39	47.38	8.26		
118	BLOCK D	1ST FLOOR	D 113	1B/1T	28.95	1.71	13.39	47.38	8.26		
119	BLOCK D	1ST FLOOR	D 114	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
120	BLOCK D	1ST FLOOR	D 115	1B/1T	28.95	1.71	13.48	47.38	8.31		
121	BLOCK D	1ST FLOOR	D 116	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
122	BLOCK D	1ST FLOOR	D 117	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
123	BLOCK D	1ST FLOOR	D 118	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
124	BLOCK D	1ST FLOOR	D 119	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
125	BLOCK D	1ST FLOOR	D 120	1B/1T	28.95	1.71	13.39	47.38	8.26		
126	BLOCK D	1ST FLOOR	D 121	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
127	BLOCK D	1ST FLOOR	D 122	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
128	BLOCK D	1ST FLOOR	D 123	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		

129	BLOCK D	1ST FLOOR	D 124	STUDIO – TYPE 2	19.37	1.44	9.14	32.79	5.63		
130	BLOCK D	1ST FLOOR	D 125	1B/1T	29.19	1.71	13.39	47.38	8.26		
131	BLOCK D	1ST FLOOR	D 126	STUDIO – TYPE 2	19.37	1.44	9.26	32.79	5.71		
132	BLOCK D	1ST FLOOR	D 127	STUDIO – TYPE 1	19.32	1.37	9.16	32.79	5.65		
133	BLOCK D	1ST FLOOR	D 128	STUDIO – TYPE 1	19.37	1.44	9.27	32.79	5.72		
134	BLOCK E	1ST FLOOR	E 101	1B/1T	29.19	1.71	13.49	47.38	8.32		
135	BLOCK E	1ST FLOOR	E 102	2B/1T	37.05	2.33	17.02	60.29	10.50		
136	BLOCK E	1ST FLOOR	E 103	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
137	BLOCK E	1ST FLOOR	E 104	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
138	BLOCK E	1ST FLOOR	E 105	3B/2T	51.60	3.16	23.47	82.86	14.47		
139	BLOCK E	1ST FLOOR	E 106	3B/2T	51.60	3.16	23.47	82.86	14.47		
140	BLOCK E	1ST FLOOR	E 107	3B/2T	51.60	3.16	23.43	82.86	14.45		
141	BLOCK E	1ST FLOOR	E 108	2B/1T	37.10	2.33	17.03	60.29	10.50		
142	BLOCK E	1ST FLOOR	E 109	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
143	BLOCK E	1ST FLOOR	E 110	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
144	BLOCK E	1ST FLOOR	E 111	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
145	BLOCK E	1ST FLOOR	E 112	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
146	BLOCK E	1ST FLOOR	E 113	2B/1T	37.05	2.33	17.00	60.29	10.48		
147	BLOCK E	1ST FLOOR	E 114	2B/1T	37.05	2.33	17.00	60.29	10.48		
148	BLOCK E	1ST FLOOR	E 115	3B/2T	51.61	3.16	23.44	82.86	14.45		
149	BLOCK E	1ST FLOOR	E 116	3B/2T	51.61	3.16	23.44	82.86	14.45		
150	BLOCK E	1ST FLOOR	E 117	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
151	BLOCK E	1ST FLOOR	E 118	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
152	BLOCK E	1ST FLOOR	E 119	2B/1T	37.10	2.33	17.05	60.29	10.52		
153	BLOCK E	1ST FLOOR	E 120	1B/1T	29.19	1.71	13.49	47.38	8.32		
154	BLOCK F	1ST FLOOR	F 101	1B/1T	29.19	1.71	13.49	47.38	8.32		
155	BLOCK F	1ST FLOOR	F 102	2B/1T	37.05	2.33	17.02	60.29	10.50		
156	BLOCK F	1ST FLOOR	F 103	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
157	BLOCK F	1ST FLOOR	F 104	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
158	BLOCK F	1ST FLOOR	F 105	3B/2T	51.60	3.16	23.47	82.86	14.47		
159	BLOCK F	1ST FLOOR	F 106	3B/2T	51.60	3.16	23.47	82.86	14.47		
160	BLOCK F	1ST FLOOR	F 107	3B/2T	51.60	3.16	23.43	82.86	14.45		
161	BLOCK F	1ST FLOOR	F 108	2B/1T	37.10	2.33	17.03	60.29	10.50		
162	BLOCK F	1ST FLOOR	F 109	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
163	BLOCK F	1ST FLOOR	F 110	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
164	BLOCK F	1ST FLOOR	F 111	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
165	BLOCK F	1ST FLOOR	F 112	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
166	BLOCK F	1ST FLOOR	F 113	2B/1T	37.05	2.33	17.00	60.29	10.48		
167	BLOCK F	1ST FLOOR	F 114	2B/1T	37.05	2.33	17.00	60.29	10.48		
168	BLOCK F	1ST FLOOR	F 115	3B/2T	51.61	3.16	23.44	82.86	14.45		
169	BLOCK F	1ST FLOOR	F 116	3B/2T	51.61	3.16	23.44	82.86	14.45		
170	BLOCK F	1ST FLOOR	F 117	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
171	BLOCK F	1ST FLOOR	F 118	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
172	BLOCK F	1ST FLOOR	F 119	2B/1T	37.10	2.33	17.05	60.29	10.52		
173	BLOCK F	1ST FLOOR	F 120	1B/1T	29.19	1.71	13.49	47.38	8.32		
174	BLOCK G	1ST FLOOR	G 101	1B/1T	29.19	1.71	13.49	47.38	8.32		
175	BLOCK G	1ST FLOOR	G 102	1B/1T	28.95	1.71	13.49	47.38	8.32		
176	BLOCK G	1ST FLOOR	G 103	STUDIO – TYPE 1	19.32	1.37	9.24	32.79	5.69		
177	BLOCK G	1ST FLOOR	G 104	STUDIO – TYPE 2	19.37	1.44	9.26	32.79	5.71		
178	BLOCK G	1ST FLOOR	G 105	1B/1T	29.19	1.71	13.39	47.38	8.26		
179	BLOCK G	1ST FLOOR	G 106	STUDIO – TYPE 2	19.37	1.44	9.14	32.79	5.63		
180	BLOCK G	1ST FLOOR	G 107	STUDIO – TYPE 1	19.32	1.37	9.16	32.79	5.65		
181	BLOCK G	1ST FLOOR	G 108	STUDIO – TYPE 1	19.37	1.44	9.20	32.79	5.67		
182	BLOCK G	1ST FLOOR	G 109	STUDIO – TYPE 1	19.37	1.44	9.30	32.79	5.73		
183	BLOCK G	1ST FLOOR	G 110	1B/1T	28.95	1.71	13.39	47.38	8.26		
184	BLOCK G	1ST FLOOR	G 111	1B/1T	28.95	1.71	13.27	47.38	8.18		
185	BLOCK G	1ST FLOOR	G 112	1B/1T	28.95	1.71	13.27	47.38	8.18		
186	BLOCK G	1ST FLOOR	G 113	1B/1T	28.95	1.71	13.27	47.38	8.18		
187	BLOCK G	1ST FLOOR	G 114	1B/1T	28.95	1.71	13.27	47.38	8.18		
188	BLOCK G	1ST FLOOR	G 115	1B/1T	28.95	1.71	13.39	47.38	8.26		
189	BLOCK G	1ST FLOOR	G 116	STUDIO – TYPE 1	19.37	1.44	9.30	32.79	5.73		
190	BLOCK G	1ST FLOOR	G 117	STUDIO – TYPE 1	19.37	1.44	9.24	32.79	5.70		
191	BLOCK G	1ST FLOOR	G 118	1B/1T	28.95	1.71	13.37	47.38	8.24		
192	BLOCK G	1ST FLOOR	G 119	STUDIO – TYPE 1	19.32	1.37	9.24	32.79	5.69		
193	BLOCK G	1ST FLOOR	G 120	STUDIO – TYPE 2	19.37	1.44	9.26	32.79	5.71		
194	BLOCK G	1ST FLOOR	G 121	1B/1T	29.19	1.71	13.39	47.38	8.26		
195	BLOCK G	1ST FLOOR	G 122	STUDIO – TYPE 2	19.37	1.44	9.14	32.79	5.63		
196	BLOCK G	1ST FLOOR	G 123	STUDIO – TYPE 1	19.32	1.37	9.16	32.79	5.65		
197	BLOCK G	1ST FLOOR	G 124	STUDIO – TYPE 1	19.37	1.44	9.30	32.79	5.73		

198	BLOCK G	1ST FLOOR	G 125	STUDIO – TYPE 2	19.37	1.44	9.37	32.79	5.78		
199	BLOCK H	1ST FLOOR	H 101	3B/2T	51.61	3.16	23.44	82.86	14.45		
200	BLOCK H	1ST FLOOR	H 102	3B/2T	51.60	3.16	23.47	82.86	14.47		
201	BLOCK H	1ST FLOOR	H 103	3B/2T	51.60	3.16	23.47	82.86	14.47		
202	BLOCK H	1ST FLOOR	H 104	2B/1T	36.27	2.39	16.75	59.08	10.33		
203	BLOCK H	1ST FLOOR	H 105	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
204	BLOCK H	1ST FLOOR	H 106	2B/1T	37.10	2.33	17.05	60.29	10.52		
205	BLOCK H	1ST FLOOR	H 107	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
206	BLOCK H	1ST FLOOR	H 108	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
207	BLOCK H	1ST FLOOR	H 109	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
208	BLOCK H	1ST FLOOR	H 110	STUDIO – TYPE 1	19.37	1.44	9.27	32.79	5.72		
209	BLOCK H	1ST FLOOR	H 111	STUDIO – TYPE 2	19.37	1.44	9.27	32.79	5.72		
210	BLOCK H	1ST FLOOR	H 112	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
211	BLOCK H	1ST FLOOR	H 113	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
212	BLOCK H	1ST FLOOR	H 114	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
213	BLOCK H	1ST FLOOR	H 115	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
214	BLOCK H	1ST FLOOR	H 116	3B/2T	51.61	3.16	23.43	82.86	14.44		
215	BLOCK H	1ST FLOOR	H 117	3B/2T	51.60	3.16	23.43	82.86	14.45		
216	BLOCK H	1ST FLOOR	H 118	2B/1T	37.10	2.33	17.03	60.29	10.50		
217	BLOCK H	1ST FLOOR	H 119	2B/1T	36.27	2.39	16.73	59.08	10.32		
218	BLOCK A	2ND FLOOR	A 201	2B/1T	36.24	2.39	16.72	59.08	10.31		
219	BLOCK A	2ND FLOOR	A 202	2B/1T	37.10	2.33	17.05	60.29	10.51		
220	BLOCK A	2ND FLOOR	A 203	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
221	BLOCK A	2ND FLOOR	A 204	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
222	BLOCK A	2ND FLOOR	A 205	3B/2T	51.61	3.16	23.43	82.86	14.44		
223	BLOCK A	2ND FLOOR	A 206	3B/2T	51.61	3.16	23.44	82.86	14.45		
224	BLOCK A	2ND FLOOR	A 207	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
225	BLOCK A	2ND FLOOR	A 208	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
226	BLOCK A	2ND FLOOR	A 209	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
227	BLOCK A	2ND FLOOR	A 210	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
228	BLOCK A	2ND FLOOR	A 211	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
229	BLOCK A	2ND FLOOR	A 212	3B/2T	51.61	3.16	23.43	82.86	14.44		
230	BLOCK A	2ND FLOOR	A 213	3B/2T	51.60	3.16	23.46	82.86	14.47		
231	BLOCK A	2ND FLOOR	A 214	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
232	BLOCK A	2ND FLOOR	A 215	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
233	BLOCK A	2ND FLOOR	A 216	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
234	BLOCK A	2ND FLOOR	A 217	1B/1T	29.19	1.71	13.49	47.38	8.32		
235	BLOCK A	2ND FLOOR	A 218	1B/1T	29.19	1.71	13.49	47.38	8.32		
236	BLOCK A	2ND FLOOR	A 219	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
237	BLOCK A	2ND FLOOR	A 220	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
238	BLOCK A	2ND FLOOR	A 221	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
239	BLOCK A	2ND FLOOR	A 222	3B/2T	51.61	3.16	23.42	82.86	14.44		
240	BLOCK A	2ND FLOOR	A 223	3B/2T	51.60	3.16	23.46	82.86	14.47		
241	BLOCK A	2ND FLOOR	A 224	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
242	BLOCK A	2ND FLOOR	A 225	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
243	BLOCK A	2ND FLOOR	A 226	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
244	BLOCK A	2ND FLOOR	A 227	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
245	BLOCK A	2ND FLOOR	A 228	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
246	BLOCK B	2ND FLOOR	B 201	2B/1T	36.24	2.39	16.72	59.08	10.31		
247	BLOCK B	2ND FLOOR	B 202	2B/1T	37.10	2.33	17.07	60.29	10.52		
248	BLOCK B	2ND FLOOR	B 203	2B/1T	37.10	2.33	17.05	60.29	10.51		
249	BLOCK B	2ND FLOOR	B 204	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
250	BLOCK B	2ND FLOOR	B 205	3B/2T	51.61	3.16	23.44	82.86	14.45		
251	BLOCK B	2ND FLOOR	B 206	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
252	BLOCK B	2ND FLOOR	B 207	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
253	BLOCK B	2ND FLOOR	B 208	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
254	BLOCK B	2ND FLOOR	B 209	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
255	BLOCK B	2ND FLOOR	B 210	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
256	BLOCK B	2ND FLOOR	B 211	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
257	BLOCK B	2ND FLOOR	B 212	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
258	BLOCK B	2ND FLOOR	B 213	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
259	BLOCK B	2ND FLOOR	B 214	3B/2T	51.61	3.16	23.43	82.86	14.44		
260	BLOCK B	2ND FLOOR	B 215	3B/2T	51.60	3.16	23.46	82.86	14.47		
261	BLOCK B	2ND FLOOR	B 216	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
262	BLOCK B	2ND FLOOR	B 217	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
263	BLOCK B	2ND FLOOR	B 218	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
264	BLOCK B	2ND FLOOR	B 219	1B/1T	29.19	1.71	13.49	47.38	8.32		
265	BLOCK B	2ND FLOOR	B 220	1B/1T	29.19	1.71	13.49	47.38	8.32		
266	BLOCK B	2ND FLOOR	B 221	2B/2T - C	43.18	2.58	19.67	69.49	12.13		

267	BLOCK B	2ND FLOOR	B 222	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
268	BLOCK B	2ND FLOOR	B 223	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
269	BLOCK B	2ND FLOOR	B 224	3B/2T	51.61	3.16	23.43	82.86	14.44		
270	BLOCK B	2ND FLOOR	B 225	3B/2T	51.60	3.16	23.46	82.86	14.47		
271	BLOCK B	2ND FLOOR	B 226	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
272	BLOCK B	2ND FLOOR	B 227	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
273	BLOCK B	2ND FLOOR	B 228	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
274	BLOCK B	2ND FLOOR	B 229	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
275	BLOCK B	2ND FLOOR	B 230	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
276	BLOCK B	2ND FLOOR	B 231	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
277	BLOCK B	2ND FLOOR	B 232	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
278	BLOCK B	2ND FLOOR	B 233	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
279	BLOCK B	2ND FLOOR	B 234	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
280	BLOCK B	2ND FLOOR	B 235	2B/1T	37.05	2.33	16.95	60.29	10.45		
281	BLOCK B	2ND FLOOR	B 236	2B/1T	37.05	2.33	17.00	60.29	10.48		
282	BLOCK B	2ND FLOOR	B 237	2B/1T	36.24	2.39	16.71	59.08	10.30		
283	BLOCK C	2ND FLOOR	C 201	2B/1T	36.24	2.39	16.72	59.08	10.31		
284	BLOCK C	2ND FLOOR	C 202	2B/1T	37.10	2.33	17.07	60.29	10.52		
285	BLOCK C	2ND FLOOR	C 203	2B/1T	37.10	2.33	17.05	60.29	10.51		
286	BLOCK C	2ND FLOOR	C 204	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
287	BLOCK C	2ND FLOOR	C 205	3B/2T	51.60	3.16	23.47	82.86	14.47		
288	BLOCK C	2ND FLOOR	C 206	3B/2T	51.61	3.16	23.44	82.86	14.45		
289	BLOCK C	2ND FLOOR	C 207	3B/2T	51.61	3.16	23.44	82.86	14.45		
290	BLOCK C	2ND FLOOR	C 208	3B/2T	51.61	3.16	23.44	82.86	14.45		
291	BLOCK C	2ND FLOOR	C 209	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
292	BLOCK C	2ND FLOOR	C 210	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
293	BLOCK C	2ND FLOOR	C 211	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
294	BLOCK C	2ND FLOOR	C 212	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
295	BLOCK C	2ND FLOOR	C 213	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
296	BLOCK C	2ND FLOOR	C 214	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
297	BLOCK C	2ND FLOOR	C 215	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
298	BLOCK C	2ND FLOOR	C 216	3B/2T	51.61	3.16	23.43	82.86	14.44		
299	BLOCK C	2ND FLOOR	C 217	3B/2T	51.60	3.16	23.46	82.86	14.47		
300	BLOCK C	2ND FLOOR	C 218	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
301	BLOCK C	2ND FLOOR	C 219	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
302	BLOCK C	2ND FLOOR	C 220	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
303	BLOCK C	2ND FLOOR	C 221	1B/1T	29.19	1.71	13.49	47.38	8.32		
304	BLOCK C	2ND FLOOR	C 222	1B/1T	29.19	1.71	13.49	47.38	8.32		
305	BLOCK C	2ND FLOOR	C 223	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
306	BLOCK C	2ND FLOOR	C 224	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
307	BLOCK C	2ND FLOOR	C 225	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
308	BLOCK C	2ND FLOOR	C 226	3B/2T	51.61	3.16	23.43	82.86	14.44		
309	BLOCK C	2ND FLOOR	C 227	3B/2T	51.60	3.16	23.46	82.86	14.47		
310	BLOCK C	2ND FLOOR	C 228	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
311	BLOCK C	2ND FLOOR	C 229	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
312	BLOCK C	2ND FLOOR	C 230	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
313	BLOCK C	2ND FLOOR	C 231	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
314	BLOCK C	2ND FLOOR	C 232	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
315	BLOCK C	2ND FLOOR	C 233	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
316	BLOCK C	2ND FLOOR	C 234	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
317	BLOCK C	2ND FLOOR	C 235	3B/2T	51.60	3.16	23.46	82.86	14.46		
318	BLOCK C	2ND FLOOR	C 236	3B/2T	51.60	3.16	23.47	82.86	14.47		
319	BLOCK C	2ND FLOOR	C 237	3B/2T	51.61	3.16	23.44	82.86	14.45		
320	BLOCK C	2ND FLOOR	C 238	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
321	BLOCK C	2ND FLOOR	C 239	2B/1T	37.05	2.33	16.96	60.29	10.46		
322	BLOCK C	2ND FLOOR	C 240	2B/1T	37.05	2.33	17.00	60.29	10.48		
323	BLOCK C	2ND FLOOR	C 241	2B/1T	36.24	2.39	16.71	59.08	10.30		
324	BLOCK D	2ND FLOOR	D 201	1B/1T	29.19	1.71	13.37	47.38	8.24		
325	BLOCK D	2ND FLOOR	D 202	1B/1T	29.19	1.71	13.27	47.38	8.18		
326	BLOCK D	2ND FLOOR	D 203	1B/1T	29.19	1.71	13.29	47.38	8.19		
327	BLOCK D	2ND FLOOR	D 204	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
328	BLOCK D	2ND FLOOR	D 205	1B/1T	28.95	1.71	13.50	47.38	8.32		
329	BLOCK D	2ND FLOOR	D 206	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
330	BLOCK D	2ND FLOOR	D 207	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
331	BLOCK D	2ND FLOOR	D 208	1B/1T	28.95	1.71	13.33	47.38	8.22		
332	BLOCK D	2ND FLOOR	D 209	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
333	BLOCK D	2ND FLOOR	D 210	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
334	BLOCK D	2ND FLOOR	D 211	1B/1T	29.19	1.71	13.27	47.38	8.18		
335	BLOCK D	2ND FLOOR	D 212	1B/1T	29.19	1.71	13.39	47.38	8.26		

336	BLOCK D	2ND FLOOR	D 213	1B/1T	28.95	1.71	13.39	47.38	8.26		
337	BLOCK D	2ND FLOOR	D 214	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
338	BLOCK D	2ND FLOOR	D 215	1B/1T	28.95	1.71	13.48	47.38	8.31		
339	BLOCK D	2ND FLOOR	D 216	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
340	BLOCK D	2ND FLOOR	D 217	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
341	BLOCK D	2ND FLOOR	D 218	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
342	BLOCK D	2ND FLOOR	D 219	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
343	BLOCK D	2ND FLOOR	D 220	1B/1T	28.95	1.71	13.39	47.38	8.26		
344	BLOCK D	2ND FLOOR	D 221	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
345	BLOCK D	2ND FLOOR	D 222	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
346	BLOCK D	2ND FLOOR	D 223	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
347	BLOCK D	2ND FLOOR	D 224	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
348	BLOCK D	2ND FLOOR	D 225	1B/1T	29.19	1.71	13.39	47.38	8.26		
349	BLOCK D	2ND FLOOR	D 226	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
350	BLOCK D	2ND FLOOR	D 227	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
351	BLOCK D	2ND FLOOR	D 228	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
352	BLOCK E	2ND FLOOR	E 201	1B/1T	29.19	1.71	13.49	47.38	8.32		
353	BLOCK E	2ND FLOOR	E 202	2B/1T	37.05	2.33	17.02	60.29	10.50		
354	BLOCK E	2ND FLOOR	E 203	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
355	BLOCK E	2ND FLOOR	E 204	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
356	BLOCK E	2ND FLOOR	E 205	3B/2T	51.60	3.16	23.47	82.86	14.47		
357	BLOCK E	2ND FLOOR	E 206	3B/2T	51.60	3.16	23.47	82.86	14.47		
358	BLOCK E	2ND FLOOR	E 207	3B/2T	51.60	3.16	23.43	82.86	14.45		
359	BLOCK E	2ND FLOOR	E 208	2B/1T	37.10	2.33	17.03	60.29	10.50		
360	BLOCK E	2ND FLOOR	E 209	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
361	BLOCK E	2ND FLOOR	E 210	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
362	BLOCK E	2ND FLOOR	E 211	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
363	BLOCK E	2ND FLOOR	E 212	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
364	BLOCK E	2ND FLOOR	E 213	2B/1T	37.05	2.33	17.00	60.29	10.48		
365	BLOCK E	2ND FLOOR	E 214	2B/1T	37.05	2.33	17.00	60.29	10.48		
366	BLOCK E	2ND FLOOR	E 215	3B/2T	51.61	3.16	23.44	82.86	14.45		
367	BLOCK E	2ND FLOOR	E 216	3B/2T	51.61	3.16	23.44	82.86	14.45		
368	BLOCK E	2ND FLOOR	E 217	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
369	BLOCK E	2ND FLOOR	E 218	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
370	BLOCK E	2ND FLOOR	E 219	2B/1T	37.10	2.33	17.05	60.29	10.52		
371	BLOCK E	2ND FLOOR	E 220	1B/1T	29.19	1.71	13.49	47.38	8.32		
372	BLOCK F	2ND FLOOR	F 201	1B/1T	29.19	1.71	13.49	47.38	8.32		
373	BLOCK F	2ND FLOOR	F 202	2B/1T	37.05	2.33	17.02	60.29	10.50		
374	BLOCK F	2ND FLOOR	F 203	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
375	BLOCK F	2ND FLOOR	F 204	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
376	BLOCK F	2ND FLOOR	F 205	3B/2T	51.60	3.16	23.47	82.86	14.47		
377	BLOCK F	2ND FLOOR	F 206	3B/2T	51.60	3.16	23.47	82.86	14.47		
378	BLOCK F	2ND FLOOR	F 207	3B/2T	51.60	3.16	23.43	82.86	14.45		
379	BLOCK F	2ND FLOOR	F 208	2B/1T	37.10	2.33	17.03	60.29	10.50		
380	BLOCK F	2ND FLOOR	F 209	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
381	BLOCK F	2ND FLOOR	F 210	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
382	BLOCK F	2ND FLOOR	F 211	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
383	BLOCK F	2ND FLOOR	F 212	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
384	BLOCK F	2ND FLOOR	F 213	2B/1T	37.05	2.33	17.00	60.29	10.48		
385	BLOCK F	2ND FLOOR	F 214	2B/1T	37.05	2.33	17.00	60.29	10.48		
386	BLOCK F	2ND FLOOR	F 215	3B/2T	51.61	3.16	23.44	82.86	14.45		
387	BLOCK F	2ND FLOOR	F 216	3B/2T	51.61	3.16	23.44	82.86	14.45		
388	BLOCK F	2ND FLOOR	F 217	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
389	BLOCK F	2ND FLOOR	F 218	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
390	BLOCK F	2ND FLOOR	F 219	2B/1T	37.10	2.33	17.05	60.29	10.52		
391	BLOCK F	2ND FLOOR	F 220	1B/1T	29.19	1.71	13.49	47.38	8.32		
392	BLOCK G	2ND FLOOR	G 201	1B/1T	29.19	1.71	13.49	47.38	8.32		
393	BLOCK G	2ND FLOOR	G 202	1B/1T	28.95	1.71	13.49	47.38	8.32		
394	BLOCK G	2ND FLOOR	G 203	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
395	BLOCK G	2ND FLOOR	G 204	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
396	BLOCK G	2ND FLOOR	G 205	1B/1T	29.19	1.71	13.39	47.38	8.26		
397	BLOCK G	2ND FLOOR	G 206	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
398	BLOCK G	2ND FLOOR	G 207	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
399	BLOCK G	2ND FLOOR	G 208	STUDIO - TYPE 1	19.37	1.44	9.20	32.79	5.67		
400	BLOCK G	2ND FLOOR	G 209	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
401	BLOCK G	2ND FLOOR	G 210	1B/1T	28.95	1.71	13.39	47.38	8.26		
402	BLOCK G	2ND FLOOR	G 211	1B/1T	28.95	1.71	13.27	47.38	8.18		
403	BLOCK G	2ND FLOOR	G 212	1B/1T	28.95	1.71	13.27	47.38	8.18		
404	BLOCK G	2ND FLOOR	G 213	1B/1T	28.95	1.71	13.27	47.38	8.18		

405	BLOCK G	2ND FLOOR	G 214	1B/1T	28.95	1.71	13.27	47.38	8.18		
406	BLOCK G	2ND FLOOR	G 215	1B/1T	28.95	1.71	13.39	47.38	8.26		
407	BLOCK G	2ND FLOOR	G 216	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
408	BLOCK G	2ND FLOOR	G 217	STUDIO - TYPE 1	19.37	1.44	9.24	32.79	5.70		
409	BLOCK G	2ND FLOOR	G 218	1B/1T	28.95	1.71	13.37	47.38	8.24		
410	BLOCK G	2ND FLOOR	G 219	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
411	BLOCK G	2ND FLOOR	G 220	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
412	BLOCK G	2ND FLOOR	G 221	1B/1T	29.19	1.71	13.39	47.38	8.26		
413	BLOCK G	2ND FLOOR	G 222	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
414	BLOCK G	2ND FLOOR	G 223	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
415	BLOCK G	2ND FLOOR	G 224	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
416	BLOCK G	2ND FLOOR	G 225	STUDIO - TYPE 2	19.37	1.44	9.37	32.79	5.78		
417	BLOCK H	2ND FLOOR	H 201	3B/2T	51.61	3.16	23.44	82.86	14.45		
418	BLOCK H	2ND FLOOR	H 202	3B/2T	51.60	3.16	23.47	82.86	14.47		
419	BLOCK H	2ND FLOOR	H 203	3B/2T	51.60	3.16	23.47	82.86	14.47		
420	BLOCK H	2ND FLOOR	H 204	2B/1T	36.27	2.39	16.75	59.08	10.33		
421	BLOCK H	2ND FLOOR	H 205	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
422	BLOCK H	2ND FLOOR	H 206	2B/1T	37.10	2.33	17.05	60.29	10.52		
423	BLOCK H	2ND FLOOR	H 207	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
424	BLOCK H	2ND FLOOR	H 208	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
425	BLOCK H	2ND FLOOR	H 209	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
426	BLOCK H	2ND FLOOR	H 210	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
427	BLOCK H	2ND FLOOR	H 211	STUDIO - TYPE 2	19.37	1.44	9.27	32.79	5.72		
428	BLOCK H	2ND FLOOR	H 212	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
429	BLOCK H	2ND FLOOR	H 213	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
430	BLOCK H	2ND FLOOR	H 214	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
431	BLOCK H	2ND FLOOR	H 215	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
432	BLOCK H	2ND FLOOR	H 216	3B/2T	51.61	3.16	23.43	82.86	14.44		
433	BLOCK H	2ND FLOOR	H 217	3B/2T	51.60	3.16	23.43	82.86	14.45		
434	BLOCK H	2ND FLOOR	H 218	2B/1T	37.10	2.33	17.03	60.29	10.50		
435	BLOCK H	2ND FLOOR	H 219	2B/1T	36.27	2.39	16.73	59.08	10.32		
436	BLOCK A	3RD FLOOR	A 301	2B/1T	36.24	2.39	16.72	59.08	10.31		
437	BLOCK A	3RD FLOOR	A 302	2B/1T	37.10	2.33	17.05	60.29	10.51		
438	BLOCK A	3RD FLOOR	A 303	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
439	BLOCK A	3RD FLOOR	A 304	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
440	BLOCK A	3RD FLOOR	A 305	3B/2T	51.61	3.16	23.43	82.86	14.44		
441	BLOCK A	3RD FLOOR	A 306	3B/2T	51.61	3.16	23.44	82.86	14.45		
442	BLOCK A	3RD FLOOR	A 307	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
443	BLOCK A	3RD FLOOR	A 308	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
444	BLOCK A	3RD FLOOR	A 309	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
445	BLOCK A	3RD FLOOR	A 310	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
446	BLOCK A	3RD FLOOR	A 311	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
447	BLOCK A	3RD FLOOR	A 312	3B/2T	51.61	3.16	23.43	82.86	14.44		
448	BLOCK A	3RD FLOOR	A 313	3B/2T	51.60	3.16	23.46	82.86	14.47		
449	BLOCK A	3RD FLOOR	A 314	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
450	BLOCK A	3RD FLOOR	A 315	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
451	BLOCK A	3RD FLOOR	A 316	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
452	BLOCK A	3RD FLOOR	A 317	1B/1T	29.19	1.71	13.49	47.38	8.32		
453	BLOCK A	3RD FLOOR	A 318	1B/1T	29.19	1.71	13.49	47.38	8.32		
454	BLOCK A	3RD FLOOR	A 319	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
455	BLOCK A	3RD FLOOR	A 320	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
456	BLOCK A	3RD FLOOR	A 321	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
457	BLOCK A	3RD FLOOR	A 322	3B/2T	51.61	3.16	23.42	82.86	14.44		
458	BLOCK A	3RD FLOOR	A 323	3B/2T	51.60	3.16	23.46	82.86	14.47		
459	BLOCK A	3RD FLOOR	A 324	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
460	BLOCK A	3RD FLOOR	A 325	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
461	BLOCK A	3RD FLOOR	A 326	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
462	BLOCK A	3RD FLOOR	A 327	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
463	BLOCK A	3RD FLOOR	A 328	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
464	BLOCK A	3RD FLOOR	A 329	2B/1T	36.24	2.39	16.71	59.08	10.30		
465	BLOCK B	3RD FLOOR	B 301	2B/1T	36.24	2.39	16.72	59.08	10.31		
466	BLOCK B	3RD FLOOR	B 302	2B/1T	37.10	2.33	17.07	60.29	10.52		
467	BLOCK B	3RD FLOOR	B 303	2B/1T	37.10	2.33	17.05	60.29	10.51		
468	BLOCK B	3RD FLOOR	B 304	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
469	BLOCK B	3RD FLOOR	B 305	3B/2T	51.61	3.16	23.44	82.86	14.45		
470	BLOCK B	3RD FLOOR	B 306	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
471	BLOCK B	3RD FLOOR	B 307	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
472	BLOCK B	3RD FLOOR	B 308	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
473	BLOCK B	3RD FLOOR	B 309	2B/2T - C	43.18	2.58	19.66	69.49	12.12		

474	BLOCK B	3RD FLOOR	B 310	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
475	BLOCK B	3RD FLOOR	B 311	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
476	BLOCK B	3RD FLOOR	B 312	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
477	BLOCK B	3RD FLOOR	B 313	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
478	BLOCK B	3RD FLOOR	B 314	3B/2T	51.61	3.16	23.43	82.86	14.44		
479	BLOCK B	3RD FLOOR	B 315	3B/2T	51.60	3.16	23.46	82.86	14.47		
480	BLOCK B	3RD FLOOR	B 316	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
481	BLOCK B	3RD FLOOR	B 317	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
482	BLOCK B	3RD FLOOR	B 318	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
483	BLOCK B	3RD FLOOR	B 319	1B/1T	29.19	1.71	13.49	47.38	8.32		
484	BLOCK B	3RD FLOOR	B 320	1B/1T	29.19	1.71	13.49	47.38	8.32		
485	BLOCK B	3RD FLOOR	B 321	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
486	BLOCK B	3RD FLOOR	B 322	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
487	BLOCK B	3RD FLOOR	B 323	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
488	BLOCK B	3RD FLOOR	B 324	3B/2T	51.61	3.16	23.43	82.86	14.44		
489	BLOCK B	3RD FLOOR	B 325	3B/2T	51.60	3.16	23.46	82.86	14.47		
490	BLOCK B	3RD FLOOR	B 326	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
491	BLOCK B	3RD FLOOR	B 327	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
492	BLOCK B	3RD FLOOR	B 328	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
493	BLOCK B	3RD FLOOR	B 329	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
494	BLOCK B	3RD FLOOR	B 330	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
495	BLOCK B	3RD FLOOR	B 331	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
496	BLOCK B	3RD FLOOR	B 332	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
497	BLOCK B	3RD FLOOR	B 333	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
498	BLOCK B	3RD FLOOR	B 334	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
499	BLOCK B	3RD FLOOR	B 335	2B/1T	37.05	2.33	16.95	60.29	10.45		
500	BLOCK B	3RD FLOOR	B 336	2B/1T	37.05	2.33	17.00	60.29	10.48		
501	BLOCK B	3RD FLOOR	B 337	2B/1T	36.24	2.39	16.71	59.08	10.30		
502	BLOCK C	3RD FLOOR	C 301	2B/1T	36.24	2.39	16.72	59.08	10.31		
503	BLOCK C	3RD FLOOR	C 302	2B/1T	37.10	2.33	17.07	60.29	10.52		
504	BLOCK C	3RD FLOOR	C 303	2B/1T	37.10	2.33	17.05	60.29	10.51		
505	BLOCK C	3RD FLOOR	C 304	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
506	BLOCK C	3RD FLOOR	C 305	3B/2T	51.60	3.16	23.47	82.86	14.47		
507	BLOCK C	3RD FLOOR	C 306	3B/2T	51.61	3.16	23.44	82.86	14.45		
508	BLOCK C	3RD FLOOR	C 307	3B/2T	51.61	3.16	23.44	82.86	14.45		
509	BLOCK C	3RD FLOOR	C 308	3B/2T	51.61	3.16	23.44	82.86	14.45		
510	BLOCK C	3RD FLOOR	C 309	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
511	BLOCK C	3RD FLOOR	C 310	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
512	BLOCK C	3RD FLOOR	C 311	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
513	BLOCK C	3RD FLOOR	C 312	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
514	BLOCK C	3RD FLOOR	C 313	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
515	BLOCK C	3RD FLOOR	C 314	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
516	BLOCK C	3RD FLOOR	C 315	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
517	BLOCK C	3RD FLOOR	C 316	3B/2T	51.61	3.16	23.43	82.86	14.44		
518	BLOCK C	3RD FLOOR	C 317	3B/2T	51.60	3.16	23.46	82.86	14.47		
519	BLOCK C	3RD FLOOR	C 318	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
520	BLOCK C	3RD FLOOR	C 319	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
521	BLOCK C	3RD FLOOR	C 320	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
522	BLOCK C	3RD FLOOR	C 321	1B/1T	29.19	1.71	13.49	47.38	8.32		
523	BLOCK C	3RD FLOOR	C 322	1B/1T	29.19	1.71	13.49	47.38	8.32		
524	BLOCK C	3RD FLOOR	C 323	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
525	BLOCK C	3RD FLOOR	C 324	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
526	BLOCK C	3RD FLOOR	C 325	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
527	BLOCK C	3RD FLOOR	C 326	3B/2T	51.61	3.16	23.43	82.86	14.44		
528	BLOCK C	3RD FLOOR	C 327	3B/2T	51.60	3.16	23.46	82.86	14.47		
529	BLOCK C	3RD FLOOR	C 328	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
530	BLOCK C	3RD FLOOR	C 329	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
531	BLOCK C	3RD FLOOR	C 330	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
532	BLOCK C	3RD FLOOR	C 331	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
533	BLOCK C	3RD FLOOR	C 332	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
534	BLOCK C	3RD FLOOR	C 333	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
535	BLOCK C	3RD FLOOR	C 334	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
536	BLOCK C	3RD FLOOR	C 335	3B/2T	51.60	3.16	23.46	82.86	14.46		
537	BLOCK C	3RD FLOOR	C 336	3B/2T	51.60	3.16	23.47	82.86	14.47		
538	BLOCK C	3RD FLOOR	C 337	3B/2T	51.61	3.16	23.44	82.86	14.45		
539	BLOCK C	3RD FLOOR	C 338	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
540	BLOCK C	3RD FLOOR	C 339	2B/1T	37.05	2.33	16.96	60.29	10.46		
541	BLOCK C	3RD FLOOR	C 340	2B/1T	37.05	2.33	17.00	60.29	10.48		
542	BLOCK C	3RD FLOOR	C 341	2B/1T	36.24	2.39	16.71	59.08	10.30		

543	BLOCK D	3RD FLOOR	D 301	1B/1T	29.19	1.71	13.37	47.38	8.24		
544	BLOCK D	3RD FLOOR	D 302	1B/1T	29.19	1.71	13.27	47.38	8.18		
545	BLOCK D	3RD FLOOR	D 303	1B/1T	29.19	1.71	13.29	47.38	8.19		
546	BLOCK D	3RD FLOOR	D 304	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
547	BLOCK D	3RD FLOOR	D 305	1B/1T	28.95	1.71	13.50	47.38	8.32		
548	BLOCK D	3RD FLOOR	D 306	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
549	BLOCK D	3RD FLOOR	D 307	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
550	BLOCK D	3RD FLOOR	D 308	1B/1T	28.95	1.71	13.33	47.38	8.22		
551	BLOCK D	3RD FLOOR	D 309	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
552	BLOCK D	3RD FLOOR	D 310	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
553	BLOCK D	3RD FLOOR	D 311	1B/1T	29.19	1.71	13.27	47.38	8.18		
554	BLOCK D	3RD FLOOR	D 312	1B/1T	29.19	1.71	13.39	47.38	8.26		
555	BLOCK D	3RD FLOOR	D 313	1B/1T	28.95	1.71	13.39	47.38	8.26		
556	BLOCK D	3RD FLOOR	D 314	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
557	BLOCK D	3RD FLOOR	D 315	1B/1T	28.95	1.71	13.48	47.38	8.31		
558	BLOCK D	3RD FLOOR	D 316	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
559	BLOCK D	3RD FLOOR	D 317	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
560	BLOCK D	3RD FLOOR	D 318	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
561	BLOCK D	3RD FLOOR	D 319	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
562	BLOCK D	3RD FLOOR	D 320	1B/1T	28.95	1.71	13.39	47.38	8.26		
563	BLOCK D	3RD FLOOR	D 321	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
564	BLOCK D	3RD FLOOR	D 322	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
565	BLOCK D	3RD FLOOR	D 323	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
566	BLOCK D	3RD FLOOR	D 324	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
567	BLOCK D	3RD FLOOR	D 325	1B/1T	29.19	1.71	13.39	47.38	8.26		
568	BLOCK D	3RD FLOOR	D 326	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
569	BLOCK D	3RD FLOOR	D 327	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
570	BLOCK D	3RD FLOOR	D 328	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
571	BLOCK E	3RD FLOOR	E 301	1B/1T	29.19	1.71	13.49	47.38	8.32		
572	BLOCK E	3RD FLOOR	E 302	2B/1T	37.05	2.33	17.02	60.29	10.50		
573	BLOCK E	3RD FLOOR	E 303	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
574	BLOCK E	3RD FLOOR	E 304	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
575	BLOCK E	3RD FLOOR	E 305	3B/2T	51.60	3.16	23.47	82.86	14.47		
576	BLOCK E	3RD FLOOR	E 306	3B/2T	51.60	3.16	23.47	82.86	14.47		
577	BLOCK E	3RD FLOOR	E 307	3B/2T	51.60	3.16	23.43	82.86	14.45		
578	BLOCK E	3RD FLOOR	E 308	2B/1T	37.10	2.33	17.03	60.29	10.50		
579	BLOCK E	3RD FLOOR	E 309	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
580	BLOCK E	3RD FLOOR	E 310	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
581	BLOCK E	3RD FLOOR	E 311	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
582	BLOCK E	3RD FLOOR	E 312	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
583	BLOCK E	3RD FLOOR	E 313	2B/1T	37.05	2.33	17.00	60.29	10.48		
584	BLOCK E	3RD FLOOR	E 314	2B/1T	37.05	2.33	17.00	60.29	10.48		
585	BLOCK E	3RD FLOOR	E 315	3B/2T	51.61	3.16	23.44	82.86	14.45		
586	BLOCK E	3RD FLOOR	E 316	3B/2T	51.61	3.16	23.44	82.86	14.45		
587	BLOCK E	3RD FLOOR	E 317	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
588	BLOCK E	3RD FLOOR	E 318	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
589	BLOCK E	3RD FLOOR	E 319	2B/1T	37.10	2.33	17.05	60.29	10.52		
590	BLOCK E	3RD FLOOR	E 320	1B/1T	29.19	1.71	13.49	47.38	8.32		
591	BLOCK F	3RD FLOOR	F 301	1B/1T	29.19	1.71	13.49	47.38	8.32		
592	BLOCK F	3RD FLOOR	F 302	2B/1T	37.05	2.33	17.02	60.29	10.50		
593	BLOCK F	3RD FLOOR	F 303	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
594	BLOCK F	3RD FLOOR	F 304	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
595	BLOCK F	3RD FLOOR	F 305	3B/2T	51.60	3.16	23.47	82.86	14.47		
596	BLOCK F	3RD FLOOR	F 306	3B/2T	51.60	3.16	23.47	82.86	14.47		
597	BLOCK F	3RD FLOOR	F 307	3B/2T	51.60	3.16	23.43	82.86	14.45		
598	BLOCK F	3RD FLOOR	F 308	2B/1T	37.10	2.33	17.03	60.29	10.50		
599	BLOCK F	3RD FLOOR	F 309	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
600	BLOCK F	3RD FLOOR	F 310	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
601	BLOCK F	3RD FLOOR	F 311	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
602	BLOCK F	3RD FLOOR	F 312	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
603	BLOCK F	3RD FLOOR	F 313	2B/1T	37.05	2.33	17.00	60.29	10.48		
604	BLOCK F	3RD FLOOR	F 314	2B/1T	37.05	2.33	17.00	60.29	10.48		
605	BLOCK F	3RD FLOOR	F 315	3B/2T	51.61	3.16	23.44	82.86	14.45		
606	BLOCK F	3RD FLOOR	F 316	3B/2T	51.61	3.16	23.44	82.86	14.45		
607	BLOCK F	3RD FLOOR	F 317	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
608	BLOCK F	3RD FLOOR	F 318	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
609	BLOCK F	3RD FLOOR	F 319	2B/1T	37.10	2.33	17.05	60.29	10.52		
610	BLOCK F	3RD FLOOR	F 320	1B/1T	29.19	1.71	13.49	47.38	8.32		
611	BLOCK G	3RD FLOOR	G 301	1B/1T	29.19	1.71	13.49	47.38	8.32		

612	BLOCK G	3RD FLOOR	G 302	1B/1T	28.95	1.71	13.49	47.38	8.32		
613	BLOCK G	3RD FLOOR	G 303	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
614	BLOCK G	3RD FLOOR	G 304	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
615	BLOCK G	3RD FLOOR	G 305	1B/1T	29.19	1.71	13.39	47.38	8.26		
616	BLOCK G	3RD FLOOR	G 306	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
617	BLOCK G	3RD FLOOR	G 307	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
618	BLOCK G	3RD FLOOR	G 308	STUDIO - TYPE 1	19.37	1.44	9.20	32.79	5.67		
619	BLOCK G	3RD FLOOR	G 309	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
620	BLOCK G	3RD FLOOR	G 310	1B/1T	28.95	1.71	13.39	47.38	8.26		
621	BLOCK G	3RD FLOOR	G 311	1B/1T	28.95	1.71	13.27	47.38	8.18		
622	BLOCK G	3RD FLOOR	G 312	1B/1T	28.95	1.71	13.27	47.38	8.18		
623	BLOCK G	3RD FLOOR	G 313	1B/1T	28.95	1.71	13.27	47.38	8.18		
624	BLOCK G	3RD FLOOR	G 314	1B/1T	28.95	1.71	13.27	47.38	8.18		
625	BLOCK G	3RD FLOOR	G 315	1B/1T	28.95	1.71	13.39	47.38	8.26		
626	BLOCK G	3RD FLOOR	G 316	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
627	BLOCK G	3RD FLOOR	G 317	STUDIO - TYPE 1	19.37	1.44	9.24	32.79	5.70		
628	BLOCK G	3RD FLOOR	G 318	1B/1T	28.95	1.71	13.37	47.38	8.24		
629	BLOCK G	3RD FLOOR	G 319	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
630	BLOCK G	3RD FLOOR	G 320	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
631	BLOCK G	3RD FLOOR	G 321	1B/1T	29.19	1.71	13.39	47.38	8.26		
632	BLOCK G	3RD FLOOR	G 322	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
633	BLOCK G	3RD FLOOR	G 323	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
634	BLOCK G	3RD FLOOR	G 324	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
635	BLOCK G	3RD FLOOR	G 325	STUDIO - TYPE 2	19.37	1.44	9.37	32.79	5.78		
636	BLOCK H	3RD FLOOR	H 301	3B/2T	51.61	3.16	23.44	82.86	14.45		
637	BLOCK H	3RD FLOOR	H 302	3B/2T	51.60	3.16	23.47	82.86	14.47		
638	BLOCK H	3RD FLOOR	H 303	3B/2T	51.60	3.16	23.47	82.86	14.47		
639	BLOCK H	3RD FLOOR	H 304	2B/1T	36.27	2.39	16.75	59.08	10.33		
640	BLOCK H	3RD FLOOR	H 305	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
641	BLOCK H	3RD FLOOR	H 306	2B/1T	37.10	2.33	17.05	60.29	10.52		
642	BLOCK H	3RD FLOOR	H 307	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
643	BLOCK H	3RD FLOOR	H 308	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
644	BLOCK H	3RD FLOOR	H 309	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
645	BLOCK H	3RD FLOOR	H 310	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
646	BLOCK H	3RD FLOOR	H 311	STUDIO - TYPE 2	19.37	1.44	9.27	32.79	5.72		
647	BLOCK H	3RD FLOOR	H 312	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
648	BLOCK H	3RD FLOOR	H 313	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
649	BLOCK H	3RD FLOOR	H 314	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
650	BLOCK H	3RD FLOOR	H 315	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
651	BLOCK H	3RD FLOOR	H 316	3B/2T	51.61	3.16	23.43	82.86	14.44		
652	BLOCK H	3RD FLOOR	H 317	3B/2T	51.60	3.16	23.43	82.86	14.45		
653	BLOCK H	3RD FLOOR	H 318	2B/1T	37.10	2.33	17.03	60.29	10.50		
654	BLOCK H	3RD FLOOR	H 319	2B/1T	36.27	2.39	16.73	59.08	10.32		
655	BLOCK A	4TH FLOOR	A 401	2B/1T	36.24	2.39	16.72	59.08	10.31		
656	BLOCK A	4TH FLOOR	A 402	2B/1T	37.10	2.33	17.05	60.29	10.51		
657	BLOCK A	4TH FLOOR	A 403	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
658	BLOCK A	4TH FLOOR	A 404	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
659	BLOCK A	4TH FLOOR	A 405	3B/2T	51.61	3.16	23.43	82.86	14.44		
660	BLOCK A	4TH FLOOR	A 406	3B/2T	51.61	3.16	23.44	82.86	14.45		
661	BLOCK A	4TH FLOOR	A 407	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
662	BLOCK A	4TH FLOOR	A 408	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
663	BLOCK A	4TH FLOOR	A 409	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
664	BLOCK A	4TH FLOOR	A 410	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
665	BLOCK A	4TH FLOOR	A 411	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
666	BLOCK A	4TH FLOOR	A 412	3B/2T	51.61	3.16	23.43	82.86	14.44		
667	BLOCK A	4TH FLOOR	A 413	3B/2T	51.60	3.16	23.46	82.86	14.47		
668	BLOCK A	4TH FLOOR	A 414	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
669	BLOCK A	4TH FLOOR	A 415	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
670	BLOCK A	4TH FLOOR	A 416	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
671	BLOCK A	4TH FLOOR	A 417	1B/1T	29.19	1.71	13.49	47.38	8.32		
672	BLOCK A	4TH FLOOR	A 418	1B/1T	29.19	1.71	13.49	47.38	8.32		
673	BLOCK A	4TH FLOOR	A 419	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
674	BLOCK A	4TH FLOOR	A 420	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
675	BLOCK A	4TH FLOOR	A 421	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
676	BLOCK A	4TH FLOOR	A 422	3B/2T	51.61	3.16	23.42	82.86	14.44		
677	BLOCK A	4TH FLOOR	A 423	3B/2T	51.60	3.16	23.46	82.86	14.47		
678	BLOCK A	4TH FLOOR	A 424	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
679	BLOCK A	4TH FLOOR	A 425	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
680	BLOCK A	4TH FLOOR	A 426	2B/2T - C	42.38	2.58	19.38	68.46	11.95		

681	BLOCK A	4TH FLOOR	A 427	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
682	BLOCK A	4TH FLOOR	A 428	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
683	BLOCK A	4TH FLOOR	A 429	2B/1T	36.24	2.39	16.71	59.08	10.30		
684	BLOCK B	4TH FLOOR	B 401	2B/1T	36.24	2.39	16.72	59.08	10.31		
685	BLOCK B	4TH FLOOR	B 402	2B/1T	37.10	2.33	17.07	60.29	10.52		
686	BLOCK B	4TH FLOOR	B 403	2B/1T	37.10	2.33	17.05	60.29	10.51		
687	BLOCK B	4TH FLOOR	B 404	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
688	BLOCK B	4TH FLOOR	B 405	3B/2T	51.61	3.16	23.44	82.86	14.45		
689	BLOCK B	4TH FLOOR	B 406	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
690	BLOCK B	4TH FLOOR	B 407	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
691	BLOCK B	4TH FLOOR	B 408	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
692	BLOCK B	4TH FLOOR	B 409	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
693	BLOCK B	4TH FLOOR	B 410	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
694	BLOCK B	4TH FLOOR	B 411	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
695	BLOCK B	4TH FLOOR	B 412	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
696	BLOCK B	4TH FLOOR	B 413	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
697	BLOCK B	4TH FLOOR	B 414	3B/2T	51.61	3.16	23.43	82.86	14.44		
698	BLOCK B	4TH FLOOR	B 415	3B/2T	51.60	3.16	23.46	82.86	14.47		
699	BLOCK B	4TH FLOOR	B 416	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
700	BLOCK B	4TH FLOOR	B 417	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
701	BLOCK B	4TH FLOOR	B 418	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
702	BLOCK B	4TH FLOOR	B 419	1B/1T	29.19	1.71	13.49	47.38	8.32		
703	BLOCK B	4TH FLOOR	B 420	1B/1T	29.19	1.71	13.49	47.38	8.32		
704	BLOCK B	4TH FLOOR	B 421	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
705	BLOCK B	4TH FLOOR	B 422	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
706	BLOCK B	4TH FLOOR	B 423	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
707	BLOCK B	4TH FLOOR	B 424	3B/2T	51.61	3.16	23.43	82.86	14.44		
708	BLOCK B	4TH FLOOR	B 425	3B/2T	51.60	3.16	23.46	82.86	14.47		
709	BLOCK B	4TH FLOOR	B 426	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
710	BLOCK B	4TH FLOOR	B 427	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
711	BLOCK B	4TH FLOOR	B 428	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
712	BLOCK B	4TH FLOOR	B 429	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
713	BLOCK B	4TH FLOOR	B 430	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
714	BLOCK B	4TH FLOOR	B 431	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
715	BLOCK B	4TH FLOOR	B 432	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
716	BLOCK B	4TH FLOOR	B 433	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
717	BLOCK B	4TH FLOOR	B 434	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
718	BLOCK B	4TH FLOOR	B 435	2B/1T	37.05	2.33	16.95	60.29	10.45		
719	BLOCK B	4TH FLOOR	B 436	2B/1T	37.05	2.33	17.00	60.29	10.48		
720	BLOCK B	4TH FLOOR	B 437	2B/1T	36.24	2.39	16.71	59.08	10.30		
721	BLOCK C	4TH FLOOR	C 401	2B/1T	36.24	2.39	16.72	59.08	10.31		
722	BLOCK C	4TH FLOOR	C 402	2B/1T	37.10	2.33	17.07	60.29	10.52		
723	BLOCK C	4TH FLOOR	C 403	2B/1T	37.10	2.33	17.05	60.29	10.51		
724	BLOCK C	4TH FLOOR	C 404	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
725	BLOCK C	4TH FLOOR	C 405	3B/2T	51.60	3.16	23.47	82.86	14.47		
726	BLOCK C	4TH FLOOR	C 406	3B/2T	51.61	3.16	23.44	82.86	14.45		
727	BLOCK C	4TH FLOOR	C 407	3B/2T	51.61	3.16	23.44	82.86	14.45		
728	BLOCK C	4TH FLOOR	C 408	3B/2T	51.61	3.16	23.44	82.86	14.45		
729	BLOCK C	4TH FLOOR	C 409	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
730	BLOCK C	4TH FLOOR	C 410	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
731	BLOCK C	4TH FLOOR	C 411	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
732	BLOCK C	4TH FLOOR	C 412	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
733	BLOCK C	4TH FLOOR	C 413	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
734	BLOCK C	4TH FLOOR	C 414	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
735	BLOCK C	4TH FLOOR	C 415	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
736	BLOCK C	4TH FLOOR	C 416	3B/2T	51.61	3.16	23.43	82.86	14.44		
737	BLOCK C	4TH FLOOR	C 417	3B/2T	51.60	3.16	23.46	82.86	14.47		
738	BLOCK C	4TH FLOOR	C 418	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
739	BLOCK C	4TH FLOOR	C 419	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
740	BLOCK C	4TH FLOOR	C 420	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
741	BLOCK C	4TH FLOOR	C 421	1B/1T	29.19	1.71	13.49	47.38	8.32		
742	BLOCK C	4TH FLOOR	C 422	1B/1T	29.19	1.71	13.49	47.38	8.32		
743	BLOCK C	4TH FLOOR	C 423	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
744	BLOCK C	4TH FLOOR	C 424	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
745	BLOCK C	4TH FLOOR	C 425	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
746	BLOCK C	4TH FLOOR	C 426	3B/2T	51.61	3.16	23.43	82.86	14.44		
747	BLOCK C	4TH FLOOR	C 427	3B/2T	51.60	3.16	23.46	82.86	14.47		
748	BLOCK C	4TH FLOOR	C 428	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
749	BLOCK C	4TH FLOOR	C 429	2B/2T - C	42.38	2.58	19.38	68.46	11.95		

750	BLOCK C	4TH FLOOR	C 430	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
751	BLOCK C	4TH FLOOR	C 431	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
752	BLOCK C	4TH FLOOR	C 432	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
753	BLOCK C	4TH FLOOR	C 433	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
754	BLOCK C	4TH FLOOR	C 434	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
755	BLOCK C	4TH FLOOR	C 435	3B/2T	51.60	3.16	23.46	82.86	14.46		
756	BLOCK C	4TH FLOOR	C 436	3B/2T	51.60	3.16	23.47	82.86	14.47		
757	BLOCK C	4TH FLOOR	C 437	3B/2T	51.61	3.16	23.44	82.86	14.45		
758	BLOCK C	4TH FLOOR	C 438	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
759	BLOCK C	4TH FLOOR	C 439	2B/1T	37.05	2.33	16.96	60.29	10.46		
760	BLOCK C	4TH FLOOR	C 440	2B/1T	37.05	2.33	17.00	60.29	10.48		
761	BLOCK C	4TH FLOOR	C 441	2B/1T	36.24	2.39	16.71	59.08	10.30		
762	BLOCK D	4TH FLOOR	D 401	1B/1T	29.19	1.71	13.37	47.38	8.24		
763	BLOCK D	4TH FLOOR	D 402	1B/1T	29.19	1.71	13.27	47.38	8.18		
764	BLOCK D	4TH FLOOR	D 403	1B/1T	29.19	1.71	13.29	47.38	8.19		
765	BLOCK D	4TH FLOOR	D 404	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
766	BLOCK D	4TH FLOOR	D 405	1B/1T	28.95	1.71	13.50	47.38	8.32		
767	BLOCK D	4TH FLOOR	D 406	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
768	BLOCK D	4TH FLOOR	D 407	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
769	BLOCK D	4TH FLOOR	D 408	1B/1T	28.95	1.71	13.33	47.38	8.22		
770	BLOCK D	4TH FLOOR	D 409	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
771	BLOCK D	4TH FLOOR	D 410	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
772	BLOCK D	4TH FLOOR	D 411	1B/1T	29.19	1.71	13.27	47.38	8.18		
773	BLOCK D	4TH FLOOR	D 412	1B/1T	29.19	1.71	13.39	47.38	8.26		
774	BLOCK D	4TH FLOOR	D 413	1B/1T	28.95	1.71	13.39	47.38	8.26		
775	BLOCK D	4TH FLOOR	D 414	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
776	BLOCK D	4TH FLOOR	D 415	1B/1T	28.95	1.71	13.48	47.38	8.31		
777	BLOCK D	4TH FLOOR	D 416	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
778	BLOCK D	4TH FLOOR	D 417	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
779	BLOCK D	4TH FLOOR	D 418	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
780	BLOCK D	4TH FLOOR	D 419	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
781	BLOCK D	4TH FLOOR	D 420	1B/1T	28.95	1.71	13.39	47.38	8.26		
782	BLOCK D	4TH FLOOR	D 421	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
783	BLOCK D	4TH FLOOR	D 422	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
784	BLOCK D	4TH FLOOR	D 423	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
785	BLOCK D	4TH FLOOR	D 424	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
786	BLOCK D	4TH FLOOR	D 425	1B/1T	29.19	1.71	13.39	47.38	8.26		
787	BLOCK D	4TH FLOOR	D 426	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
788	BLOCK D	4TH FLOOR	D 427	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
789	BLOCK D	4TH FLOOR	D 428	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
790	BLOCK E	4TH FLOOR	E 401	1B/1T	29.19	1.71	13.49	47.38	8.32		
791	BLOCK E	4TH FLOOR	E 402	2B/1T	37.05	2.33	17.02	60.29	10.50		
792	BLOCK E	4TH FLOOR	E 403	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
793	BLOCK E	4TH FLOOR	E 404	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
794	BLOCK E	4TH FLOOR	E 405	3B/2T	51.60	3.16	23.47	82.86	14.47		
795	BLOCK E	4TH FLOOR	E 406	3B/2T	51.60	3.16	23.47	82.86	14.47		
796	BLOCK E	4TH FLOOR	E 407	3B/2T	51.60	3.16	23.43	82.86	14.45		
797	BLOCK E	4TH FLOOR	E 408	2B/1T	37.10	2.33	17.03	60.29	10.50		
798	BLOCK E	4TH FLOOR	E 409	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
799	BLOCK E	4TH FLOOR	E 410	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
800	BLOCK E	4TH FLOOR	E 411	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
801	BLOCK E	4TH FLOOR	E 412	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
802	BLOCK E	4TH FLOOR	E 413	2B/1T	37.05	2.33	17.00	60.29	10.48		
803	BLOCK E	4TH FLOOR	E 414	2B/1T	37.05	2.33	17.00	60.29	10.48		
804	BLOCK E	4TH FLOOR	E 415	3B/2T	51.61	3.16	23.44	82.86	14.45		
805	BLOCK E	4TH FLOOR	E 416	3B/2T	51.61	3.16	23.44	82.86	14.45		
806	BLOCK E	4TH FLOOR	E 417	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
807	BLOCK E	4TH FLOOR	E 418	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
808	BLOCK E	4TH FLOOR	E 419	2B/1T	37.10	2.33	17.05	60.29	10.52		
809	BLOCK E	4TH FLOOR	E 420	1B/1T	29.19	1.71	13.49	47.38	8.32		
810	BLOCK F	4TH FLOOR	F 401	1B/1T	29.19	1.71	13.49	47.38	8.32		
811	BLOCK F	4TH FLOOR	F 402	2B/1T	37.05	2.33	17.02	60.29	10.50		
812	BLOCK F	4TH FLOOR	F 403	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
813	BLOCK F	4TH FLOOR	F 404	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
814	BLOCK F	4TH FLOOR	F 405	3B/2T	51.60	3.16	23.47	82.86	14.47		
815	BLOCK F	4TH FLOOR	F 406	3B/2T	51.60	3.16	23.47	82.86	14.47		
816	BLOCK F	4TH FLOOR	F 407	3B/2T	51.60	3.16	23.43	82.86	14.45		
817	BLOCK F	4TH FLOOR	F 408	2B/1T	37.10	2.33	17.03	60.29	10.50		
818	BLOCK F	4TH FLOOR	F 409	2B/2T - C	41.83	2.88	19.23	67.54	11.85		

819	BLOCK F	4TH FLOOR	F 410	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
820	BLOCK F	4TH FLOOR	F 411	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
821	BLOCK F	4TH FLOOR	F 412	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
822	BLOCK F	4TH FLOOR	F 413	2B/1T	37.05	2.33	17.00	60.29	10.48		
823	BLOCK F	4TH FLOOR	F 414	2B/1T	37.05	2.33	17.00	60.29	10.48		
824	BLOCK F	4TH FLOOR	F 415	3B/2T	51.61	3.16	23.44	82.86	14.45		
825	BLOCK F	4TH FLOOR	F 416	3B/2T	51.61	3.16	23.44	82.86	14.45		
826	BLOCK F	4TH FLOOR	F 417	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
827	BLOCK F	4TH FLOOR	F 418	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
828	BLOCK F	4TH FLOOR	F 419	2B/1T	37.10	2.33	17.05	60.29	10.52		
829	BLOCK F	4TH FLOOR	F 420	1B/1T	29.19	1.71	13.49	47.38	8.32		
830	BLOCK G	4TH FLOOR	G 401	1B/1T	29.19	1.71	13.49	47.38	8.32		
831	BLOCK G	4TH FLOOR	G 402	1B/1T	28.95	1.71	13.49	47.38	8.32		
832	BLOCK G	4TH FLOOR	G 403	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
833	BLOCK G	4TH FLOOR	G 404	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
834	BLOCK G	4TH FLOOR	G 405	1B/1T	29.19	1.71	13.39	47.38	8.26		
835	BLOCK G	4TH FLOOR	G 406	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
836	BLOCK G	4TH FLOOR	G 407	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
837	BLOCK G	4TH FLOOR	G 408	STUDIO - TYPE 1	19.37	1.44	9.20	32.79	5.67		
838	BLOCK G	4TH FLOOR	G 409	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
839	BLOCK G	4TH FLOOR	G 410	1B/1T	28.95	1.71	13.39	47.38	8.26		
840	BLOCK G	4TH FLOOR	G 411	1B/1T	28.95	1.71	13.27	47.38	8.18		
841	BLOCK G	4TH FLOOR	G 412	1B/1T	28.95	1.71	13.27	47.38	8.18		
842	BLOCK G	4TH FLOOR	G 413	1B/1T	28.95	1.71	13.27	47.38	8.18		
843	BLOCK G	4TH FLOOR	G 414	1B/1T	28.95	1.71	13.27	47.38	8.18		
844	BLOCK G	4TH FLOOR	G 415	1B/1T	28.95	1.71	13.39	47.38	8.26		
845	BLOCK G	4TH FLOOR	G 416	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
846	BLOCK G	4TH FLOOR	G 417	STUDIO - TYPE 1	19.37	1.44	9.24	32.79	5.70		
847	BLOCK G	4TH FLOOR	G 418	1B/1T	28.95	1.71	13.37	47.38	8.24		
848	BLOCK G	4TH FLOOR	G 419	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
849	BLOCK G	4TH FLOOR	G 420	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
850	BLOCK G	4TH FLOOR	G 421	1B/1T	29.19	1.71	13.39	47.38	8.26		
851	BLOCK G	4TH FLOOR	G 422	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
852	BLOCK G	4TH FLOOR	G 423	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
853	BLOCK G	4TH FLOOR	G 424	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
854	BLOCK G	4TH FLOOR	G 425	STUDIO - TYPE 2	19.37	1.44	9.37	32.79	5.78		
855	BLOCK H	4TH FLOOR	H 401	3B/2T	51.61	3.16	23.44	82.86	14.45		
856	BLOCK H	4TH FLOOR	H 402	3B/2T	51.60	3.16	23.47	82.86	14.47		
857	BLOCK H	4TH FLOOR	H 403	3B/2T	51.60	3.16	23.47	82.86	14.47		
858	BLOCK H	4TH FLOOR	H 404	2B/1T	36.27	2.39	16.75	59.08	10.33		
859	BLOCK H	4TH FLOOR	H 405	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
860	BLOCK H	4TH FLOOR	H 406	2B/1T	37.10	2.33	17.05	60.29	10.52		
861	BLOCK H	4TH FLOOR	H 407	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
862	BLOCK H	4TH FLOOR	H 408	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
863	BLOCK H	4TH FLOOR	H 409	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
864	BLOCK H	4TH FLOOR	H 410	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
865	BLOCK H	4TH FLOOR	H 411	STUDIO - TYPE 2	19.37	1.44	9.27	32.79	5.72		
866	BLOCK H	4TH FLOOR	H 412	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
867	BLOCK H	4TH FLOOR	H 413	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
868	BLOCK H	4TH FLOOR	H 414	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
869	BLOCK H	4TH FLOOR	H 415	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
870	BLOCK H	4TH FLOOR	H 416	3B/2T	51.61	3.16	23.43	82.86	14.44		
871	BLOCK H	4TH FLOOR	H 417	3B/2T	51.60	3.16	23.43	82.86	14.45		
872	BLOCK H	4TH FLOOR	H 418	2B/1T	37.10	2.33	17.03	60.29	10.50		
873	BLOCK H	4TH FLOOR	H 419	2B/1T	36.27	2.39	16.73	59.08	10.32		
874	BLOCK A	5TH FLOOR	A 501	2B/1T	36.24	2.39	16.72	59.08	10.31		
875	BLOCK A	5TH FLOOR	A 502	2B/1T	37.10	2.33	17.05	60.29	10.51		
876	BLOCK A	5TH FLOOR	A 503	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
877	BLOCK A	5TH FLOOR	A 504	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
878	BLOCK A	5TH FLOOR	A 505	3B/2T	51.61	3.16	23.43	82.86	14.44		
879	BLOCK A	5TH FLOOR	A 506	3B/2T	51.61	3.16	23.44	82.86	14.45		
880	BLOCK A	5TH FLOOR	A 507	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
881	BLOCK A	5TH FLOOR	A 508	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
882	BLOCK A	5TH FLOOR	A 509	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
883	BLOCK A	5TH FLOOR	A 510	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
884	BLOCK A	5TH FLOOR	A 511	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
885	BLOCK A	5TH FLOOR	A 512	3B/2T	51.61	3.16	23.43	82.86	14.44		
886	BLOCK A	5TH FLOOR	A 513	3B/2T	51.60	3.16	23.46	82.86	14.47		
887	BLOCK A	5TH FLOOR	A 514	2B/2T - R	49.68	2.95	22.53	79.61	13.89		

888	BLOCK A	5TH FLOOR	A 515	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
889	BLOCK A	5TH FLOOR	A 516	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
890	BLOCK A	5TH FLOOR	A 517	1B/1T	29.19	1.71	13.49	47.38	8.32		
891	BLOCK A	5TH FLOOR	A 518	1B/1T	29.19	1.71	13.49	47.38	8.32		
892	BLOCK A	5TH FLOOR	A 519	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
893	BLOCK A	5TH FLOOR	A 520	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
894	BLOCK A	5TH FLOOR	A 521	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
895	BLOCK A	5TH FLOOR	A 522	3B/2T	51.61	3.16	23.42	82.86	14.44		
896	BLOCK A	5TH FLOOR	A 523	3B/2T	51.60	3.16	23.46	82.86	14.47		
897	BLOCK A	5TH FLOOR	A 524	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
898	BLOCK A	5TH FLOOR	A 525	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
899	BLOCK A	5TH FLOOR	A 526	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
900	BLOCK A	5TH FLOOR	A 527	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
901	BLOCK A	5TH FLOOR	A 528	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
902	BLOCK A	5TH FLOOR	A 529	2B/1T	36.24	2.39	16.71	59.08	10.30		
903	BLOCK B	5TH FLOOR	B 501	2B/1T	36.24	2.39	16.72	59.08	10.31		
904	BLOCK B	5TH FLOOR	B 502	2B/1T	37.10	2.33	17.07	60.29	10.52		
905	BLOCK B	5TH FLOOR	B 503	2B/1T	37.10	2.33	17.05	60.29	10.51		
906	BLOCK B	5TH FLOOR	B 504	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
907	BLOCK B	5TH FLOOR	B 505	3B/2T	51.61	3.16	23.44	82.86	14.45		
908	BLOCK B	5TH FLOOR	B 506	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
909	BLOCK B	5TH FLOOR	B 507	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
910	BLOCK B	5TH FLOOR	B 508	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
911	BLOCK B	5TH FLOOR	B 509	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
912	BLOCK B	5TH FLOOR	B 510	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
913	BLOCK B	5TH FLOOR	B 511	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
914	BLOCK B	5TH FLOOR	B 512	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
915	BLOCK B	5TH FLOOR	B 513	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
916	BLOCK B	5TH FLOOR	B 514	3B/2T	51.61	3.16	23.43	82.86	14.44		
917	BLOCK B	5TH FLOOR	B 515	3B/2T	51.60	3.16	23.46	82.86	14.47		
918	BLOCK B	5TH FLOOR	B 516	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
919	BLOCK B	5TH FLOOR	B 517	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
920	BLOCK B	5TH FLOOR	B 518	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
921	BLOCK B	5TH FLOOR	B 519	1B/1T	29.19	1.71	13.49	47.38	8.32		
922	BLOCK B	5TH FLOOR	B 520	1B/1T	29.19	1.71	13.49	47.38	8.32		
923	BLOCK B	5TH FLOOR	B 521	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
924	BLOCK B	5TH FLOOR	B 522	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
925	BLOCK B	5TH FLOOR	B 523	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
926	BLOCK B	5TH FLOOR	B 524	3B/2T	51.61	3.16	23.43	82.86	14.44		
927	BLOCK B	5TH FLOOR	B 525	3B/2T	51.60	3.16	23.46	82.86	14.47		
928	BLOCK B	5TH FLOOR	B 526	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
929	BLOCK B	5TH FLOOR	B 527	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
930	BLOCK B	5TH FLOOR	B 528	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
931	BLOCK B	5TH FLOOR	B 529	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
932	BLOCK B	5TH FLOOR	B 530	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
933	BLOCK B	5TH FLOOR	B 531	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
934	BLOCK B	5TH FLOOR	B 532	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
935	BLOCK B	5TH FLOOR	B 533	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
936	BLOCK B	5TH FLOOR	B 534	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
937	BLOCK B	5TH FLOOR	B 535	2B/1T	37.05	2.33	16.95	60.29	10.45		
938	BLOCK B	5TH FLOOR	B 536	2B/1T	37.05	2.33	17.00	60.29	10.48		
939	BLOCK B	5TH FLOOR	B 537	2B/1T	36.24	2.39	16.71	59.08	10.30		
940	BLOCK C	5TH FLOOR	C 501	2B/1T	36.24	2.39	16.72	59.08	10.31		
941	BLOCK C	5TH FLOOR	C 502	2B/1T	37.10	2.33	17.07	60.29	10.52		
942	BLOCK C	5TH FLOOR	C 503	2B/1T	37.10	2.33	17.05	60.29	10.51		
943	BLOCK C	5TH FLOOR	C 504	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
944	BLOCK C	5TH FLOOR	C 505	3B/2T	51.60	3.16	23.47	82.86	14.47		
945	BLOCK C	5TH FLOOR	C 506	3B/2T	51.61	3.16	23.44	82.86	14.45		
946	BLOCK C	5TH FLOOR	C 507	3B/2T	51.61	3.16	23.44	82.86	14.45		
947	BLOCK C	5TH FLOOR	C 508	3B/2T	51.61	3.16	23.44	82.86	14.45		
948	BLOCK C	5TH FLOOR	C 509	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
949	BLOCK C	5TH FLOOR	C 510	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
950	BLOCK C	5TH FLOOR	C 511	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
951	BLOCK C	5TH FLOOR	C 512	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
952	BLOCK C	5TH FLOOR	C 513	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
953	BLOCK C	5TH FLOOR	C 514	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
954	BLOCK C	5TH FLOOR	C 515	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
955	BLOCK C	5TH FLOOR	C 516	3B/2T	51.61	3.16	23.43	82.86	14.44		
956	BLOCK C	5TH FLOOR	C 517	3B/2T	51.60	3.16	23.46	82.86	14.47		

957	BLOCK C	5TH FLOOR	C 518	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
958	BLOCK C	5TH FLOOR	C 519	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
959	BLOCK C	5TH FLOOR	C 520	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
960	BLOCK C	5TH FLOOR	C 521	1B/1T	29.19	1.71	13.49	47.38	8.32		
961	BLOCK C	5TH FLOOR	C 522	1B/1T	29.19	1.71	13.49	47.38	8.32		
962	BLOCK C	5TH FLOOR	C 523	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
963	BLOCK C	5TH FLOOR	C 524	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
964	BLOCK C	5TH FLOOR	C 525	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
965	BLOCK C	5TH FLOOR	C 526	3B/2T	51.61	3.16	23.43	82.86	14.44		
966	BLOCK C	5TH FLOOR	C 527	3B/2T	51.60	3.16	23.46	82.86	14.47		
967	BLOCK C	5TH FLOOR	C 528	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
968	BLOCK C	5TH FLOOR	C 529	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
969	BLOCK C	5TH FLOOR	C 530	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
970	BLOCK C	5TH FLOOR	C 531	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
971	BLOCK C	5TH FLOOR	C 532	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
972	BLOCK C	5TH FLOOR	C 533	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
973	BLOCK C	5TH FLOOR	C 534	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
974	BLOCK C	5TH FLOOR	C 535	3B/2T	51.60	3.16	23.46	82.86	14.46		
975	BLOCK C	5TH FLOOR	C 536	3B/2T	51.60	3.16	23.47	82.86	14.47		
976	BLOCK C	5TH FLOOR	C 537	3B/2T	51.61	3.16	23.44	82.86	14.45		
977	BLOCK C	5TH FLOOR	C 538	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
978	BLOCK C	5TH FLOOR	C 539	2B/1T	37.05	2.33	16.96	60.29	10.46		
979	BLOCK C	5TH FLOOR	C 540	2B/1T	37.05	2.33	17.00	60.29	10.48		
980	BLOCK C	5TH FLOOR	C 541	2B/1T	36.24	2.39	16.71	59.08	10.30		
981	BLOCK D	5TH FLOOR	D 501	1B/1T	29.19	1.71	13.37	47.38	8.24		
982	BLOCK D	5TH FLOOR	D 502	1B/1T	29.19	1.71	13.27	47.38	8.18		
983	BLOCK D	5TH FLOOR	D 503	1B/1T	29.19	1.71	13.29	47.38	8.19		
984	BLOCK D	5TH FLOOR	D 504	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
985	BLOCK D	5TH FLOOR	D 505	1B/1T	28.95	1.71	13.50	47.38	8.32		
986	BLOCK D	5TH FLOOR	D 506	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
987	BLOCK D	5TH FLOOR	D 507	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
988	BLOCK D	5TH FLOOR	D 508	1B/1T	28.95	1.71	13.33	47.38	8.22		
989	BLOCK D	5TH FLOOR	D 509	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
990	BLOCK D	5TH FLOOR	D 510	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
991	BLOCK D	5TH FLOOR	D 511	1B/1T	29.19	1.71	13.27	47.38	8.18		
992	BLOCK D	5TH FLOOR	D 512	1B/1T	29.19	1.71	13.39	47.38	8.26		
993	BLOCK D	5TH FLOOR	D 513	1B/1T	28.95	1.71	13.39	47.38	8.26		
994	BLOCK D	5TH FLOOR	D 514	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
995	BLOCK D	5TH FLOOR	D 515	1B/1T	28.95	1.71	13.48	47.38	8.31		
996	BLOCK D	5TH FLOOR	D 516	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
997	BLOCK D	5TH FLOOR	D 517	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
998	BLOCK D	5TH FLOOR	D 518	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
999	BLOCK D	5TH FLOOR	D 519	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1000	BLOCK D	5TH FLOOR	D 520	1B/1T	28.95	1.71	13.39	47.38	8.26		
1001	BLOCK D	5TH FLOOR	D 521	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1002	BLOCK D	5TH FLOOR	D 522	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
1003	BLOCK D	5TH FLOOR	D 523	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
1004	BLOCK D	5TH FLOOR	D 524	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1005	BLOCK D	5TH FLOOR	D 525	1B/1T	29.19	1.71	13.39	47.38	8.26		
1006	BLOCK D	5TH FLOOR	D 526	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1007	BLOCK D	5TH FLOOR	D 527	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
1008	BLOCK D	5TH FLOOR	D 528	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
1009	BLOCK E	5TH FLOOR	E 501	1B/1T	29.19	1.71	13.49	47.38	8.32		
1010	BLOCK E	5TH FLOOR	E 502	2B/1T	37.05	2.33	17.02	60.29	10.50		
1011	BLOCK E	5TH FLOOR	E 503	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1012	BLOCK E	5TH FLOOR	E 504	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
1013	BLOCK E	5TH FLOOR	E 505	3B/2T	51.60	3.16	23.47	82.86	14.47		
1014	BLOCK E	5TH FLOOR	E 506	3B/2T	51.60	3.16	23.47	82.86	14.47		
1015	BLOCK E	5TH FLOOR	E 507	3B/2T	51.60	3.16	23.43	82.86	14.45		
1016	BLOCK E	5TH FLOOR	E 508	2B/1T	37.10	2.33	17.03	60.29	10.50		
1017	BLOCK E	5TH FLOOR	E 509	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1018	BLOCK E	5TH FLOOR	E 510	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1019	BLOCK E	5TH FLOOR	E 511	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1020	BLOCK E	5TH FLOOR	E 512	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1021	BLOCK E	5TH FLOOR	E 513	2B/1T	37.05	2.33	17.00	60.29	10.48		
1022	BLOCK E	5TH FLOOR	E 514	2B/1T	37.05	2.33	17.00	60.29	10.48		
1023	BLOCK E	5TH FLOOR	E 515	3B/2T	51.61	3.16	23.44	82.86	14.45		
1024	BLOCK E	5TH FLOOR	E 516	3B/2T	51.61	3.16	23.44	82.86	14.45		
1025	BLOCK E	5TH FLOOR	E 517	2B/2T - R	49.68	2.95	22.53	79.61	13.89		

1026	BLOCK E	5TH FLOOR	E 518	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
1027	BLOCK E	5TH FLOOR	E 519	2B/1T	37.10	2.33	17.05	60.29	10.52		
1028	BLOCK E	5TH FLOOR	E 520	1B/1T	29.19	1.71	13.49	47.38	8.32		
1029	BLOCK F	5TH FLOOR	F 501	1B/1T	29.19	1.71	13.49	47.38	8.32		
1030	BLOCK F	5TH FLOOR	F 502	2B/1T	37.05	2.33	17.02	60.29	10.50		
1031	BLOCK F	5TH FLOOR	F 503	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1032	BLOCK F	5TH FLOOR	F 504	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
1033	BLOCK F	5TH FLOOR	F 505	3B/2T	51.60	3.16	23.47	82.86	14.47		
1034	BLOCK F	5TH FLOOR	F 506	3B/2T	51.60	3.16	23.47	82.86	14.47		
1035	BLOCK F	5TH FLOOR	F 507	3B/2T	51.60	3.16	23.43	82.86	14.45		
1036	BLOCK F	5TH FLOOR	F 508	2B/1T	37.10	2.33	17.03	60.29	10.50		
1037	BLOCK F	5TH FLOOR	F 509	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1038	BLOCK F	5TH FLOOR	F 510	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1039	BLOCK F	5TH FLOOR	F 511	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1040	BLOCK F	5TH FLOOR	F 512	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1041	BLOCK F	5TH FLOOR	F 513	2B/1T	37.05	2.33	17.00	60.29	10.48		
1042	BLOCK F	5TH FLOOR	F 514	2B/1T	37.05	2.33	17.00	60.29	10.48		
1043	BLOCK F	5TH FLOOR	F 515	3B/2T	51.61	3.16	23.44	82.86	14.45		
1044	BLOCK F	5TH FLOOR	F 516	3B/2T	51.61	3.16	23.44	82.86	14.45		
1045	BLOCK F	5TH FLOOR	F 517	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1046	BLOCK F	5TH FLOOR	F 518	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
1047	BLOCK F	5TH FLOOR	F 519	2B/1T	37.10	2.33	17.05	60.29	10.52		
1048	BLOCK F	5TH FLOOR	F 520	1B/1T	29.19	1.71	13.49	47.38	8.32		
1049	BLOCK G	5TH FLOOR	G 501	1B/1T	29.19	1.71	13.49	47.38	8.32		
1050	BLOCK G	5TH FLOOR	G 502	1B/1T	28.95	1.71	13.49	47.38	8.32		
1051	BLOCK G	5TH FLOOR	G 503	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
1052	BLOCK G	5TH FLOOR	G 504	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1053	BLOCK G	5TH FLOOR	G 505	1B/1T	29.19	1.71	13.39	47.38	8.26		
1054	BLOCK G	5TH FLOOR	G 506	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1055	BLOCK G	5TH FLOOR	G 507	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
1056	BLOCK G	5TH FLOOR	G 508	STUDIO - TYPE 1	19.37	1.44	9.20	32.79	5.67		
1057	BLOCK G	5TH FLOOR	G 509	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1058	BLOCK G	5TH FLOOR	G 510	1B/1T	28.95	1.71	13.39	47.38	8.26		
1059	BLOCK G	5TH FLOOR	G 511	1B/1T	28.95	1.71	13.27	47.38	8.18		
1060	BLOCK G	5TH FLOOR	G 512	1B/1T	28.95	1.71	13.27	47.38	8.18		
1061	BLOCK G	5TH FLOOR	G 513	1B/1T	28.95	1.71	13.27	47.38	8.18		
1062	BLOCK G	5TH FLOOR	G 514	1B/1T	28.95	1.71	13.27	47.38	8.18		
1063	BLOCK G	5TH FLOOR	G 515	1B/1T	28.95	1.71	13.39	47.38	8.26		
1064	BLOCK G	5TH FLOOR	G 516	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1065	BLOCK G	5TH FLOOR	G 517	STUDIO - TYPE 1	19.37	1.44	9.24	32.79	5.70		
1066	BLOCK G	5TH FLOOR	G 518	1B/1T	28.95	1.71	13.37	47.38	8.24		
1067	BLOCK G	5TH FLOOR	G 519	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
1068	BLOCK G	5TH FLOOR	G 520	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1069	BLOCK G	5TH FLOOR	G 521	1B/1T	29.19	1.71	13.39	47.38	8.26		
1070	BLOCK G	5TH FLOOR	G 522	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1071	BLOCK G	5TH FLOOR	G 523	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
1072	BLOCK G	5TH FLOOR	G 524	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1073	BLOCK G	5TH FLOOR	G 525	STUDIO - TYPE 2	19.37	1.44	9.37	32.79	5.78		
1074	BLOCK H	5TH FLOOR	H 501	3B/2T	51.61	3.16	23.44	82.86	14.45		
1075	BLOCK H	5TH FLOOR	H 502	3B/2T	51.60	3.16	23.47	82.86	14.47		
1076	BLOCK H	5TH FLOOR	H 503	3B/2T	51.60	3.16	23.47	82.86	14.47		
1077	BLOCK H	5TH FLOOR	H 504	2B/1T	36.27	2.39	16.75	59.08	10.33		
1078	BLOCK H	5TH FLOOR	H 505	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
1079	BLOCK H	5TH FLOOR	H 506	2B/1T	37.10	2.33	17.05	60.29	10.52		
1080	BLOCK H	5TH FLOOR	H 507	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1081	BLOCK H	5TH FLOOR	H 508	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1082	BLOCK H	5TH FLOOR	H 509	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
1083	BLOCK H	5TH FLOOR	H 510	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
1084	BLOCK H	5TH FLOOR	H 511	STUDIO - TYPE 2	19.37	1.44	9.27	32.79	5.72		
1085	BLOCK H	5TH FLOOR	H 512	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
1086	BLOCK H	5TH FLOOR	H 513	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1087	BLOCK H	5TH FLOOR	H 514	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1088	BLOCK H	5TH FLOOR	H 515	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1089	BLOCK H	5TH FLOOR	H 516	3B/2T	51.61	3.16	23.43	82.86	14.44		
1090	BLOCK H	5TH FLOOR	H 517	3B/2T	51.60	3.16	23.43	82.86	14.45		
1091	BLOCK H	5TH FLOOR	H 518	2B/1T	37.10	2.33	17.03	60.29	10.50		
1092	BLOCK H	5TH FLOOR	H 519	2B/1T	36.27	2.39	16.73	59.08	10.32		
1093	BLOCK A	6TH FLOOR	A 601	2B/1T	36.24	2.39	16.72	59.08	10.31		
1094	BLOCK A	6TH FLOOR	A 602	2B/1T	37.10	2.33	17.05	60.29	10.51		

1095	BLOCK A	6TH FLOOR	A 603	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1096	BLOCK A	6TH FLOOR	A 604	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1097	BLOCK A	6TH FLOOR	A 605	3B/2T	51.61	3.16	23.43	82.86	14.44		
1098	BLOCK A	6TH FLOOR	A 606	3B/2T	51.61	3.16	23.44	82.86	14.45		
1099	BLOCK A	6TH FLOOR	A 607	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1100	BLOCK A	6TH FLOOR	A 608	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1101	BLOCK A	6TH FLOOR	A 609	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1102	BLOCK A	6TH FLOOR	A 610	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1103	BLOCK A	6TH FLOOR	A 611	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1104	BLOCK A	6TH FLOOR	A 612	3B/2T	51.61	3.16	23.43	82.86	14.44		
1105	BLOCK A	6TH FLOOR	A 613	3B/2T	51.60	3.16	23.46	82.86	14.47		
1106	BLOCK A	6TH FLOOR	A 614	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1107	BLOCK A	6TH FLOOR	A 615	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1108	BLOCK A	6TH FLOOR	A 616	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1109	BLOCK A	6TH FLOOR	A 617	1B/1T	29.19	1.71	13.49	47.38	8.32		
1110	BLOCK A	6TH FLOOR	A 618	1B/1T	29.19	1.71	13.49	47.38	8.32		
1111	BLOCK A	6TH FLOOR	A 619	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1112	BLOCK A	6TH FLOOR	A 620	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1113	BLOCK A	6TH FLOOR	A 621	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
1114	BLOCK A	6TH FLOOR	A 622	3B/2T	51.61	3.16	23.42	82.86	14.44		
1115	BLOCK A	6TH FLOOR	A 623	3B/2T	51.60	3.16	23.46	82.86	14.47		
1116	BLOCK A	6TH FLOOR	A 624	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1117	BLOCK A	6TH FLOOR	A 625	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1118	BLOCK A	6TH FLOOR	A 626	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1119	BLOCK A	6TH FLOOR	A 627	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1120	BLOCK A	6TH FLOOR	A 628	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1121	BLOCK A	6TH FLOOR	A 629	2B/1T	36.24	2.39	16.71	59.08	10.30		
1122	BLOCK B	6TH FLOOR	B 601	2B/1T	36.24	2.39	16.72	59.08	10.31		
1123	BLOCK B	6TH FLOOR	B 602	2B/1T	37.10	2.33	17.07	60.29	10.52		
1124	BLOCK B	6TH FLOOR	B 603	2B/1T	37.10	2.33	17.05	60.29	10.51		
1125	BLOCK B	6TH FLOOR	B 604	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1126	BLOCK B	6TH FLOOR	B 605	3B/2T	51.61	3.16	23.44	82.86	14.45		
1127	BLOCK B	6TH FLOOR	B 606	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1128	BLOCK B	6TH FLOOR	B 607	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
1129	BLOCK B	6TH FLOOR	B 608	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1130	BLOCK B	6TH FLOOR	B 609	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1131	BLOCK B	6TH FLOOR	B 610	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1132	BLOCK B	6TH FLOOR	B 611	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1133	BLOCK B	6TH FLOOR	B 612	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1134	BLOCK B	6TH FLOOR	B 613	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1135	BLOCK B	6TH FLOOR	B 614	3B/2T	51.61	3.16	23.43	82.86	14.44		
1136	BLOCK B	6TH FLOOR	B 615	3B/2T	51.60	3.16	23.46	82.86	14.47		
1137	BLOCK B	6TH FLOOR	B 616	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1138	BLOCK B	6TH FLOOR	B 617	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1139	BLOCK B	6TH FLOOR	B 618	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1140	BLOCK B	6TH FLOOR	B 619	1B/1T	29.19	1.71	13.49	47.38	8.32		
1141	BLOCK B	6TH FLOOR	B 620	1B/1T	29.19	1.71	13.49	47.38	8.32		
1142	BLOCK B	6TH FLOOR	B 621	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1143	BLOCK B	6TH FLOOR	B 622	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1144	BLOCK B	6TH FLOOR	B 623	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1145	BLOCK B	6TH FLOOR	B 624	3B/2T	51.61	3.16	23.43	82.86	14.44		
1146	BLOCK B	6TH FLOOR	B 625	3B/2T	51.60	3.16	23.46	82.86	14.47		
1147	BLOCK B	6TH FLOOR	B 626	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1148	BLOCK B	6TH FLOOR	B 627	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1149	BLOCK B	6TH FLOOR	B 628	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1150	BLOCK B	6TH FLOOR	B 629	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1151	BLOCK B	6TH FLOOR	B 630	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1152	BLOCK B	6TH FLOOR	B 631	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1153	BLOCK B	6TH FLOOR	B 632	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
1154	BLOCK B	6TH FLOOR	B 633	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1155	BLOCK B	6TH FLOOR	B 634	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
1156	BLOCK B	6TH FLOOR	B 635	2B/1T	37.05	2.33	16.95	60.29	10.45		
1157	BLOCK B	6TH FLOOR	B 636	2B/1T	37.05	2.33	17.00	60.29	10.48		
1158	BLOCK B	6TH FLOOR	B 637	2B/1T	36.24	2.39	16.71	59.08	10.30		
1159	BLOCK C	6TH FLOOR	C 601	2B/1T	36.24	2.39	16.72	59.08	10.31		
1160	BLOCK C	6TH FLOOR	C 602	2B/1T	37.10	2.33	17.07	60.29	10.52		
1161	BLOCK C	6TH FLOOR	C 603	2B/1T	37.10	2.33	17.05	60.29	10.51		
1162	BLOCK C	6TH FLOOR	C 604	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1163	BLOCK C	6TH FLOOR	C 605	3B/2T	51.60	3.16	23.47	82.86	14.44		

1164	BLOCK C	6TH FLOOR	C 606	3B/2T	51.61	3.16	23.44	82.86	14.45		
1165	BLOCK C	6TH FLOOR	C 607	3B/2T	51.61	3.16	23.44	82.86	14.45		
1166	BLOCK C	6TH FLOOR	C 608	3B/2T	51.61	3.16	23.44	82.86	14.45		
1167	BLOCK C	6TH FLOOR	C 609	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1168	BLOCK C	6TH FLOOR	C 610	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1169	BLOCK C	6TH FLOOR	C 611	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1170	BLOCK C	6TH FLOOR	C 612	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1171	BLOCK C	6TH FLOOR	C 613	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1172	BLOCK C	6TH FLOOR	C 614	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1173	BLOCK C	6TH FLOOR	C 615	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1174	BLOCK C	6TH FLOOR	C 616	3B/2T	51.61	3.16	23.43	82.86	14.44		
1175	BLOCK C	6TH FLOOR	C 617	3B/2T	51.60	3.16	23.46	82.86	14.47		
1176	BLOCK C	6TH FLOOR	C 618	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1177	BLOCK C	6TH FLOOR	C 619	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1178	BLOCK C	6TH FLOOR	C 620	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1179	BLOCK C	6TH FLOOR	C 621	1B/1T	29.19	1.71	13.49	47.38	8.32		
1180	BLOCK C	6TH FLOOR	C 622	1B/1T	29.19	1.71	13.49	47.38	8.32		
1181	BLOCK C	6TH FLOOR	C 623	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1182	BLOCK C	6TH FLOOR	C 624	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1183	BLOCK C	6TH FLOOR	C 625	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1184	BLOCK C	6TH FLOOR	C 626	3B/2T	51.61	3.16	23.43	82.86	14.44		
1185	BLOCK C	6TH FLOOR	C 627	3B/2T	51.60	3.16	23.46	82.86	14.47		
1186	BLOCK C	6TH FLOOR	C 628	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1187	BLOCK C	6TH FLOOR	C 629	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1188	BLOCK C	6TH FLOOR	C 630	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1189	BLOCK C	6TH FLOOR	C 631	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1190	BLOCK C	6TH FLOOR	C 632	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1191	BLOCK C	6TH FLOOR	C 633	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1192	BLOCK C	6TH FLOOR	C 634	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
1193	BLOCK C	6TH FLOOR	C 635	3B/2T	51.60	3.16	23.46	82.86	14.46		
1194	BLOCK C	6TH FLOOR	C 636	3B/2T	51.60	3.16	23.47	82.86	14.47		
1195	BLOCK C	6TH FLOOR	C 637	3B/2T	51.61	3.16	23.44	82.86	14.45		
1196	BLOCK C	6TH FLOOR	C 638	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
1197	BLOCK C	6TH FLOOR	C 639	2B/1T	37.05	2.33	16.96	60.29	10.46		
1198	BLOCK C	6TH FLOOR	C 640	2B/1T	37.05	2.33	17.00	60.29	10.48		
1199	BLOCK C	6TH FLOOR	C 641	2B/1T	36.24	2.39	16.71	59.08	10.30		
1200	BLOCK D	6TH FLOOR	D 601	1B/1T	29.19	1.71	13.37	47.38	8.24		
1201	BLOCK D	6TH FLOOR	D 602	1B/1T	29.19	1.71	13.27	47.38	8.18		
1202	BLOCK D	6TH FLOOR	D 603	1B/1T	29.19	1.71	13.29	47.38	8.19		
1203	BLOCK D	6TH FLOOR	D 604	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1204	BLOCK D	6TH FLOOR	D 605	1B/1T	28.95	1.71	13.50	47.38	8.32		
1205	BLOCK D	6TH FLOOR	D 606	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
1206	BLOCK D	6TH FLOOR	D 607	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
1207	BLOCK D	6TH FLOOR	D 608	1B/1T	28.95	1.71	13.33	47.38	8.22		
1208	BLOCK D	6TH FLOOR	D 609	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
1209	BLOCK D	6TH FLOOR	D 610	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1210	BLOCK D	6TH FLOOR	D 611	1B/1T	29.19	1.71	13.27	47.38	8.18		
1211	BLOCK D	6TH FLOOR	D 612	1B/1T	29.19	1.71	13.39	47.38	8.26		
1212	BLOCK D	6TH FLOOR	D 613	1B/1T	28.95	1.71	13.39	47.38	8.26		
1213	BLOCK D	6TH FLOOR	D 614	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1214	BLOCK D	6TH FLOOR	D 615	1B/1T	28.95	1.71	13.48	47.38	8.31		
1215	BLOCK D	6TH FLOOR	D 616	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
1216	BLOCK D	6TH FLOOR	D 617	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
1217	BLOCK D	6TH FLOOR	D 618	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
1218	BLOCK D	6TH FLOOR	D 619	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1219	BLOCK D	6TH FLOOR	D 620	1B/1T	28.95	1.71	13.39	47.38	8.26		
1220	BLOCK D	6TH FLOOR	D 621	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1221	BLOCK D	6TH FLOOR	D 622	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
1222	BLOCK D	6TH FLOOR	D 623	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
1223	BLOCK D	6TH FLOOR	D 624	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1224	BLOCK D	6TH FLOOR	D 625	1B/1T	29.19	1.71	13.39	47.38	8.26		
1225	BLOCK D	6TH FLOOR	D 626	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1226	BLOCK D	6TH FLOOR	D 627	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
1227	BLOCK D	6TH FLOOR	D 628	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
1228	BLOCK E	6TH FLOOR	E 601	1B/1T	29.19	1.71	13.49	47.38	8.32		
1229	BLOCK E	6TH FLOOR	E 602	2B/1T	37.05	2.33	17.02	60.29	10.50		
1230	BLOCK E	6TH FLOOR	E 603	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1231	BLOCK E	6TH FLOOR	E 604	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
1232	BLOCK E	6TH FLOOR	E 605	3B/2T	51.60	3.16	23.47	82.86	14.47		

1233	BLOCK E	6TH FLOOR	E 606	3B/2T	51.60	3.16	23.47	82.86	14.47		
1234	BLOCK E	6TH FLOOR	E 607	3B/2T	51.60	3.16	23.43	82.86	14.45		
1235	BLOCK E	6TH FLOOR	E 608	2B/1T	37.10	2.33	17.03	60.29	10.50		
1236	BLOCK E	6TH FLOOR	E 609	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1237	BLOCK E	6TH FLOOR	E 610	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1238	BLOCK E	6TH FLOOR	E 611	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1239	BLOCK E	6TH FLOOR	E 612	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1240	BLOCK E	6TH FLOOR	E 613	2B/1T	37.05	2.33	17.00	60.29	10.48		
1241	BLOCK E	6TH FLOOR	E 614	2B/1T	37.05	2.33	17.00	60.29	10.48		
1242	BLOCK E	6TH FLOOR	E 615	3B/2T	51.61	3.16	23.44	82.86	14.45		
1243	BLOCK E	6TH FLOOR	E 616	3B/2T	51.61	3.16	23.44	82.86	14.45		
1244	BLOCK E	6TH FLOOR	E 617	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1245	BLOCK E	6TH FLOOR	E 618	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
1246	BLOCK E	6TH FLOOR	E 619	2B/1T	37.10	2.33	17.05	60.29	10.52		
1247	BLOCK E	6TH FLOOR	E 620	1B/1T	29.19	1.71	13.49	47.38	8.32		
1248	BLOCK F	6TH FLOOR	F 601	1B/1T	29.19	1.71	13.49	47.38	8.32		
1249	BLOCK F	6TH FLOOR	F 602	2B/1T	37.05	2.33	17.02	60.29	10.50		
1250	BLOCK F	6TH FLOOR	F 603	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1251	BLOCK F	6TH FLOOR	F 604	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
1252	BLOCK F	6TH FLOOR	F 605	3B/2T	51.60	3.16	23.47	82.86	14.47		
1253	BLOCK F	6TH FLOOR	F 606	3B/2T	51.60	3.16	23.47	82.86	14.47		
1254	BLOCK F	6TH FLOOR	F 607	3B/2T	51.60	3.16	23.43	82.86	14.45		
1255	BLOCK F	6TH FLOOR	F 608	2B/1T	37.10	2.33	17.03	60.29	10.50		
1256	BLOCK F	6TH FLOOR	F 609	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1257	BLOCK F	6TH FLOOR	F 610	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1258	BLOCK F	6TH FLOOR	F 611	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1259	BLOCK F	6TH FLOOR	F 612	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1260	BLOCK F	6TH FLOOR	F 613	2B/1T	37.05	2.33	17.00	60.29	10.48		
1261	BLOCK F	6TH FLOOR	F 614	2B/1T	37.05	2.33	17.00	60.29	10.48		
1262	BLOCK F	6TH FLOOR	F 615	3B/2T	51.61	3.16	23.44	82.86	14.45		
1263	BLOCK F	6TH FLOOR	F 616	3B/2T	51.61	3.16	23.44	82.86	14.45		
1264	BLOCK F	6TH FLOOR	F 617	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1265	BLOCK F	6TH FLOOR	F 618	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
1266	BLOCK F	6TH FLOOR	F 619	2B/1T	37.10	2.33	17.05	60.29	10.52		
1267	BLOCK F	6TH FLOOR	F 620	1B/1T	29.19	1.71	13.49	47.38	8.32		
1268	BLOCK G	6TH FLOOR	G 601	1B/1T	29.19	1.71	13.49	47.38	8.32		
1269	BLOCK G	6TH FLOOR	G 602	1B/1T	28.95	1.71	13.49	47.38	8.32		
1270	BLOCK G	6TH FLOOR	G 603	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
1271	BLOCK G	6TH FLOOR	G 604	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1272	BLOCK G	6TH FLOOR	G 605	1B/1T	29.19	1.71	13.39	47.38	8.26		
1273	BLOCK G	6TH FLOOR	G 606	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1274	BLOCK G	6TH FLOOR	G 607	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
1275	BLOCK G	6TH FLOOR	G 608	STUDIO - TYPE 1	19.37	1.44	9.20	32.79	5.67		
1276	BLOCK G	6TH FLOOR	G 609	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1277	BLOCK G	6TH FLOOR	G 610	1B/1T	28.95	1.71	13.39	47.38	8.26		
1278	BLOCK G	6TH FLOOR	G 611	1B/1T	28.95	1.71	13.27	47.38	8.18		
1279	BLOCK G	6TH FLOOR	G 612	1B/1T	28.95	1.71	13.27	47.38	8.18		
1280	BLOCK G	6TH FLOOR	G 613	1B/1T	28.95	1.71	13.27	47.38	8.18		
1281	BLOCK G	6TH FLOOR	G 614	1B/1T	28.95	1.71	13.27	47.38	8.18		
1282	BLOCK G	6TH FLOOR	G 615	1B/1T	28.95	1.71	13.39	47.38	8.26		
1283	BLOCK G	6TH FLOOR	G 616	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1284	BLOCK G	6TH FLOOR	G 617	STUDIO - TYPE 1	19.37	1.44	9.24	32.79	5.70		
1285	BLOCK G	6TH FLOOR	G 618	1B/1T	28.95	1.71	13.37	47.38	8.24		
1286	BLOCK G	6TH FLOOR	G 619	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
1287	BLOCK G	6TH FLOOR	G 620	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1288	BLOCK G	6TH FLOOR	G 621	1B/1T	29.19	1.71	13.39	47.38	8.26		
1289	BLOCK G	6TH FLOOR	G 622	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1290	BLOCK G	6TH FLOOR	G 623	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
1291	BLOCK G	6TH FLOOR	G 624	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1292	BLOCK G	6TH FLOOR	G 625	STUDIO - TYPE 2	19.37	1.44	9.37	32.79	5.78		
1293	BLOCK H	6TH FLOOR	H 601	3B/2T	51.61	3.16	23.44	82.86	14.45		
1294	BLOCK H	6TH FLOOR	H 602	3B/2T	51.60	3.16	23.47	82.86	14.47		
1295	BLOCK H	6TH FLOOR	H 603	3B/2T	51.60	3.16	23.47	82.86	14.47		
1296	BLOCK H	6TH FLOOR	H 604	2B/1T	36.27	2.39	16.75	59.08	10.33		
1297	BLOCK H	6TH FLOOR	H 605	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
1298	BLOCK H	6TH FLOOR	H 606	2B/1T	37.10	2.33	17.05	60.29	10.52		
1299	BLOCK H	6TH FLOOR	H 607	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1300	BLOCK H	6TH FLOOR	H 608	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1301	BLOCK H	6TH FLOOR	H 609	2B/2T - C	41.83	2.88	19.13	67.54	11.79		

1302	BLOCK H	6TH FLOOR	H 610	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
1303	BLOCK H	6TH FLOOR	H 611	STUDIO - TYPE 2	19.37	1.44	9.27	32.79	5.72		
1304	BLOCK H	6TH FLOOR	H 612	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
1305	BLOCK H	6TH FLOOR	H 613	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1306	BLOCK H	6TH FLOOR	H 614	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1307	BLOCK H	6TH FLOOR	H 615	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1308	BLOCK H	6TH FLOOR	H 616	3B/2T	51.61	3.16	23.43	82.86	14.44		
1309	BLOCK H	6TH FLOOR	H 617	3B/2T	51.60	3.16	23.43	82.86	14.45		
1310	BLOCK H	6TH FLOOR	H 618	2B/1T	37.10	2.33	17.03	60.29	10.50		
1311	BLOCK H	6TH FLOOR	H 619	2B/1T	36.27	2.39	16.73	59.08	10.32		
1312	BLOCK A	7TH FLOOR	A 701	2B/1T	36.24	2.39	16.72	59.08	10.31		
1313	BLOCK A	7TH FLOOR	A 702	2B/1T	37.10	2.33	17.05	60.29	10.51		
1314	BLOCK A	7TH FLOOR	A 703	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1315	BLOCK A	7TH FLOOR	A 704	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1316	BLOCK A	7TH FLOOR	A 705	3B/2T	51.61	3.16	23.43	82.86	14.44		
1317	BLOCK A	7TH FLOOR	A 706	3B/2T	51.61	3.16	23.44	82.86	14.45		
1318	BLOCK A	7TH FLOOR	A 707	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1319	BLOCK A	7TH FLOOR	A 708	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1320	BLOCK A	7TH FLOOR	A 709	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1321	BLOCK A	7TH FLOOR	A 710	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1322	BLOCK A	7TH FLOOR	A 711	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1323	BLOCK A	7TH FLOOR	A 712	3B/2T	51.61	3.16	23.43	82.86	14.44		
1324	BLOCK A	7TH FLOOR	A 713	3B/2T	51.60	3.16	23.46	82.86	14.47		
1325	BLOCK A	7TH FLOOR	A 714	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1326	BLOCK A	7TH FLOOR	A 715	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1327	BLOCK A	7TH FLOOR	A 716	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1328	BLOCK A	7TH FLOOR	A 717	1B/1T	29.19	1.71	13.49	47.38	8.32		
1329	BLOCK A	7TH FLOOR	A 718	1B/1T	29.19	1.71	13.49	47.38	8.32		
1330	BLOCK A	7TH FLOOR	A 719	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1331	BLOCK A	7TH FLOOR	A 720	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1332	BLOCK A	7TH FLOOR	A 721	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
1333	BLOCK A	7TH FLOOR	A 722	3B/2T	51.61	3.16	23.42	82.86	14.44		
1334	BLOCK A	7TH FLOOR	A 723	3B/2T	51.60	3.16	23.46	82.86	14.47		
1335	BLOCK A	7TH FLOOR	A 724	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1336	BLOCK A	7TH FLOOR	A 725	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1337	BLOCK A	7TH FLOOR	A 726	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1338	BLOCK A	7TH FLOOR	A 727	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1339	BLOCK A	7TH FLOOR	A 728	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1340	BLOCK A	7TH FLOOR	A 729	2B/1T	36.24	2.39	16.71	59.08	10.30		
1341	BLOCK B	7TH FLOOR	B 701	2B/1T	36.24	2.39	16.72	59.08	10.31		
1342	BLOCK B	7TH FLOOR	B 702	2B/1T	37.10	2.33	17.07	60.29	10.52		
1343	BLOCK B	7TH FLOOR	B 703	2B/1T	37.10	2.33	17.05	60.29	10.51		
1344	BLOCK B	7TH FLOOR	B 704	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1345	BLOCK B	7TH FLOOR	B 705	3B/2T	51.61	3.16	23.44	82.86	14.45		
1346	BLOCK B	7TH FLOOR	B 706	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1347	BLOCK B	7TH FLOOR	B 707	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
1348	BLOCK B	7TH FLOOR	B 708	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1349	BLOCK B	7TH FLOOR	B 709	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1350	BLOCK B	7TH FLOOR	B 710	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1351	BLOCK B	7TH FLOOR	B 711	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1352	BLOCK B	7TH FLOOR	B 712	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1353	BLOCK B	7TH FLOOR	B 713	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1354	BLOCK B	7TH FLOOR	B 714	3B/2T	51.61	3.16	23.43	82.86	14.44		
1355	BLOCK B	7TH FLOOR	B 715	3B/2T	51.60	3.16	23.46	82.86	14.47		
1356	BLOCK B	7TH FLOOR	B 716	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1357	BLOCK B	7TH FLOOR	B 717	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1358	BLOCK B	7TH FLOOR	B 718	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1359	BLOCK B	7TH FLOOR	B 719	1B/1T	29.19	1.71	13.49	47.38	8.32		
1360	BLOCK B	7TH FLOOR	B 720	1B/1T	29.19	1.71	13.49	47.38	8.32		
1361	BLOCK B	7TH FLOOR	B 721	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1362	BLOCK B	7TH FLOOR	B 722	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1363	BLOCK B	7TH FLOOR	B 723	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1364	BLOCK B	7TH FLOOR	B 724	3B/2T	51.61	3.16	23.43	82.86	14.44		
1365	BLOCK B	7TH FLOOR	B 725	3B/2T	51.60	3.16	23.46	82.86	14.47		
1366	BLOCK B	7TH FLOOR	B 726	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1367	BLOCK B	7TH FLOOR	B 727	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1368	BLOCK B	7TH FLOOR	B 728	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1369	BLOCK B	7TH FLOOR	B 729	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1370	BLOCK B	7TH FLOOR	B 730	2B/2T - C	42.38	2.58	19.38	68.46	11.95		

1371	BLOCK B	7TH FLOOR	B 731	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1372	BLOCK B	7TH FLOOR	B 732	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
1373	BLOCK B	7TH FLOOR	B 733	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1374	BLOCK B	7TH FLOOR	B 734	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
1375	BLOCK B	7TH FLOOR	B 735	2B/1T	37.05	2.33	16.95	60.29	10.45		
1376	BLOCK B	7TH FLOOR	B 736	2B/1T	37.05	2.33	17.00	60.29	10.48		
1377	BLOCK B	7TH FLOOR	B 737	2B/1T	36.24	2.39	16.71	59.08	10.30		
1378	BLOCK C	7TH FLOOR	C 701	2B/1T	36.24	2.39	16.72	59.08	10.31		
1379	BLOCK C	7TH FLOOR	C 702	2B/1T	37.10	2.33	17.07	60.29	10.52		
1380	BLOCK C	7TH FLOOR	C 703	2B/1T	37.10	2.33	17.05	60.29	10.51		
1381	BLOCK C	7TH FLOOR	C 704	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1382	BLOCK C	7TH FLOOR	C 705	3B/2T	51.60	3.16	23.47	82.86	14.47		
1383	BLOCK C	7TH FLOOR	C 706	3B/2T	51.61	3.16	23.44	82.86	14.45		
1384	BLOCK C	7TH FLOOR	C 707	3B/2T	51.61	3.16	23.44	82.86	14.45		
1385	BLOCK C	7TH FLOOR	C 708	3B/2T	51.61	3.16	23.44	82.86	14.45		
1386	BLOCK C	7TH FLOOR	C 709	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1387	BLOCK C	7TH FLOOR	C 710	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1388	BLOCK C	7TH FLOOR	C 711	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1389	BLOCK C	7TH FLOOR	C 712	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1390	BLOCK C	7TH FLOOR	C 713	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1391	BLOCK C	7TH FLOOR	C 714	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1392	BLOCK C	7TH FLOOR	C 715	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1393	BLOCK C	7TH FLOOR	C 716	3B/2T	51.61	3.16	23.43	82.86	14.44		
1394	BLOCK C	7TH FLOOR	C 717	3B/2T	51.60	3.16	23.46	82.86	14.47		
1395	BLOCK C	7TH FLOOR	C 718	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1396	BLOCK C	7TH FLOOR	C 719	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1397	BLOCK C	7TH FLOOR	C 720	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1398	BLOCK C	7TH FLOOR	C 721	1B/1T	29.19	1.71	13.49	47.38	8.32		
1399	BLOCK C	7TH FLOOR	C 722	1B/1T	29.19	1.71	13.49	47.38	8.32		
1400	BLOCK C	7TH FLOOR	C 723	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1401	BLOCK C	7TH FLOOR	C 724	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1402	BLOCK C	7TH FLOOR	C 725	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1403	BLOCK C	7TH FLOOR	C 726	3B/2T	51.61	3.16	23.43	82.86	14.44		
1404	BLOCK C	7TH FLOOR	C 727	3B/2T	51.60	3.16	23.46	82.86	14.47		
1405	BLOCK C	7TH FLOOR	C 728	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1406	BLOCK C	7TH FLOOR	C 729	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1407	BLOCK C	7TH FLOOR	C 730	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1408	BLOCK C	7TH FLOOR	C 731	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1409	BLOCK C	7TH FLOOR	C 732	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1410	BLOCK C	7TH FLOOR	C 733	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1411	BLOCK C	7TH FLOOR	C 734	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
1412	BLOCK C	7TH FLOOR	C 735	3B/2T	51.60	3.16	23.46	82.86	14.46		
1413	BLOCK C	7TH FLOOR	C 736	3B/2T	51.60	3.16	23.47	82.86	14.47		
1414	BLOCK C	7TH FLOOR	C 737	3B/2T	51.61	3.16	23.44	82.86	14.45		
1415	BLOCK C	7TH FLOOR	C 738	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
1416	BLOCK C	7TH FLOOR	C 739	2B/1T	37.05	2.33	16.96	60.29	10.46		
1417	BLOCK C	7TH FLOOR	C 740	2B/1T	37.05	2.33	17.00	60.29	10.48		
1418	BLOCK C	7TH FLOOR	C 741	2B/1T	36.24	2.39	16.71	59.08	10.30		
1419	BLOCK D	7TH FLOOR	D 701	1B/1T	29.19	1.71	13.37	47.38	8.24		
1420	BLOCK D	7TH FLOOR	D 702	1B/1T	29.19	1.71	13.27	47.38	8.18		
1421	BLOCK D	7TH FLOOR	D 703	1B/1T	29.19	1.71	13.29	47.38	8.19		
1422	BLOCK D	7TH FLOOR	D 704	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1423	BLOCK D	7TH FLOOR	D 705	1B/1T	28.95	1.71	13.50	47.38	8.32		
1424	BLOCK D	7TH FLOOR	D 706	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
1425	BLOCK D	7TH FLOOR	D 707	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
1426	BLOCK D	7TH FLOOR	D 708	1B/1T	28.95	1.71	13.33	47.38	8.22		
1427	BLOCK D	7TH FLOOR	D 709	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
1428	BLOCK D	7TH FLOOR	D 710	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1429	BLOCK D	7TH FLOOR	D 711	1B/1T	29.19	1.71	13.27	47.38	8.18		
1430	BLOCK D	7TH FLOOR	D 712	1B/1T	29.19	1.71	13.39	47.38	8.26		
1431	BLOCK D	7TH FLOOR	D 713	1B/1T	28.95	1.71	13.39	47.38	8.26		
1432	BLOCK D	7TH FLOOR	D 714	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1433	BLOCK D	7TH FLOOR	D 715	1B/1T	28.95	1.71	13.48	47.38	8.31		
1434	BLOCK D	7TH FLOOR	D 716	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
1435	BLOCK D	7TH FLOOR	D 717	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
1436	BLOCK D	7TH FLOOR	D 718	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
1437	BLOCK D	7TH FLOOR	D 719	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1438	BLOCK D	7TH FLOOR	D 720	1B/1T	28.95	1.71	13.39	47.38	8.26		
1439	BLOCK D	7TH FLOOR	D 721	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		

1440	BLOCK D	7TH FLOOR	D 722	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
1441	BLOCK D	7TH FLOOR	D 723	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
1442	BLOCK D	7TH FLOOR	D 724	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1443	BLOCK D	7TH FLOOR	D 725	1B/1T	29.19	1.71	13.39	47.38	8.26		
1444	BLOCK D	7TH FLOOR	D 726	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1445	BLOCK D	7TH FLOOR	D 727	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
1446	BLOCK D	7TH FLOOR	D 728	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
1447	BLOCK E	7TH FLOOR	E 701	1B/1T	29.19	1.71	13.49	47.38	8.32		
1448	BLOCK E	7TH FLOOR	E 702	2B/1T	37.05	2.33	17.02	60.29	10.50		
1449	BLOCK E	7TH FLOOR	E 703	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1450	BLOCK E	7TH FLOOR	E 704	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
1451	BLOCK E	7TH FLOOR	E 705	3B/2T	51.60	3.16	23.47	82.86	14.47		
1452	BLOCK E	7TH FLOOR	E 706	3B/2T	51.60	3.16	23.47	82.86	14.47		
1453	BLOCK E	7TH FLOOR	E 707	3B/2T	51.60	3.16	23.43	82.86	14.45		
1454	BLOCK E	7TH FLOOR	E 708	2B/1T	37.10	2.33	17.03	60.29	10.50		
1455	BLOCK E	7TH FLOOR	E 709	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1456	BLOCK E	7TH FLOOR	E 710	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1457	BLOCK E	7TH FLOOR	E 711	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1458	BLOCK E	7TH FLOOR	E 712	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1459	BLOCK E	7TH FLOOR	E 713	2B/1T	37.05	2.33	17.00	60.29	10.48		
1460	BLOCK E	7TH FLOOR	E 714	2B/1T	37.05	2.33	17.00	60.29	10.48		
1461	BLOCK E	7TH FLOOR	E 715	3B/2T	51.61	3.16	23.44	82.86	14.45		
1462	BLOCK E	7TH FLOOR	E 716	3B/2T	51.61	3.16	23.44	82.86	14.45		
1463	BLOCK E	7TH FLOOR	E 717	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1464	BLOCK E	7TH FLOOR	E 718	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
1465	BLOCK E	7TH FLOOR	E 719	2B/1T	37.10	2.33	17.05	60.29	10.52		
1466	BLOCK E	7TH FLOOR	E 720	1B/1T	29.19	1.71	13.49	47.38	8.32		
1467	BLOCK F	7TH FLOOR	F 701	1B/1T	29.19	1.71	13.49	47.38	8.32		
1468	BLOCK F	7TH FLOOR	F 702	2B/1T	37.05	2.33	17.02	60.29	10.50		
1469	BLOCK F	7TH FLOOR	F 703	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1470	BLOCK F	7TH FLOOR	F 704	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
1471	BLOCK F	7TH FLOOR	F 705	3B/2T	51.60	3.16	23.47	82.86	14.47		
1472	BLOCK F	7TH FLOOR	F 706	3B/2T	51.60	3.16	23.47	82.86	14.47		
1473	BLOCK F	7TH FLOOR	F 707	3B/2T	51.60	3.16	23.43	82.86	14.45		
1474	BLOCK F	7TH FLOOR	F 708	2B/1T	37.10	2.33	17.03	60.29	10.50		
1475	BLOCK F	7TH FLOOR	F 709	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1476	BLOCK F	7TH FLOOR	F 710	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1477	BLOCK F	7TH FLOOR	F 711	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1478	BLOCK F	7TH FLOOR	F 712	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1479	BLOCK F	7TH FLOOR	F 713	2B/1T	37.05	2.33	17.00	60.29	10.48		
1480	BLOCK F	7TH FLOOR	F 714	2B/1T	37.05	2.33	17.00	60.29	10.48		
1481	BLOCK F	7TH FLOOR	F 715	3B/2T	51.61	3.16	23.44	82.86	14.45		
1482	BLOCK F	7TH FLOOR	F 716	3B/2T	51.61	3.16	23.44	82.86	14.45		
1483	BLOCK F	7TH FLOOR	F 717	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1484	BLOCK F	7TH FLOOR	F 718	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
1485	BLOCK F	7TH FLOOR	F 719	2B/1T	37.10	2.33	17.05	60.29	10.52		
1486	BLOCK F	7TH FLOOR	F 720	1B/1T	29.19	1.71	13.49	47.38	8.32		
1487	BLOCK G	7TH FLOOR	G 701	1B/1T	29.19	1.71	13.49	47.38	8.32		
1488	BLOCK G	7TH FLOOR	G 702	1B/1T	28.95	1.71	13.49	47.38	8.32		
1489	BLOCK G	7TH FLOOR	G 703	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
1490	BLOCK G	7TH FLOOR	G 704	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1491	BLOCK G	7TH FLOOR	G 705	1B/1T	29.19	1.71	13.39	47.38	8.26		
1492	BLOCK G	7TH FLOOR	G 706	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1493	BLOCK G	7TH FLOOR	G 707	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
1494	BLOCK G	7TH FLOOR	G 708	STUDIO - TYPE 1	19.37	1.44	9.20	32.79	5.67		
1495	BLOCK G	7TH FLOOR	G 709	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1496	BLOCK G	7TH FLOOR	G 710	1B/1T	28.95	1.71	13.39	47.38	8.26		
1497	BLOCK G	7TH FLOOR	G 711	1B/1T	28.95	1.71	13.27	47.38	8.18		
1498	BLOCK G	7TH FLOOR	G 712	1B/1T	28.95	1.71	13.27	47.38	8.18		
1499	BLOCK G	7TH FLOOR	G 713	1B/1T	28.95	1.71	13.27	47.38	8.18		
1500	BLOCK G	7TH FLOOR	G 714	1B/1T	28.95	1.71	13.27	47.38	8.18		
1501	BLOCK G	7TH FLOOR	G 715	1B/1T	28.95	1.71	13.39	47.38	8.26		
1502	BLOCK G	7TH FLOOR	G 716	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1503	BLOCK G	7TH FLOOR	G 717	STUDIO - TYPE 1	19.37	1.44	9.24	32.79	5.70		
1504	BLOCK G	7TH FLOOR	G 718	1B/1T	28.95	1.71	13.37	47.38	8.24		
1505	BLOCK G	7TH FLOOR	G 719	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
1506	BLOCK G	7TH FLOOR	G 720	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1507	BLOCK G	7TH FLOOR	G 721	1B/1T	29.19	1.71	13.39	47.38	8.26		
1508	BLOCK G	7TH FLOOR	G 722	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		

1509	BLOCK G	7TH FLOOR	G 723	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
1510	BLOCK G	7TH FLOOR	G 724	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1511	BLOCK G	7TH FLOOR	G 725	STUDIO - TYPE 2	19.37	1.44	9.37	32.79	5.78		
1512	BLOCK H	7TH FLOOR	H 701	3B/2T	51.61	3.16	23.44	82.86	14.45		
1513	BLOCK H	7TH FLOOR	H 702	3B/2T	51.60	3.16	23.47	82.86	14.47		
1514	BLOCK H	7TH FLOOR	H 703	3B/2T	51.60	3.16	23.47	82.86	14.47		
1515	BLOCK H	7TH FLOOR	H 704	2B/1T	36.27	2.39	16.75	59.08	10.33		
1516	BLOCK H	7TH FLOOR	H 705	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
1517	BLOCK H	7TH FLOOR	H 706	2B/1T	37.10	2.33	17.05	60.29	10.52		
1518	BLOCK H	7TH FLOOR	H 707	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1519	BLOCK H	7TH FLOOR	H 708	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1520	BLOCK H	7TH FLOOR	H 709	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
1521	BLOCK H	7TH FLOOR	H 710	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
1522	BLOCK H	7TH FLOOR	H 711	STUDIO - TYPE 2	19.37	1.44	9.27	32.79	5.72		
1523	BLOCK H	7TH FLOOR	H 712	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
1524	BLOCK H	7TH FLOOR	H 713	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1525	BLOCK H	7TH FLOOR	H 714	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1526	BLOCK H	7TH FLOOR	H 715	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1527	BLOCK H	7TH FLOOR	H 716	3B/2T	51.61	3.16	23.43	82.86	14.44		
1528	BLOCK H	7TH FLOOR	H 717	3B/2T	51.60	3.16	23.43	82.86	14.45		
1529	BLOCK H	7TH FLOOR	H 718	2B/1T	37.10	2.33	17.03	60.29	10.50		
1530	BLOCK H	7TH FLOOR	H 719	2B/1T	36.27	2.39	16.73	59.08	10.32		
1531	BLOCK A	8TH FLOOR	A 801	2B/1T	36.24	2.39	16.72	59.08	10.31		
1532	BLOCK A	8TH FLOOR	A 802	2B/1T	37.10	2.33	17.05	60.29	10.51		
1533	BLOCK A	8TH FLOOR	A 803	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1534	BLOCK A	8TH FLOOR	A 804	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1535	BLOCK A	8TH FLOOR	A 805	3B/2T	51.61	3.16	23.43	82.86	14.44		
1536	BLOCK A	8TH FLOOR	A 806	3B/2T	51.61	3.16	23.44	82.86	14.45		
1537	BLOCK A	8TH FLOOR	A 807	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1538	BLOCK A	8TH FLOOR	A 808	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1539	BLOCK A	8TH FLOOR	A 809	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1540	BLOCK A	8TH FLOOR	A 810	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1541	BLOCK A	8TH FLOOR	A 811	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1542	BLOCK A	8TH FLOOR	A 812	3B/2T	51.61	3.16	23.43	82.86	14.44		
1543	BLOCK A	8TH FLOOR	A 813	3B/2T	51.60	3.16	23.46	82.86	14.47		
1544	BLOCK A	8TH FLOOR	A 814	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1545	BLOCK A	8TH FLOOR	A 815	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1546	BLOCK A	8TH FLOOR	A 816	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1547	BLOCK A	8TH FLOOR	A 817	1B/1T	29.19	1.71	13.49	47.38	8.32		
1548	BLOCK A	8TH FLOOR	A 818	1B/1T	29.19	1.71	13.49	47.38	8.32		
1549	BLOCK A	8TH FLOOR	A 819	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1550	BLOCK A	8TH FLOOR	A 820	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1551	BLOCK A	8TH FLOOR	A 821	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
1552	BLOCK A	8TH FLOOR	A 822	3B/2T	51.61	3.16	23.42	82.86	14.44		
1553	BLOCK A	8TH FLOOR	A 823	3B/2T	51.60	3.16	23.46	82.86	14.47		
1554	BLOCK A	8TH FLOOR	A 824	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1555	BLOCK A	8TH FLOOR	A 825	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1556	BLOCK A	8TH FLOOR	A 826	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1557	BLOCK A	8TH FLOOR	A 827	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1558	BLOCK A	8TH FLOOR	A 828	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1559	BLOCK A	8TH FLOOR	A 829	2B/1T	36.24	2.39	16.71	59.08	10.30		
1560	BLOCK B	8TH FLOOR	B 801	2B/1T	36.24	2.39	16.72	59.08	10.31		
1561	BLOCK B	8TH FLOOR	B 802	2B/1T	37.10	2.33	17.07	60.29	10.52		
1562	BLOCK B	8TH FLOOR	B 803	2B/1T	37.10	2.33	17.05	60.29	10.51		
1563	BLOCK B	8TH FLOOR	B 804	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1564	BLOCK B	8TH FLOOR	B 805	3B/2T	51.61	3.16	23.44	82.86	14.45		
1565	BLOCK B	8TH FLOOR	B 806	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1566	BLOCK B	8TH FLOOR	B 807	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
1567	BLOCK B	8TH FLOOR	B 808	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1568	BLOCK B	8TH FLOOR	B 809	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1569	BLOCK B	8TH FLOOR	B 810	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1570	BLOCK B	8TH FLOOR	B 811	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1571	BLOCK B	8TH FLOOR	B 812	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1572	BLOCK B	8TH FLOOR	B 813	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1573	BLOCK B	8TH FLOOR	B 814	3B/2T	51.61	3.16	23.43	82.86	14.44		
1574	BLOCK B	8TH FLOOR	B 815	3B/2T	51.60	3.16	23.46	82.86	14.47		
1575	BLOCK B	8TH FLOOR	B 816	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1576	BLOCK B	8TH FLOOR	B 817	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1577	BLOCK B	8TH FLOOR	B 818	2B/2T - C	42.38	2.58	19.38	68.46	11.95		

1578	BLOCK B	8TH FLOOR	B 819	1B/1T	29.19	1.71	13.49	47.38	8.32		
1579	BLOCK B	8TH FLOOR	B 820	1B/1T	29.19	1.71	13.49	47.38	8.32		
1580	BLOCK B	8TH FLOOR	B 821	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1581	BLOCK B	8TH FLOOR	B 822	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1582	BLOCK B	8TH FLOOR	B 823	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1583	BLOCK B	8TH FLOOR	B 824	3B/2T	51.61	3.16	23.43	82.86	14.44		
1584	BLOCK B	8TH FLOOR	B 825	3B/2T	51.60	3.16	23.46	82.86	14.47		
1585	BLOCK B	8TH FLOOR	B 826	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1586	BLOCK B	8TH FLOOR	B 827	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1587	BLOCK B	8TH FLOOR	B 828	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1588	BLOCK B	8TH FLOOR	B 829	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1589	BLOCK B	8TH FLOOR	B 830	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1590	BLOCK B	8TH FLOOR	B 831	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1591	BLOCK B	8TH FLOOR	B 832	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
1592	BLOCK B	8TH FLOOR	B 833	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1593	BLOCK B	8TH FLOOR	B 834	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
1594	BLOCK B	8TH FLOOR	B 835	2B/1T	37.05	2.33	16.95	60.29	10.45		
1595	BLOCK B	8TH FLOOR	B 836	2B/1T	37.05	2.33	17.00	60.29	10.48		
1596	BLOCK B	8TH FLOOR	B 837	2B/1T	36.24	2.39	16.71	59.08	10.30		
1597	BLOCK C	8TH FLOOR	C 801	2B/1T	36.24	2.39	16.72	59.08	10.31		
1598	BLOCK C	8TH FLOOR	C 802	2B/1T	37.10	2.33	17.07	60.29	10.52		
1599	BLOCK C	8TH FLOOR	C 803	2B/1T	37.10	2.33	17.05	60.29	10.51		
1600	BLOCK C	8TH FLOOR	C 804	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1601	BLOCK C	8TH FLOOR	C 805	3B/2T	51.60	3.16	23.47	82.86	14.47		
1602	BLOCK C	8TH FLOOR	C 806	3B/2T	51.61	3.16	23.44	82.86	14.45		
1603	BLOCK C	8TH FLOOR	C 807	3B/2T	51.61	3.16	23.44	82.86	14.45		
1604	BLOCK C	8TH FLOOR	C 808	3B/2T	51.61	3.16	23.44	82.86	14.45		
1605	BLOCK C	8TH FLOOR	C 809	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1606	BLOCK C	8TH FLOOR	C 810	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1607	BLOCK C	8TH FLOOR	C 811	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1608	BLOCK C	8TH FLOOR	C 812	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1609	BLOCK C	8TH FLOOR	C 813	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1610	BLOCK C	8TH FLOOR	C 814	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1611	BLOCK C	8TH FLOOR	C 815	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1612	BLOCK C	8TH FLOOR	C 816	3B/2T	51.61	3.16	23.43	82.86	14.44		
1613	BLOCK C	8TH FLOOR	C 817	3B/2T	51.60	3.16	23.46	82.86	14.47		
1614	BLOCK C	8TH FLOOR	C 818	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1615	BLOCK C	8TH FLOOR	C 819	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1616	BLOCK C	8TH FLOOR	C 820	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1617	BLOCK C	8TH FLOOR	C 821	1B/1T	29.19	1.71	13.49	47.38	8.32		
1618	BLOCK C	8TH FLOOR	C 822	1B/1T	29.19	1.71	13.49	47.38	8.32		
1619	BLOCK C	8TH FLOOR	C 823	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1620	BLOCK C	8TH FLOOR	C 824	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1621	BLOCK C	8TH FLOOR	C 825	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1622	BLOCK C	8TH FLOOR	C 826	3B/2T	51.61	3.16	23.43	82.86	14.44		
1623	BLOCK C	8TH FLOOR	C 827	3B/2T	51.60	3.16	23.46	82.86	14.47		
1624	BLOCK C	8TH FLOOR	C 828	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1625	BLOCK C	8TH FLOOR	C 829	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1626	BLOCK C	8TH FLOOR	C 830	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1627	BLOCK C	8TH FLOOR	C 831	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1628	BLOCK C	8TH FLOOR	C 832	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1629	BLOCK C	8TH FLOOR	C 833	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1630	BLOCK C	8TH FLOOR	C 834	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
1631	BLOCK C	8TH FLOOR	C 835	3B/2T	51.60	3.16	23.46	82.86	14.46		
1632	BLOCK C	8TH FLOOR	C 836	3B/2T	51.60	3.16	23.47	82.86	14.47		
1633	BLOCK C	8TH FLOOR	C 837	3B/2T	51.61	3.16	23.44	82.86	14.45		
1634	BLOCK C	8TH FLOOR	C 838	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
1635	BLOCK C	8TH FLOOR	C 839	2B/1T	37.05	2.33	16.96	60.29	10.46		
1636	BLOCK C	8TH FLOOR	C 840	2B/1T	37.05	2.33	17.00	60.29	10.48		
1637	BLOCK C	8TH FLOOR	C 841	2B/1T	36.24	2.39	16.71	59.08	10.30		
1638	BLOCK D	8TH FLOOR	D 801	1B/1T	29.19	1.71	13.37	47.38	8.24		
1639	BLOCK D	8TH FLOOR	D 802	1B/1T	29.19	1.71	13.27	47.38	8.18		
1640	BLOCK D	8TH FLOOR	D 803	1B/1T	29.19	1.71	13.29	47.38	8.19		
1641	BLOCK D	8TH FLOOR	D 804	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1642	BLOCK D	8TH FLOOR	D 805	1B/1T	28.95	1.71	13.50	47.38	8.32		
1643	BLOCK D	8TH FLOOR	D 806	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
1644	BLOCK D	8TH FLOOR	D 807	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
1645	BLOCK D	8TH FLOOR	D 808	1B/1T	28.95	1.71	13.33	47.38	8.22		
1646	BLOCK D	8TH FLOOR	D 809	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		

1647	BLOCK D	8TH FLOOR	D 810	STUDIO – TYPE 2	19.37	1.44	9.14	32.79	5.63		
1648	BLOCK D	8TH FLOOR	D 811	1B/1T	29.19	1.71	13.27	47.38	8.18		
1649	BLOCK D	8TH FLOOR	D 812	1B/1T	29.19	1.71	13.39	47.38	8.26		
1650	BLOCK D	8TH FLOOR	D 813	1B/1T	28.95	1.71	13.39	47.38	8.26		
1651	BLOCK D	8TH FLOOR	D 814	STUDIO – TYPE 2	19.37	1.44	9.26	32.79	5.71		
1652	BLOCK D	8TH FLOOR	D 815	1B/1T	28.95	1.71	13.48	47.38	8.31		
1653	BLOCK D	8TH FLOOR	D 816	STUDIO – TYPE 1	19.32	1.37	9.26	32.79	5.71		
1654	BLOCK D	8TH FLOOR	D 817	STUDIO – TYPE 2	19.37	1.44	9.08	32.79	5.60		
1655	BLOCK D	8TH FLOOR	D 818	STUDIO – TYPE 1	19.32	1.37	9.08	32.79	5.60		
1656	BLOCK D	8TH FLOOR	D 819	STUDIO – TYPE 2	19.37	1.44	9.26	32.79	5.71		
1657	BLOCK D	8TH FLOOR	D 820	1B/1T	28.95	1.71	13.39	47.38	8.26		
1658	BLOCK D	8TH FLOOR	D 821	STUDIO – TYPE 2	19.37	1.44	9.14	32.79	5.63		
1659	BLOCK D	8TH FLOOR	D 822	STUDIO – TYPE 1	19.32	1.37	9.26	32.79	5.71		
1660	BLOCK D	8TH FLOOR	D 823	STUDIO – TYPE 1	19.32	1.37	9.26	32.79	5.71		
1661	BLOCK D	8TH FLOOR	D 824	STUDIO – TYPE 2	19.37	1.44	9.14	32.79	5.63		
1662	BLOCK D	8TH FLOOR	D 825	1B/1T	29.19	1.71	13.39	47.38	8.26		
1663	BLOCK D	8TH FLOOR	D 826	STUDIO – TYPE 2	19.37	1.44	9.26	32.79	5.71		
1664	BLOCK D	8TH FLOOR	D 827	STUDIO – TYPE 1	19.32	1.37	9.16	32.79	5.65		
1665	BLOCK D	8TH FLOOR	D 828	STUDIO – TYPE 1	19.37	1.44	9.27	32.79	5.72		
1666	BLOCK E	8TH FLOOR	E 801	1B/1T	29.19	1.71	13.49	47.38	8.32		
1667	BLOCK E	8TH FLOOR	E 802	2B/1T	37.05	2.33	17.02	60.29	10.50		
1668	BLOCK E	8TH FLOOR	E 803	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1669	BLOCK E	8TH FLOOR	E 804	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
1670	BLOCK E	8TH FLOOR	E 805	3B/2T	51.60	3.16	23.47	82.86	14.47		
1671	BLOCK E	8TH FLOOR	E 806	3B/2T	51.60	3.16	23.47	82.86	14.47		
1672	BLOCK E	8TH FLOOR	E 807	3B/2T	51.60	3.16	23.43	82.86	14.45		
1673	BLOCK E	8TH FLOOR	E 808	2B/1T	37.10	2.33	17.03	60.29	10.50		
1674	BLOCK E	8TH FLOOR	E 809	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1675	BLOCK E	8TH FLOOR	E 810	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1676	BLOCK E	8TH FLOOR	E 811	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1677	BLOCK E	8TH FLOOR	E 812	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1678	BLOCK E	8TH FLOOR	E 813	2B/1T	37.05	2.33	17.00	60.29	10.48		
1679	BLOCK E	8TH FLOOR	E 814	2B/1T	37.05	2.33	17.00	60.29	10.48		
1680	BLOCK E	8TH FLOOR	E 815	3B/2T	51.61	3.16	23.44	82.86	14.45		
1681	BLOCK E	8TH FLOOR	E 816	3B/2T	51.61	3.16	23.44	82.86	14.45		
1682	BLOCK E	8TH FLOOR	E 817	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1683	BLOCK E	8TH FLOOR	E 818	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
1684	BLOCK E	8TH FLOOR	E 819	2B/1T	37.10	2.33	17.05	60.29	10.52		
1685	BLOCK E	8TH FLOOR	E 820	1B/1T	29.19	1.71	13.49	47.38	8.32		
1686	BLOCK F	8TH FLOOR	F 801	1B/1T	29.19	1.71	13.49	47.38	8.32		
1687	BLOCK F	8TH FLOOR	F 802	2B/1T	37.05	2.33	17.02	60.29	10.50		
1688	BLOCK F	8TH FLOOR	F 803	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1689	BLOCK F	8TH FLOOR	F 804	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
1690	BLOCK F	8TH FLOOR	F 805	3B/2T	51.60	3.16	23.47	82.86	14.47		
1691	BLOCK F	8TH FLOOR	F 806	3B/2T	51.60	3.16	23.47	82.86	14.47		
1692	BLOCK F	8TH FLOOR	F 807	3B/2T	51.60	3.16	23.43	82.86	14.45		
1693	BLOCK F	8TH FLOOR	F 808	2B/1T	37.10	2.33	17.03	60.29	10.50		
1694	BLOCK F	8TH FLOOR	F 809	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1695	BLOCK F	8TH FLOOR	F 810	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1696	BLOCK F	8TH FLOOR	F 811	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1697	BLOCK F	8TH FLOOR	F 812	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1698	BLOCK F	8TH FLOOR	F 813	2B/1T	37.05	2.33	17.00	60.29	10.48		
1699	BLOCK F	8TH FLOOR	F 814	2B/1T	37.05	2.33	17.00	60.29	10.48		
1700	BLOCK F	8TH FLOOR	F 815	3B/2T	51.61	3.16	23.44	82.86	14.45		
1701	BLOCK F	8TH FLOOR	F 816	3B/2T	51.61	3.16	23.44	82.86	14.45		
1702	BLOCK F	8TH FLOOR	F 817	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1703	BLOCK F	8TH FLOOR	F 818	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
1704	BLOCK F	8TH FLOOR	F 819	2B/1T	37.10	2.33	17.05	60.29	10.52		
1705	BLOCK F	8TH FLOOR	F 820	1B/1T	29.19	1.71	13.49	47.38	8.32		
1706	BLOCK G	8TH FLOOR	G 801	1B/1T	29.19	1.71	13.49	47.38	8.32		
1707	BLOCK G	8TH FLOOR	G 802	1B/1T	28.95	1.71	13.49	47.38	8.32		
1708	BLOCK G	8TH FLOOR	G 803	STUDIO – TYPE 1	19.32	1.37	9.24	32.79	5.69		
1709	BLOCK G	8TH FLOOR	G 804	STUDIO – TYPE 2	19.37	1.44	9.26	32.79	5.71		
1710	BLOCK G	8TH FLOOR	G 805	1B/1T	29.19	1.71	13.39	47.38	8.26		
1711	BLOCK G	8TH FLOOR	G 806	STUDIO – TYPE 2	19.37	1.44	9.14	32.79	5.63		
1712	BLOCK G	8TH FLOOR	G 807	STUDIO – TYPE 1	19.32	1.37	9.16	32.79	5.65		
1713	BLOCK G	8TH FLOOR	G 808	STUDIO – TYPE 1	19.37	1.44	9.20	32.79	5.67		
1714	BLOCK G	8TH FLOOR	G 809	STUDIO – TYPE 1	19.37	1.44	9.30	32.79	5.73		
1715	BLOCK G	8TH FLOOR	G 810	1B/1T	28.95	1.71	13.39	47.38	8.26		

1716	BLOCK G	8TH FLOOR	G 811	1B/1T	28.95	1.71	13.27	47.38	8.18		
1717	BLOCK G	8TH FLOOR	G 812	1B/1T	28.95	1.71	13.27	47.38	8.18		
1718	BLOCK G	8TH FLOOR	G 813	1B/1T	28.95	1.71	13.27	47.38	8.18		
1719	BLOCK G	8TH FLOOR	G 814	1B/1T	28.95	1.71	13.27	47.38	8.18		
1720	BLOCK G	8TH FLOOR	G 815	1B/1T	28.95	1.71	13.39	47.38	8.26		
1721	BLOCK G	8TH FLOOR	G 816	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1722	BLOCK G	8TH FLOOR	G 817	STUDIO - TYPE 1	19.37	1.44	9.24	32.79	5.70		
1723	BLOCK G	8TH FLOOR	G 818	1B/1T	28.95	1.71	13.37	47.38	8.24		
1724	BLOCK G	8TH FLOOR	G 819	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
1725	BLOCK G	8TH FLOOR	G 820	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1726	BLOCK G	8TH FLOOR	G 821	1B/1T	29.19	1.71	13.39	47.38	8.26		
1727	BLOCK G	8TH FLOOR	G 822	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1728	BLOCK G	8TH FLOOR	G 823	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
1729	BLOCK G	8TH FLOOR	G 824	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1730	BLOCK G	8TH FLOOR	G 825	STUDIO - TYPE 2	19.37	1.44	9.37	32.79	5.78		
1731	BLOCK H	8TH FLOOR	H 801	3B/2T	51.61	3.16	23.44	82.86	14.45		
1732	BLOCK H	8TH FLOOR	H 802	3B/2T	51.60	3.16	23.47	82.86	14.47		
1733	BLOCK H	8TH FLOOR	H 803	3B/2T	51.60	3.16	23.47	82.86	14.47		
1734	BLOCK H	8TH FLOOR	H 804	2B/1T	36.27	2.39	16.75	59.08	10.33		
1735	BLOCK H	8TH FLOOR	H 805	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
1736	BLOCK H	8TH FLOOR	H 806	2B/1T	37.10	2.33	17.05	60.29	10.52		
1737	BLOCK H	8TH FLOOR	H 807	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1738	BLOCK H	8TH FLOOR	H 808	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1739	BLOCK H	8TH FLOOR	H 809	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
1740	BLOCK H	8TH FLOOR	H 810	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
1741	BLOCK H	8TH FLOOR	H 811	STUDIO - TYPE 2	19.37	1.44	9.27	32.79	5.72		
1742	BLOCK H	8TH FLOOR	H 812	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
1743	BLOCK H	8TH FLOOR	H 813	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1744	BLOCK H	8TH FLOOR	H 814	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1745	BLOCK H	8TH FLOOR	H 815	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1746	BLOCK H	8TH FLOOR	H 816	3B/2T	51.61	3.16	23.43	82.86	14.44		
1747	BLOCK H	8TH FLOOR	H 817	3B/2T	51.60	3.16	23.43	82.86	14.45		
1748	BLOCK H	8TH FLOOR	H 818	2B/1T	37.10	2.33	17.03	60.29	10.50		
1749	BLOCK H	8TH FLOOR	H 819	2B/1T	36.27	2.39	16.73	59.08	10.32		
1750	BLOCK A	9TH FLOOR	A 901	2B/1T	36.24	2.39	16.72	59.08	10.31		
1751	BLOCK A	9TH FLOOR	A 902	2B/1T	37.10	2.33	17.05	60.29	10.51		
1752	BLOCK A	9TH FLOOR	A 903	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1753	BLOCK A	9TH FLOOR	A 904	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1754	BLOCK A	9TH FLOOR	A 905	3B/2T	51.61	3.16	23.43	82.86	14.44		
1755	BLOCK A	9TH FLOOR	A 906	3B/2T	51.61	3.16	23.44	82.86	14.45		
1756	BLOCK A	9TH FLOOR	A 907	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1757	BLOCK A	9TH FLOOR	A 908	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1758	BLOCK A	9TH FLOOR	A 909	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1759	BLOCK A	9TH FLOOR	A 910	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1760	BLOCK A	9TH FLOOR	A 911	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1761	BLOCK A	9TH FLOOR	A 912	3B/2T	51.61	3.16	23.43	82.86	14.44		
1762	BLOCK A	9TH FLOOR	A 913	3B/2T	51.60	3.16	23.46	82.86	14.47		
1763	BLOCK A	9TH FLOOR	A 914	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1764	BLOCK A	9TH FLOOR	A 915	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1765	BLOCK A	9TH FLOOR	A 916	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1766	BLOCK A	9TH FLOOR	A 917	1B/1T	29.19	1.71	13.49	47.38	8.32		
1767	BLOCK A	9TH FLOOR	A 918	1B/1T	29.19	1.71	13.49	47.38	8.32		
1768	BLOCK A	9TH FLOOR	A 919	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1769	BLOCK A	9TH FLOOR	A 920	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1770	BLOCK A	9TH FLOOR	A 921	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
1771	BLOCK A	9TH FLOOR	A 922	3B/2T	51.61	3.16	23.42	82.86	14.44		
1772	BLOCK A	9TH FLOOR	A 923	3B/2T	51.60	3.16	23.46	82.86	14.47		
1773	BLOCK A	9TH FLOOR	A 924	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1774	BLOCK A	9TH FLOOR	A 925	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1775	BLOCK A	9TH FLOOR	A 926	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1776	BLOCK A	9TH FLOOR	A 927	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1777	BLOCK A	9TH FLOOR	A 928	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1778	BLOCK A	9TH FLOOR	A 929	2B/1T	36.24	2.39	16.71	59.08	10.30		
1779	BLOCK B	9TH FLOOR	B 901	2B/1T	36.24	2.39	16.72	59.08	10.31		
1780	BLOCK B	9TH FLOOR	B 902	2B/1T	37.10	2.33	17.07	60.29	10.52		
1781	BLOCK B	9TH FLOOR	B 903	2B/1T	37.10	2.33	17.05	60.29	10.51		
1782	BLOCK B	9TH FLOOR	B 904	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1783	BLOCK B	9TH FLOOR	B 905	3B/2T	51.61	3.16	23.44	82.86	14.45		
1784	BLOCK B	9TH FLOOR	B 906	2B/2T - R	49.67	2.95	22.48	79.61	13.86		

1785	BLOCK B	9TH FLOOR	B 907	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
1786	BLOCK B	9TH FLOOR	B 908	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1787	BLOCK B	9TH FLOOR	B 909	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1788	BLOCK B	9TH FLOOR	B 910	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1789	BLOCK B	9TH FLOOR	B 911	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1790	BLOCK B	9TH FLOOR	B 912	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1791	BLOCK B	9TH FLOOR	B 913	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1792	BLOCK B	9TH FLOOR	B 914	3B/2T	51.61	3.16	23.43	82.86	14.44		
1793	BLOCK B	9TH FLOOR	B 915	3B/2T	51.60	3.16	23.46	82.86	14.47		
1794	BLOCK B	9TH FLOOR	B 916	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1795	BLOCK B	9TH FLOOR	B 917	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1796	BLOCK B	9TH FLOOR	B 918	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1797	BLOCK B	9TH FLOOR	B 919	1B/1T	29.19	1.71	13.49	47.38	8.32		
1798	BLOCK B	9TH FLOOR	B 920	1B/1T	29.19	1.71	13.49	47.38	8.32		
1799	BLOCK B	9TH FLOOR	B 921	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1800	BLOCK B	9TH FLOOR	B 922	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1801	BLOCK B	9TH FLOOR	B 923	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1802	BLOCK B	9TH FLOOR	B 924	3B/2T	51.61	3.16	23.43	82.86	14.44		
1803	BLOCK B	9TH FLOOR	B 925	3B/2T	51.60	3.16	23.46	82.86	14.47		
1804	BLOCK B	9TH FLOOR	B 926	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1805	BLOCK B	9TH FLOOR	B 927	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1806	BLOCK B	9TH FLOOR	B 928	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1807	BLOCK B	9TH FLOOR	B 929	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1808	BLOCK B	9TH FLOOR	B 930	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1809	BLOCK B	9TH FLOOR	B 931	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1810	BLOCK B	9TH FLOOR	B 932	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
1811	BLOCK B	9TH FLOOR	B 933	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1812	BLOCK B	9TH FLOOR	B 934	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
1813	BLOCK B	9TH FLOOR	B 935	2B/1T	37.05	2.33	16.95	60.29	10.45		
1814	BLOCK B	9TH FLOOR	B 936	2B/1T	37.05	2.33	17.00	60.29	10.48		
1815	BLOCK B	9TH FLOOR	B 937	2B/1T	36.24	2.39	16.71	59.08	10.30		
1816	BLOCK C	9TH FLOOR	C 901	2B/1T	36.24	2.39	16.72	59.08	10.31		
1817	BLOCK C	9TH FLOOR	C 902	2B/1T	37.10	2.33	17.07	60.29	10.52		
1818	BLOCK C	9TH FLOOR	C 903	2B/1T	37.10	2.33	17.05	60.29	10.51		
1819	BLOCK C	9TH FLOOR	C 904	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1820	BLOCK C	9TH FLOOR	C 905	3B/2T	51.60	3.16	23.47	82.86	14.47		
1821	BLOCK C	9TH FLOOR	C 906	3B/2T	51.61	3.16	23.44	82.86	14.45		
1822	BLOCK C	9TH FLOOR	C 907	3B/2T	51.61	3.16	23.44	82.86	14.45		
1823	BLOCK C	9TH FLOOR	C 908	3B/2T	51.61	3.16	23.44	82.86	14.45		
1824	BLOCK C	9TH FLOOR	C 909	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1825	BLOCK C	9TH FLOOR	C 910	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1826	BLOCK C	9TH FLOOR	C 911	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1827	BLOCK C	9TH FLOOR	C 912	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1828	BLOCK C	9TH FLOOR	C 913	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1829	BLOCK C	9TH FLOOR	C 914	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1830	BLOCK C	9TH FLOOR	C 915	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1831	BLOCK C	9TH FLOOR	C 916	3B/2T	51.61	3.16	23.43	82.86	14.44		
1832	BLOCK C	9TH FLOOR	C 917	3B/2T	51.60	3.16	23.46	82.86	14.47		
1833	BLOCK C	9TH FLOOR	C 918	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1834	BLOCK C	9TH FLOOR	C 919	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1835	BLOCK C	9TH FLOOR	C 920	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1836	BLOCK C	9TH FLOOR	C 921	1B/1T	29.19	1.71	13.49	47.38	8.32		
1837	BLOCK C	9TH FLOOR	C 922	1B/1T	29.19	1.71	13.49	47.38	8.32		
1838	BLOCK C	9TH FLOOR	C 923	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1839	BLOCK C	9TH FLOOR	C 924	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1840	BLOCK C	9TH FLOOR	C 925	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1841	BLOCK C	9TH FLOOR	C 926	3B/2T	51.61	3.16	23.43	82.86	14.44		
1842	BLOCK C	9TH FLOOR	C 927	3B/2T	51.60	3.16	23.46	82.86	14.47		
1843	BLOCK C	9TH FLOOR	C 928	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1844	BLOCK C	9TH FLOOR	C 929	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1845	BLOCK C	9TH FLOOR	C 930	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1846	BLOCK C	9TH FLOOR	C 931	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1847	BLOCK C	9TH FLOOR	C 932	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1848	BLOCK C	9TH FLOOR	C 933	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1849	BLOCK C	9TH FLOOR	C 934	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
1850	BLOCK C	9TH FLOOR	C 935	3B/2T	51.60	3.16	23.46	82.86	14.46		
1851	BLOCK C	9TH FLOOR	C 936	3B/2T	51.60	3.16	23.47	82.86	14.47		
1852	BLOCK C	9TH FLOOR	C 937	3B/2T	51.61	3.16	23.44	82.86	14.45		
1853	BLOCK C	9TH FLOOR	C 938	2B/2T - C	43.18	2.58	19.64	69.49	12.11		

1854	BLOCK C	9TH FLOOR	C 939	2B/1T	37.05	2.33	16.96	60.29	10.46		
1855	BLOCK C	9TH FLOOR	C 940	2B/1T	37.05	2.33	17.00	60.29	10.48		
1856	BLOCK C	9TH FLOOR	C 941	2B/1T	36.24	2.39	16.71	59.08	10.30		
1857	BLOCK D	9TH FLOOR	D 901	1B/1T	29.19	1.71	13.37	47.38	8.24		
1858	BLOCK D	9TH FLOOR	D 902	1B/1T	29.19	1.71	13.27	47.38	8.18		
1859	BLOCK D	9TH FLOOR	D 903	1B/1T	29.19	1.71	13.29	47.38	8.19		
1860	BLOCK D	9TH FLOOR	D 904	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1861	BLOCK D	9TH FLOOR	D 905	1B/1T	28.95	1.71	13.50	47.38	8.32		
1862	BLOCK D	9TH FLOOR	D 906	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
1863	BLOCK D	9TH FLOOR	D 907	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
1864	BLOCK D	9TH FLOOR	D 908	1B/1T	28.95	1.71	13.33	47.38	8.22		
1865	BLOCK D	9TH FLOOR	D 909	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
1866	BLOCK D	9TH FLOOR	D 910	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1867	BLOCK D	9TH FLOOR	D 911	1B/1T	29.19	1.71	13.27	47.38	8.18		
1868	BLOCK D	9TH FLOOR	D 912	1B/1T	29.19	1.71	13.39	47.38	8.26		
1869	BLOCK D	9TH FLOOR	D 913	1B/1T	28.95	1.71	13.39	47.38	8.26		
1870	BLOCK D	9TH FLOOR	D 914	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1871	BLOCK D	9TH FLOOR	D 915	1B/1T	28.95	1.71	13.48	47.38	8.31		
1872	BLOCK D	9TH FLOOR	D 916	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
1873	BLOCK D	9TH FLOOR	D 917	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
1874	BLOCK D	9TH FLOOR	D 918	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
1875	BLOCK D	9TH FLOOR	D 919	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1876	BLOCK D	9TH FLOOR	D 920	1B/1T	28.95	1.71	13.39	47.38	8.26		
1877	BLOCK D	9TH FLOOR	D 921	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1878	BLOCK D	9TH FLOOR	D 922	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
1879	BLOCK D	9TH FLOOR	D 923	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
1880	BLOCK D	9TH FLOOR	D 924	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1881	BLOCK D	9TH FLOOR	D 925	1B/1T	29.19	1.71	13.39	47.38	8.26		
1882	BLOCK D	9TH FLOOR	D 926	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1883	BLOCK D	9TH FLOOR	D 927	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
1884	BLOCK D	9TH FLOOR	D 928	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
1885	BLOCK E	9TH FLOOR	E 901	1B/1T	29.19	1.71	13.49	47.38	8.32		
1886	BLOCK E	9TH FLOOR	E 902	2B/1T	37.05	2.33	17.02	60.29	10.50		
1887	BLOCK E	9TH FLOOR	E 903	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1888	BLOCK E	9TH FLOOR	E 904	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
1889	BLOCK E	9TH FLOOR	E 905	3B/2T	51.60	3.16	23.47	82.86	14.47		
1890	BLOCK E	9TH FLOOR	E 906	3B/2T	51.60	3.16	23.47	82.86	14.47		
1891	BLOCK E	9TH FLOOR	E 907	3B/2T	51.60	3.16	23.43	82.86	14.45		
1892	BLOCK E	9TH FLOOR	E 908	2B/1T	37.10	2.33	17.03	60.29	10.50		
1893	BLOCK E	9TH FLOOR	E 909	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1894	BLOCK E	9TH FLOOR	E 910	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1895	BLOCK E	9TH FLOOR	E 911	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1896	BLOCK E	9TH FLOOR	E 912	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1897	BLOCK E	9TH FLOOR	E 913	2B/1T	37.05	2.33	17.00	60.29	10.48		
1898	BLOCK E	9TH FLOOR	E 914	2B/1T	37.05	2.33	17.00	60.29	10.48		
1899	BLOCK E	9TH FLOOR	E 915	3B/2T	51.61	3.16	23.44	82.86	14.45		
1900	BLOCK E	9TH FLOOR	E 916	3B/2T	51.61	3.16	23.44	82.86	14.45		
1901	BLOCK E	9TH FLOOR	E 917	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1902	BLOCK E	9TH FLOOR	E 918	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
1903	BLOCK E	9TH FLOOR	E 919	2B/1T	37.10	2.33	17.05	60.29	10.52		
1904	BLOCK E	9TH FLOOR	E 920	1B/1T	29.19	1.71	13.49	47.38	8.32		
1905	BLOCK F	9TH FLOOR	F 901	1B/1T	29.19	1.71	13.49	47.38	8.32		
1906	BLOCK F	9TH FLOOR	F 902	2B/1T	37.05	2.33	17.02	60.29	10.50		
1907	BLOCK F	9TH FLOOR	F 903	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1908	BLOCK F	9TH FLOOR	F 904	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
1909	BLOCK F	9TH FLOOR	F 905	3B/2T	51.60	3.16	23.47	82.86	14.47		
1910	BLOCK F	9TH FLOOR	F 906	3B/2T	51.60	3.16	23.47	82.86	14.47		
1911	BLOCK F	9TH FLOOR	F 907	3B/2T	51.60	3.16	23.43	82.86	14.45		
1912	BLOCK F	9TH FLOOR	F 908	2B/1T	37.10	2.33	17.03	60.29	10.50		
1913	BLOCK F	9TH FLOOR	F 909	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1914	BLOCK F	9TH FLOOR	F 910	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1915	BLOCK F	9TH FLOOR	F 911	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1916	BLOCK F	9TH FLOOR	F 912	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1917	BLOCK F	9TH FLOOR	F 913	2B/1T	37.05	2.33	17.00	60.29	10.48		
1918	BLOCK F	9TH FLOOR	F 914	2B/1T	37.05	2.33	17.00	60.29	10.48		
1919	BLOCK F	9TH FLOOR	F 915	3B/2T	51.61	3.16	23.44	82.86	14.45		
1920	BLOCK F	9TH FLOOR	F 916	3B/2T	51.61	3.16	23.44	82.86	14.45		
1921	BLOCK F	9TH FLOOR	F 917	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1922	BLOCK F	9TH FLOOR	F 918	2B/2T - R	49.68	2.95	22.52	79.61	13.88		

1923	BLOCK F	9TH FLOOR	F 919	2B/1T	37.10	2.33	17.05	60.29	10.52		
1924	BLOCK F	9TH FLOOR	F 920	1B/1T	29.19	1.71	13.49	47.38	8.32		
1925	BLOCK G	9TH FLOOR	G 901	1B/1T	29.19	1.71	13.49	47.38	8.32		
1926	BLOCK G	9TH FLOOR	G 902	1B/1T	28.95	1.71	13.49	47.38	8.32		
1927	BLOCK G	9TH FLOOR	G 903	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
1928	BLOCK G	9TH FLOOR	G 904	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1929	BLOCK G	9TH FLOOR	G 905	1B/1T	29.19	1.71	13.39	47.38	8.26		
1930	BLOCK G	9TH FLOOR	G 906	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1931	BLOCK G	9TH FLOOR	G 907	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
1932	BLOCK G	9TH FLOOR	G 908	STUDIO - TYPE 1	19.37	1.44	9.20	32.79	5.67		
1933	BLOCK G	9TH FLOOR	G 909	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1934	BLOCK G	9TH FLOOR	G 910	1B/1T	28.95	1.71	13.39	47.38	8.26		
1935	BLOCK G	9TH FLOOR	G 911	1B/1T	28.95	1.71	13.27	47.38	8.18		
1936	BLOCK G	9TH FLOOR	G 912	1B/1T	28.95	1.71	13.27	47.38	8.18		
1937	BLOCK G	9TH FLOOR	G 913	1B/1T	28.95	1.71	13.27	47.38	8.18		
1938	BLOCK G	9TH FLOOR	G 914	1B/1T	28.95	1.71	13.27	47.38	8.18		
1939	BLOCK G	9TH FLOOR	G 915	1B/1T	28.95	1.71	13.39	47.38	8.26		
1940	BLOCK G	9TH FLOOR	G 916	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1941	BLOCK G	9TH FLOOR	G 917	STUDIO - TYPE 1	19.37	1.44	9.24	32.79	5.70		
1942	BLOCK G	9TH FLOOR	G 918	1B/1T	28.95	1.71	13.37	47.38	8.24		
1943	BLOCK G	9TH FLOOR	G 919	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
1944	BLOCK G	9TH FLOOR	G 920	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
1945	BLOCK G	9TH FLOOR	G 921	1B/1T	29.19	1.71	13.39	47.38	8.26		
1946	BLOCK G	9TH FLOOR	G 922	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
1947	BLOCK G	9TH FLOOR	G 923	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
1948	BLOCK G	9TH FLOOR	G 924	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
1949	BLOCK G	9TH FLOOR	G 925	STUDIO - TYPE 2	19.37	1.44	9.37	32.79	5.78		
1950	BLOCK H	9TH FLOOR	H 901	3B/2T	51.61	3.16	23.44	82.86	14.45		
1951	BLOCK H	9TH FLOOR	H 902	3B/2T	51.60	3.16	23.47	82.86	14.47		
1952	BLOCK H	9TH FLOOR	H 903	3B/2T	51.60	3.16	23.47	82.86	14.47		
1953	BLOCK H	9TH FLOOR	H 904	2B/1T	36.27	2.39	16.75	59.08	10.33		
1954	BLOCK H	9TH FLOOR	H 905	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
1955	BLOCK H	9TH FLOOR	H 906	2B/1T	37.10	2.33	17.05	60.29	10.52		
1956	BLOCK H	9TH FLOOR	H 907	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1957	BLOCK H	9TH FLOOR	H 908	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1958	BLOCK H	9TH FLOOR	H 909	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
1959	BLOCK H	9TH FLOOR	H 910	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
1960	BLOCK H	9TH FLOOR	H 911	STUDIO - TYPE 2	19.37	1.44	9.27	32.79	5.72		
1961	BLOCK H	9TH FLOOR	H 912	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
1962	BLOCK H	9TH FLOOR	H 913	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
1963	BLOCK H	9TH FLOOR	H 914	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
1964	BLOCK H	9TH FLOOR	H 915	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1965	BLOCK H	9TH FLOOR	H 916	3B/2T	51.61	3.16	23.43	82.86	14.44		
1966	BLOCK H	9TH FLOOR	H 917	3B/2T	51.60	3.16	23.43	82.86	14.45		
1967	BLOCK H	9TH FLOOR	H 918	2B/1T	37.10	2.33	17.03	60.29	10.50		
1968	BLOCK H	9TH FLOOR	H 919	2B/1T	36.27	2.39	16.73	59.08	10.32		
1969	BLOCK A	10TH FLOOR	A 1001	2B/1T	36.24	2.39	16.72	59.08	10.31		
1970	BLOCK A	10TH FLOOR	A 1002	2B/1T	37.10	2.33	17.05	60.29	10.51		
1971	BLOCK A	10TH FLOOR	A 1003	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1972	BLOCK A	10TH FLOOR	A 1004	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
1973	BLOCK A	10TH FLOOR	A 1005	3B/2T	51.61	3.16	23.43	82.86	14.44		
1974	BLOCK A	10TH FLOOR	A 1006	3B/2T	51.61	3.16	23.44	82.86	14.45		
1975	BLOCK A	10TH FLOOR	A 1007	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1976	BLOCK A	10TH FLOOR	A 1008	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1977	BLOCK A	10TH FLOOR	A 1009	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1978	BLOCK A	10TH FLOOR	A 1010	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1979	BLOCK A	10TH FLOOR	A 1011	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
1980	BLOCK A	10TH FLOOR	A 1012	3B/2T	51.61	3.16	23.43	82.86	14.44		
1981	BLOCK A	10TH FLOOR	A 1013	3B/2T	51.60	3.16	23.46	82.86	14.47		
1982	BLOCK A	10TH FLOOR	A 1014	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1983	BLOCK A	10TH FLOOR	A 1015	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1984	BLOCK A	10TH FLOOR	A 1016	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1985	BLOCK A	10TH FLOOR	A 1017	1B/1T	29.19	1.71	13.49	47.38	8.32		
1986	BLOCK A	10TH FLOOR	A 1018	1B/1T	29.19	1.71	13.49	47.38	8.32		
1987	BLOCK A	10TH FLOOR	A 1019	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
1988	BLOCK A	10TH FLOOR	A 1020	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
1989	BLOCK A	10TH FLOOR	A 1021	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
1990	BLOCK A	10TH FLOOR	A 1022	3B/2T	51.61	3.16	23.42	82.86	14.44		
1991	BLOCK A	10TH FLOOR	A 1023	3B/2T	51.60	3.16	23.46	82.86	14.47		

1992	BLOCK A	10TH FLOOR	A 1024	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
1993	BLOCK A	10TH FLOOR	A 1025	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1994	BLOCK A	10TH FLOOR	A 1026	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1995	BLOCK A	10TH FLOOR	A 1027	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1996	BLOCK A	10TH FLOOR	A 1028	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
1997	BLOCK A	10TH FLOOR	A 1029	2B/1T	36.24	2.39	16.71	59.08	10.30		
1998	BLOCK B	10TH FLOOR	B 1001	2B/1T	36.24	2.39	16.72	59.08	10.31		
1999	BLOCK B	10TH FLOOR	B 1002	2B/1T	37.10	2.33	17.07	60.29	10.52		
2000	BLOCK B	10TH FLOOR	B 1003	2B/1T	37.10	2.33	17.05	60.29	10.51		
2001	BLOCK B	10TH FLOOR	B 1004	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2002	BLOCK B	10TH FLOOR	B 1005	3B/2T	51.61	3.16	23.44	82.86	14.45		
2003	BLOCK B	10TH FLOOR	B 1006	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2004	BLOCK B	10TH FLOOR	B 1007	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
2005	BLOCK B	10TH FLOOR	B 1008	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2006	BLOCK B	10TH FLOOR	B 1009	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2007	BLOCK B	10TH FLOOR	B 1010	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2008	BLOCK B	10TH FLOOR	B 1011	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2009	BLOCK B	10TH FLOOR	B 1012	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2010	BLOCK B	10TH FLOOR	B 1013	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2011	BLOCK B	10TH FLOOR	B 1014	3B/2T	51.61	3.16	23.43	82.86	14.44		
2012	BLOCK B	10TH FLOOR	B 1015	3B/2T	51.60	3.16	23.46	82.86	14.47		
2013	BLOCK B	10TH FLOOR	B 1016	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2014	BLOCK B	10TH FLOOR	B 1017	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2015	BLOCK B	10TH FLOOR	B 1018	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2016	BLOCK B	10TH FLOOR	B 1019	1B/1T	29.19	1.71	13.49	47.38	8.32		
2017	BLOCK B	10TH FLOOR	B 1020	1B/1T	29.19	1.71	13.49	47.38	8.32		
2018	BLOCK B	10TH FLOOR	B 1021	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2019	BLOCK B	10TH FLOOR	B 1022	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2020	BLOCK B	10TH FLOOR	B 1023	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2021	BLOCK B	10TH FLOOR	B 1024	3B/2T	51.61	3.16	23.43	82.86	14.44		
2022	BLOCK B	10TH FLOOR	B 1025	3B/2T	51.60	3.16	23.46	82.86	14.47		
2023	BLOCK B	10TH FLOOR	B 1026	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2024	BLOCK B	10TH FLOOR	B 1027	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2025	BLOCK B	10TH FLOOR	B 1028	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2026	BLOCK B	10TH FLOOR	B 1029	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2027	BLOCK B	10TH FLOOR	B 1030	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2028	BLOCK B	10TH FLOOR	B 1031	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2029	BLOCK B	10TH FLOOR	B 1032	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2030	BLOCK B	10TH FLOOR	B 1033	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2031	BLOCK B	10TH FLOOR	B 1034	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
2032	BLOCK B	10TH FLOOR	B 1035	2B/1T	37.05	2.33	16.95	60.29	10.45		
2033	BLOCK B	10TH FLOOR	B 1036	2B/1T	37.05	2.33	17.00	60.29	10.48		
2034	BLOCK B	10TH FLOOR	B 1037	2B/1T	36.24	2.39	16.71	59.08	10.30		
2035	BLOCK C	10TH FLOOR	C 1001	2B/1T	36.24	2.39	16.72	59.08	10.31		
2036	BLOCK C	10TH FLOOR	C 1002	2B/1T	37.10	2.33	17.07	60.29	10.52		
2037	BLOCK C	10TH FLOOR	C 1003	2B/1T	37.10	2.33	17.05	60.29	10.51		
2038	BLOCK C	10TH FLOOR	C 1004	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2039	BLOCK C	10TH FLOOR	C 1005	3B/2T	51.60	3.16	23.47	82.86	14.47		
2040	BLOCK C	10TH FLOOR	C 1006	3B/2T	51.61	3.16	23.44	82.86	14.45		
2041	BLOCK C	10TH FLOOR	C 1007	3B/2T	51.61	3.16	23.44	82.86	14.45		
2042	BLOCK C	10TH FLOOR	C 1008	3B/2T	51.61	3.16	23.44	82.86	14.45		
2043	BLOCK C	10TH FLOOR	C 1009	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2044	BLOCK C	10TH FLOOR	C 1010	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2045	BLOCK C	10TH FLOOR	C 1011	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2046	BLOCK C	10TH FLOOR	C 1012	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2047	BLOCK C	10TH FLOOR	C 1013	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2048	BLOCK C	10TH FLOOR	C 1014	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2049	BLOCK C	10TH FLOOR	C 1015	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2050	BLOCK C	10TH FLOOR	C 1016	3B/2T	51.61	3.16	23.43	82.86	14.44		
2051	BLOCK C	10TH FLOOR	C 1017	3B/2T	51.60	3.16	23.46	82.86	14.47		
2052	BLOCK C	10TH FLOOR	C 1018	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2053	BLOCK C	10TH FLOOR	C 1019	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2054	BLOCK C	10TH FLOOR	C 1020	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2055	BLOCK C	10TH FLOOR	C 1021	1B/1T	29.19	1.71	13.49	47.38	8.32		
2056	BLOCK C	10TH FLOOR	C 1022	1B/1T	29.19	1.71	13.49	47.38	8.32		
2057	BLOCK C	10TH FLOOR	C 1023	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2058	BLOCK C	10TH FLOOR	C 1024	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2059	BLOCK C	10TH FLOOR	C 1025	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2060	BLOCK C	10TH FLOOR	C 1026	3B/2T	51.61	3.16	23.43	82.86	14.44		

2061	BLOCK C	10TH FLOOR	C 1027	3B/2T	51.60	3.16	23.46	82.86	14.47		
2062	BLOCK C	10TH FLOOR	C 1028	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2063	BLOCK C	10TH FLOOR	C 1029	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2064	BLOCK C	10TH FLOOR	C 1030	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2065	BLOCK C	10TH FLOOR	C 1031	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2066	BLOCK C	10TH FLOOR	C 1032	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2067	BLOCK C	10TH FLOOR	C 1033	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2068	BLOCK C	10TH FLOOR	C 1034	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2069	BLOCK C	10TH FLOOR	C 1035	3B/2T	51.60	3.16	23.46	82.86	14.46		
2070	BLOCK C	10TH FLOOR	C 1036	3B/2T	51.60	3.16	23.47	82.86	14.47		
2071	BLOCK C	10TH FLOOR	C 1037	3B/2T	51.61	3.16	23.44	82.86	14.45		
2072	BLOCK C	10TH FLOOR	C 1038	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
2073	BLOCK C	10TH FLOOR	C 1039	2B/1T	37.05	2.33	16.96	60.29	10.46		
2074	BLOCK C	10TH FLOOR	C 1040	2B/1T	37.05	2.33	17.00	60.29	10.48		
2075	BLOCK C	10TH FLOOR	C 1041	2B/1T	36.24	2.39	16.71	59.08	10.30		
2076	BLOCK D	10TH FLOOR	D 1001	1B/1T	29.19	1.71	13.37	47.38	8.24		
2077	BLOCK D	10TH FLOOR	D 1002	1B/1T	29.19	1.71	13.27	47.38	8.18		
2078	BLOCK D	10TH FLOOR	D 1003	1B/1T	29.19	1.71	13.29	47.38	8.19		
2079	BLOCK D	10TH FLOOR	D 1004	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
2080	BLOCK D	10TH FLOOR	D 1005	1B/1T	28.95	1.71	13.50	47.38	8.32		
2081	BLOCK D	10TH FLOOR	D 1006	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
2082	BLOCK D	10TH FLOOR	D 1007	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
2083	BLOCK D	10TH FLOOR	D 1008	1B/1T	28.95	1.71	13.33	47.38	8.22		
2084	BLOCK D	10TH FLOOR	D 1009	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2085	BLOCK D	10TH FLOOR	D 1010	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2086	BLOCK D	10TH FLOOR	D 1011	1B/1T	29.19	1.71	13.27	47.38	8.18		
2087	BLOCK D	10TH FLOOR	D 1012	1B/1T	29.19	1.71	13.39	47.38	8.26		
2088	BLOCK D	10TH FLOOR	D 1013	1B/1T	28.95	1.71	13.39	47.38	8.26		
2089	BLOCK D	10TH FLOOR	D 1014	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2090	BLOCK D	10TH FLOOR	D 1015	1B/1T	28.95	1.71	13.48	47.38	8.31		
2091	BLOCK D	10TH FLOOR	D 1016	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2092	BLOCK D	10TH FLOOR	D 1017	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
2093	BLOCK D	10TH FLOOR	D 1018	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
2094	BLOCK D	10TH FLOOR	D 1019	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2095	BLOCK D	10TH FLOOR	D 1020	1B/1T	28.95	1.71	13.39	47.38	8.26		
2096	BLOCK D	10TH FLOOR	D 1021	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2097	BLOCK D	10TH FLOOR	D 1022	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2098	BLOCK D	10TH FLOOR	D 1023	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2099	BLOCK D	10TH FLOOR	D 1024	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2100	BLOCK D	10TH FLOOR	D 1025	1B/1T	29.19	1.71	13.39	47.38	8.26		
2101	BLOCK D	10TH FLOOR	D 1026	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2102	BLOCK D	10TH FLOOR	D 1027	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
2103	BLOCK D	10TH FLOOR	D 1028	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
2104	BLOCK E	10TH FLOOR	E 1001	1B/1T	29.19	1.71	13.49	47.38	8.32		
2105	BLOCK E	10TH FLOOR	E 1002	2B/1T	37.05	2.33	17.02	60.29	10.50		
2106	BLOCK E	10TH FLOOR	E 1003	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
2107	BLOCK E	10TH FLOOR	E 1004	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
2108	BLOCK E	10TH FLOOR	E 1005	3B/2T	51.60	3.16	23.47	82.86	14.47		
2109	BLOCK E	10TH FLOOR	E 1006	3B/2T	51.60	3.16	23.47	82.86	14.47		
2110	BLOCK E	10TH FLOOR	E 1007	3B/2T	51.60	3.16	23.43	82.86	14.45		
2111	BLOCK E	10TH FLOOR	E 1008	2B/1T	37.10	2.33	17.03	60.29	10.50		
2112	BLOCK E	10TH FLOOR	E 1009	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2113	BLOCK E	10TH FLOOR	E 1010	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2114	BLOCK E	10TH FLOOR	E 1011	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2115	BLOCK E	10TH FLOOR	E 1012	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2116	BLOCK E	10TH FLOOR	E 1013	2B/1T	37.05	2.33	17.00	60.29	10.48		
2117	BLOCK E	10TH FLOOR	E 1014	2B/1T	37.05	2.33	17.00	60.29	10.48		
2118	BLOCK E	10TH FLOOR	E 1015	3B/2T	51.61	3.16	23.44	82.86	14.45		
2119	BLOCK E	10TH FLOOR	E 1016	3B/2T	51.61	3.16	23.44	82.86	14.45		
2120	BLOCK E	10TH FLOOR	E 1017	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2121	BLOCK E	10TH FLOOR	E 1018	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2122	BLOCK E	10TH FLOOR	E 1019	2B/1T	37.10	2.33	17.05	60.29	10.52		
2123	BLOCK E	10TH FLOOR	E 1020	1B/1T	29.19	1.71	13.49	47.38	8.32		
2124	BLOCK F	10TH FLOOR	F 1001	1B/1T	29.19	1.71	13.49	47.38	8.32		
2125	BLOCK F	10TH FLOOR	F 1002	2B/1T	37.05	2.33	17.02	60.29	10.50		
2126	BLOCK F	10TH FLOOR	F 1003	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
2127	BLOCK F	10TH FLOOR	F 1004	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
2128	BLOCK F	10TH FLOOR	F 1005	3B/2T	51.60	3.16	23.47	82.86	14.47		
2129	BLOCK F	10TH FLOOR	F 1006	3B/2T	51.60	3.16	23.47	82.86	14.47		

2130	BLOCK F	10TH FLOOR	F 1007	3B/2T	51.60	3.16	23.43	82.86	14.45		
2131	BLOCK F	10TH FLOOR	F 1008	2B/1T	37.10	2.33	17.03	60.29	10.50		
2132	BLOCK F	10TH FLOOR	F 1009	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2133	BLOCK F	10TH FLOOR	F 1010	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2134	BLOCK F	10TH FLOOR	F 1011	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2135	BLOCK F	10TH FLOOR	F 1012	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2136	BLOCK F	10TH FLOOR	F 1013	2B/1T	37.05	2.33	17.00	60.29	10.48		
2137	BLOCK F	10TH FLOOR	F 1014	2B/1T	37.05	2.33	17.00	60.29	10.48		
2138	BLOCK F	10TH FLOOR	F 1015	3B/2T	51.61	3.16	23.44	82.86	14.45		
2139	BLOCK F	10TH FLOOR	F 1016	3B/2T	51.61	3.16	23.44	82.86	14.45		
2140	BLOCK F	10TH FLOOR	F 1017	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2141	BLOCK F	10TH FLOOR	F 1018	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2142	BLOCK F	10TH FLOOR	F 1019	2B/1T	37.10	2.33	17.05	60.29	10.52		
2143	BLOCK F	10TH FLOOR	F 1020	1B/1T	29.19	1.71	13.49	47.38	8.32		
2144	BLOCK G	10TH FLOOR	G 1001	1B/1T	29.19	1.71	13.49	47.38	8.32		
2145	BLOCK G	10TH FLOOR	G 1002	1B/1T	28.95	1.71	13.49	47.38	8.32		
2146	BLOCK G	10TH FLOOR	G 1003	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
2147	BLOCK G	10TH FLOOR	G 1004	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2148	BLOCK G	10TH FLOOR	G 1005	1B/1T	29.19	1.71	13.39	47.38	8.26		
2149	BLOCK G	10TH FLOOR	G 1006	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2150	BLOCK G	10TH FLOOR	G 1007	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
2151	BLOCK G	10TH FLOOR	G 1008	STUDIO - TYPE 1	19.37	1.44	9.20	32.79	5.67		
2152	BLOCK G	10TH FLOOR	G 1009	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
2153	BLOCK G	10TH FLOOR	G 1010	1B/1T	28.95	1.71	13.39	47.38	8.26		
2154	BLOCK G	10TH FLOOR	G 1011	1B/1T	28.95	1.71	13.27	47.38	8.18		
2155	BLOCK G	10TH FLOOR	G 1012	1B/1T	28.95	1.71	13.27	47.38	8.18		
2156	BLOCK G	10TH FLOOR	G 1013	1B/1T	28.95	1.71	13.27	47.38	8.18		
2157	BLOCK G	10TH FLOOR	G 1014	1B/1T	28.95	1.71	13.27	47.38	8.18		
2158	BLOCK G	10TH FLOOR	G 1015	1B/1T	28.95	1.71	13.39	47.38	8.26		
2159	BLOCK G	10TH FLOOR	G 1016	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
2160	BLOCK G	10TH FLOOR	G 1017	STUDIO - TYPE 1	19.37	1.44	9.24	32.79	5.70		
2161	BLOCK G	10TH FLOOR	G 1018	1B/1T	28.95	1.71	13.37	47.38	8.24		
2162	BLOCK G	10TH FLOOR	G 1019	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
2163	BLOCK G	10TH FLOOR	G 1020	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2164	BLOCK G	10TH FLOOR	G 1021	1B/1T	29.19	1.71	13.39	47.38	8.26		
2165	BLOCK G	10TH FLOOR	G 1022	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2166	BLOCK G	10TH FLOOR	G 1023	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
2167	BLOCK G	10TH FLOOR	G 1024	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
2168	BLOCK G	10TH FLOOR	G 1025	STUDIO - TYPE 2	19.37	1.44	9.37	32.79	5.78		
2169	BLOCK H	10TH FLOOR	H 1001	3B/2T	51.61	3.16	23.44	82.86	14.45		
2170	BLOCK H	10TH FLOOR	H 1002	3B/2T	51.60	3.16	23.47	82.86	14.47		
2171	BLOCK H	10TH FLOOR	H 1003	3B/2T	51.60	3.16	23.47	82.86	14.47		
2172	BLOCK H	10TH FLOOR	H 1004	2B/1T	36.27	2.39	16.75	59.08	10.33		
2173	BLOCK H	10TH FLOOR	H 1005	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
2174	BLOCK H	10TH FLOOR	H 1006	2B/1T	37.10	2.33	17.05	60.29	10.52		
2175	BLOCK H	10TH FLOOR	H 1007	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2176	BLOCK H	10TH FLOOR	H 1008	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2177	BLOCK H	10TH FLOOR	H 1009	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
2178	BLOCK H	10TH FLOOR	H 1010	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
2179	BLOCK H	10TH FLOOR	H 1011	STUDIO - TYPE 2	19.37	1.44	9.27	32.79	5.72		
2180	BLOCK H	10TH FLOOR	H 1012	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
2181	BLOCK H	10TH FLOOR	H 1013	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2182	BLOCK H	10TH FLOOR	H 1014	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2183	BLOCK H	10TH FLOOR	H 1015	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
2184	BLOCK H	10TH FLOOR	H 1016	3B/2T	51.61	3.16	23.43	82.86	14.44		
2185	BLOCK H	10TH FLOOR	H 1017	3B/2T	51.60	3.16	23.43	82.86	14.45		
2186	BLOCK H	10TH FLOOR	H 1018	2B/1T	37.10	2.33	17.03	60.29	10.50		
2187	BLOCK H	10TH FLOOR	H 1019	2B/1T	36.27	2.39	16.73	59.08	10.32		
2188	BLOCK A	11TH FLOOR	A 1101	2B/1T	36.24	2.39	16.72	59.08	10.31		
2189	BLOCK A	11TH FLOOR	A 1102	2B/1T	37.10	2.33	17.05	60.29	10.51		
2190	BLOCK A	11TH FLOOR	A 1103	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2191	BLOCK A	11TH FLOOR	A 1104	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
2192	BLOCK A	11TH FLOOR	A 1105	3B/2T	51.61	3.16	23.43	82.86	14.44		
2193	BLOCK A	11TH FLOOR	A 1106	3B/2T	51.61	3.16	23.44	82.86	14.45		
2194	BLOCK A	11TH FLOOR	A 1107	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2195	BLOCK A	11TH FLOOR	A 1108	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2196	BLOCK A	11TH FLOOR	A 1109	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2197	BLOCK A	11TH FLOOR	A 1110	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2198	BLOCK A	11TH FLOOR	A 1111	2B/2T - R	49.67	2.95	22.48	79.61	13.86		

2199	BLOCK A	11TH FLOOR	A 1112	3B/2T	51.61	3.16	23.43	82.86	14.44		
2200	BLOCK A	11TH FLOOR	A 1113	3B/2T	51.60	3.16	23.46	82.86	14.47		
2201	BLOCK A	11TH FLOOR	A 1114	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2202	BLOCK A	11TH FLOOR	A 1115	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2203	BLOCK A	11TH FLOOR	A 1116	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2204	BLOCK A	11TH FLOOR	A 1117	1B/1T	29.19	1.71	13.49	47.38	8.32		
2205	BLOCK A	11TH FLOOR	A 1118	1B/1T	29.19	1.71	13.49	47.38	8.32		
2206	BLOCK A	11TH FLOOR	A 1119	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2207	BLOCK A	11TH FLOOR	A 1120	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2208	BLOCK A	11TH FLOOR	A 1121	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
2209	BLOCK A	11TH FLOOR	A 1122	3B/2T	51.61	3.16	23.42	82.86	14.44		
2210	BLOCK A	11TH FLOOR	A 1123	3B/2T	51.60	3.16	23.46	82.86	14.47		
2211	BLOCK A	11TH FLOOR	A 1124	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2212	BLOCK A	11TH FLOOR	A 1125	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2213	BLOCK A	11TH FLOOR	A 1126	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2214	BLOCK A	11TH FLOOR	A 1127	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2215	BLOCK A	11TH FLOOR	A 1128	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2216	BLOCK A	11TH FLOOR	A 1129	2B/1T	36.24	2.39	16.71	59.08	10.30		
2217	BLOCK B	11TH FLOOR	B 1101	2B/1T	36.24	2.39	16.72	59.08	10.31		
2218	BLOCK B	11TH FLOOR	B 1102	2B/1T	37.10	2.33	17.07	60.29	10.52		
2219	BLOCK B	11TH FLOOR	B 1103	2B/1T	37.10	2.33	17.05	60.29	10.51		
2220	BLOCK B	11TH FLOOR	B 1104	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2221	BLOCK B	11TH FLOOR	B 1105	3B/2T	51.61	3.16	23.44	82.86	14.45		
2222	BLOCK B	11TH FLOOR	B 1106	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2223	BLOCK B	11TH FLOOR	B 1107	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
2224	BLOCK B	11TH FLOOR	B 1108	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2225	BLOCK B	11TH FLOOR	B 1109	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2226	BLOCK B	11TH FLOOR	B 1110	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2227	BLOCK B	11TH FLOOR	B 1111	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2228	BLOCK B	11TH FLOOR	B 1112	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2229	BLOCK B	11TH FLOOR	B 1113	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2230	BLOCK B	11TH FLOOR	B 1114	3B/2T	51.61	3.16	23.43	82.86	14.44		
2231	BLOCK B	11TH FLOOR	B 1115	3B/2T	51.60	3.16	23.46	82.86	14.47		
2232	BLOCK B	11TH FLOOR	B 1116	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2233	BLOCK B	11TH FLOOR	B 1117	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2234	BLOCK B	11TH FLOOR	B 1118	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2235	BLOCK B	11TH FLOOR	B 1119	1B/1T	29.19	1.71	13.49	47.38	8.32		
2236	BLOCK B	11TH FLOOR	B 1120	1B/1T	29.19	1.71	13.49	47.38	8.32		
2237	BLOCK B	11TH FLOOR	B 1121	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2238	BLOCK B	11TH FLOOR	B 1122	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2239	BLOCK B	11TH FLOOR	B 1123	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2240	BLOCK B	11TH FLOOR	B 1124	3B/2T	51.61	3.16	23.43	82.86	14.44		
2241	BLOCK B	11TH FLOOR	B 1125	3B/2T	51.60	3.16	23.46	82.86	14.47		
2242	BLOCK B	11TH FLOOR	B 1126	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2243	BLOCK B	11TH FLOOR	B 1127	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2244	BLOCK B	11TH FLOOR	B 1128	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2245	BLOCK B	11TH FLOOR	B 1129	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2246	BLOCK B	11TH FLOOR	B 1130	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2247	BLOCK B	11TH FLOOR	B 1131	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2248	BLOCK B	11TH FLOOR	B 1132	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2249	BLOCK B	11TH FLOOR	B 1133	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2250	BLOCK B	11TH FLOOR	B 1134	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
2251	BLOCK B	11TH FLOOR	B 1135	2B/1T	37.05	2.33	16.95	60.29	10.45		
2252	BLOCK B	11TH FLOOR	B 1136	2B/1T	37.05	2.33	17.00	60.29	10.48		
2253	BLOCK B	11TH FLOOR	B 1137	2B/1T	36.24	2.39	16.71	59.08	10.30		
2254	BLOCK C	11TH FLOOR	C 1101	2B/1T	36.24	2.39	16.72	59.08	10.31		
2255	BLOCK C	11TH FLOOR	C 1102	2B/1T	37.10	2.33	17.07	60.29	10.52		
2256	BLOCK C	11TH FLOOR	C 1103	2B/1T	37.10	2.33	17.05	60.29	10.51		
2257	BLOCK C	11TH FLOOR	C 1104	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2258	BLOCK C	11TH FLOOR	C 1105	3B/2T	51.60	3.16	23.47	82.86	14.47		
2259	BLOCK C	11TH FLOOR	C 1106	3B/2T	51.61	3.16	23.44	82.86	14.45		
2260	BLOCK C	11TH FLOOR	C 1107	3B/2T	51.61	3.16	23.44	82.86	14.45		
2261	BLOCK C	11TH FLOOR	C 1108	3B/2T	51.61	3.16	23.44	82.86	14.45		
2262	BLOCK C	11TH FLOOR	C 1109	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2263	BLOCK C	11TH FLOOR	C 1110	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2264	BLOCK C	11TH FLOOR	C 1111	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2265	BLOCK C	11TH FLOOR	C 1112	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2266	BLOCK C	11TH FLOOR	C 1113	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2267	BLOCK C	11TH FLOOR	C 1114	2B/2T - C	43.18	2.58	19.66	69.49	12.12		

2268	BLOCK C	11TH FLOOR	C 1115	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2269	BLOCK C	11TH FLOOR	C 1116	3B/2T	51.61	3.16	23.43	82.86	14.44		
2270	BLOCK C	11TH FLOOR	C 1117	3B/2T	51.60	3.16	23.46	82.86	14.47		
2271	BLOCK C	11TH FLOOR	C 1118	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2272	BLOCK C	11TH FLOOR	C 1119	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2273	BLOCK C	11TH FLOOR	C 1120	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2274	BLOCK C	11TH FLOOR	C 1121	1B/1T	29.19	1.71	13.49	47.38	8.32		
2275	BLOCK C	11TH FLOOR	C 1122	1B/1T	29.19	1.71	13.49	47.38	8.32		
2276	BLOCK C	11TH FLOOR	C 1123	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2277	BLOCK C	11TH FLOOR	C 1124	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2278	BLOCK C	11TH FLOOR	C 1125	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2279	BLOCK C	11TH FLOOR	C 1126	3B/2T	51.61	3.16	23.43	82.86	14.44		
2280	BLOCK C	11TH FLOOR	C 1127	3B/2T	51.60	3.16	23.46	82.86	14.47		
2281	BLOCK C	11TH FLOOR	C 1128	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2282	BLOCK C	11TH FLOOR	C 1129	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2283	BLOCK C	11TH FLOOR	C 1130	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2284	BLOCK C	11TH FLOOR	C 1131	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2285	BLOCK C	11TH FLOOR	C 1132	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2286	BLOCK C	11TH FLOOR	C 1133	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2287	BLOCK C	11TH FLOOR	C 1134	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2288	BLOCK C	11TH FLOOR	C 1135	3B/2T	51.60	3.16	23.46	82.86	14.46		
2289	BLOCK C	11TH FLOOR	C 1136	3B/2T	51.60	3.16	23.47	82.86	14.47		
2290	BLOCK C	11TH FLOOR	C 1137	3B/2T	51.61	3.16	23.44	82.86	14.45		
2291	BLOCK C	11TH FLOOR	C 1138	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
2292	BLOCK C	11TH FLOOR	C 1139	2B/1T	37.05	2.33	16.96	60.29	10.46		
2293	BLOCK C	11TH FLOOR	C 1140	2B/1T	37.05	2.33	17.00	60.29	10.48		
2294	BLOCK C	11TH FLOOR	C 1141	2B/1T	36.24	2.39	16.71	59.08	10.30		
2295	BLOCK D	11TH FLOOR	D 1101	1B/1T	29.19	1.71	13.37	47.38	8.24		
2296	BLOCK D	11TH FLOOR	D 1102	1B/1T	29.19	1.71	13.27	47.38	8.18		
2297	BLOCK D	11TH FLOOR	D 1103	1B/1T	29.19	1.71	13.29	47.38	8.19		
2298	BLOCK D	11TH FLOOR	D 1104	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
2299	BLOCK D	11TH FLOOR	D 1105	1B/1T	28.95	1.71	13.50	47.38	8.32		
2300	BLOCK D	11TH FLOOR	D 1106	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
2301	BLOCK D	11TH FLOOR	D 1107	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
2302	BLOCK D	11TH FLOOR	D 1108	1B/1T	28.95	1.71	13.33	47.38	8.22		
2303	BLOCK D	11TH FLOOR	D 1109	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2304	BLOCK D	11TH FLOOR	D 1110	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2305	BLOCK D	11TH FLOOR	D 1111	1B/1T	29.19	1.71	13.27	47.38	8.18		
2306	BLOCK D	11TH FLOOR	D 1112	1B/1T	29.19	1.71	13.39	47.38	8.26		
2307	BLOCK D	11TH FLOOR	D 1113	1B/1T	28.95	1.71	13.39	47.38	8.26		
2308	BLOCK D	11TH FLOOR	D 1114	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2309	BLOCK D	11TH FLOOR	D 1115	1B/1T	28.95	1.71	13.48	47.38	8.31		
2310	BLOCK D	11TH FLOOR	D 1116	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2311	BLOCK D	11TH FLOOR	D 1117	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
2312	BLOCK D	11TH FLOOR	D 1118	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
2313	BLOCK D	11TH FLOOR	D 1119	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2314	BLOCK D	11TH FLOOR	D 1120	1B/1T	28.95	1.71	13.39	47.38	8.26		
2315	BLOCK D	11TH FLOOR	D 1121	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2316	BLOCK D	11TH FLOOR	D 1122	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2317	BLOCK D	11TH FLOOR	D 1123	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2318	BLOCK D	11TH FLOOR	D 1124	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2319	BLOCK D	11TH FLOOR	D 1125	1B/1T	29.19	1.71	13.39	47.38	8.26		
2320	BLOCK D	11TH FLOOR	D 1126	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2321	BLOCK D	11TH FLOOR	D 1127	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
2322	BLOCK D	11TH FLOOR	D 1128	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
2323	BLOCK E	11TH FLOOR	E 1101	1B/1T	29.19	1.71	13.49	47.38	8.32		
2324	BLOCK E	11TH FLOOR	E 1102	2B/1T	37.05	2.33	17.02	60.29	10.50		
2325	BLOCK E	11TH FLOOR	E 1103	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
2326	BLOCK E	11TH FLOOR	E 1104	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
2327	BLOCK E	11TH FLOOR	E 1105	3B/2T	51.60	3.16	23.47	82.86	14.47		
2328	BLOCK E	11TH FLOOR	E 1106	3B/2T	51.60	3.16	23.47	82.86	14.47		
2329	BLOCK E	11TH FLOOR	E 1107	3B/2T	51.60	3.16	23.43	82.86	14.45		
2330	BLOCK E	11TH FLOOR	E 1108	2B/1T	37.10	2.33	17.03	60.29	10.50		
2331	BLOCK E	11TH FLOOR	E 1109	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2332	BLOCK E	11TH FLOOR	E 1110	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2333	BLOCK E	11TH FLOOR	E 1111	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2334	BLOCK E	11TH FLOOR	E 1112	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2335	BLOCK E	11TH FLOOR	E 1113	2B/1T	37.05	2.33	17.00	60.29	10.48		
2336	BLOCK E	11TH FLOOR	E 1114	2B/1T	37.05	2.33	17.00	60.29	10.48		

2337	BLOCK E	11TH FLOOR	E 1115	3B/2T	51.61	3.16	23.44	82.86	14.45		
2338	BLOCK E	11TH FLOOR	E 1116	3B/2T	51.61	3.16	23.44	82.86	14.45		
2339	BLOCK E	11TH FLOOR	E 1117	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2340	BLOCK E	11TH FLOOR	E 1118	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2341	BLOCK E	11TH FLOOR	E 1119	2B/1T	37.10	2.33	17.05	60.29	10.52		
2342	BLOCK E	11TH FLOOR	E 1120	1B/1T	29.19	1.71	13.49	47.38	8.32		
2343	BLOCK F	11TH FLOOR	F 1101	1B/1T	29.19	1.71	13.49	47.38	8.32		
2344	BLOCK F	11TH FLOOR	F 1102	2B/1T	37.05	2.33	17.02	60.29	10.50		
2345	BLOCK F	11TH FLOOR	F 1103	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
2346	BLOCK F	11TH FLOOR	F 1104	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
2347	BLOCK F	11TH FLOOR	F 1105	3B/2T	51.60	3.16	23.47	82.86	14.47		
2348	BLOCK F	11TH FLOOR	F 1106	3B/2T	51.60	3.16	23.47	82.86	14.47		
2349	BLOCK F	11TH FLOOR	F 1107	3B/2T	51.60	3.16	23.43	82.86	14.45		
2350	BLOCK F	11TH FLOOR	F 1108	2B/1T	37.10	2.33	17.03	60.29	10.50		
2351	BLOCK F	11TH FLOOR	F 1109	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2352	BLOCK F	11TH FLOOR	F 1110	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2353	BLOCK F	11TH FLOOR	F 1111	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2354	BLOCK F	11TH FLOOR	F 1112	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2355	BLOCK F	11TH FLOOR	F 1113	2B/1T	37.05	2.33	17.00	60.29	10.48		
2356	BLOCK F	11TH FLOOR	F 1114	2B/1T	37.05	2.33	17.00	60.29	10.48		
2357	BLOCK F	11TH FLOOR	F 1115	3B/2T	51.61	3.16	23.44	82.86	14.45		
2358	BLOCK F	11TH FLOOR	F 1116	3B/2T	51.61	3.16	23.44	82.86	14.45		
2359	BLOCK F	11TH FLOOR	F 1117	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2360	BLOCK F	11TH FLOOR	F 1118	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2361	BLOCK F	11TH FLOOR	F 1119	2B/1T	37.10	2.33	17.05	60.29	10.52		
2362	BLOCK F	11TH FLOOR	F 1120	1B/1T	29.19	1.71	13.49	47.38	8.32		
2363	BLOCK G	11TH FLOOR	G 1101	1B/1T	29.19	1.71	13.49	47.38	8.32		
2364	BLOCK G	11TH FLOOR	G 1102	1B/1T	28.95	1.71	13.49	47.38	8.32		
2365	BLOCK G	11TH FLOOR	G 1103	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
2366	BLOCK G	11TH FLOOR	G 1104	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2367	BLOCK G	11TH FLOOR	G 1105	1B/1T	29.19	1.71	13.39	47.38	8.26		
2368	BLOCK G	11TH FLOOR	G 1106	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2369	BLOCK G	11TH FLOOR	G 1107	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
2370	BLOCK G	11TH FLOOR	G 1108	STUDIO - TYPE 1	19.37	1.44	9.20	32.79	5.67		
2371	BLOCK G	11TH FLOOR	G 1109	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
2372	BLOCK G	11TH FLOOR	G 1110	1B/1T	28.95	1.71	13.39	47.38	8.26		
2373	BLOCK G	11TH FLOOR	G 1111	1B/1T	28.95	1.71	13.27	47.38	8.18		
2374	BLOCK G	11TH FLOOR	G 1112	1B/1T	28.95	1.71	13.27	47.38	8.18		
2375	BLOCK G	11TH FLOOR	G 1113	1B/1T	28.95	1.71	13.27	47.38	8.18		
2376	BLOCK G	11TH FLOOR	G 1114	1B/1T	28.95	1.71	13.27	47.38	8.18		
2377	BLOCK G	11TH FLOOR	G 1115	1B/1T	28.95	1.71	13.39	47.38	8.26		
2378	BLOCK G	11TH FLOOR	G 1116	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
2379	BLOCK G	11TH FLOOR	G 1117	STUDIO - TYPE 1	19.37	1.44	9.24	32.79	5.70		
2380	BLOCK G	11TH FLOOR	G 1118	1B/1T	28.95	1.71	13.37	47.38	8.24		
2381	BLOCK G	11TH FLOOR	G 1119	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
2382	BLOCK G	11TH FLOOR	G 1120	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2383	BLOCK G	11TH FLOOR	G 1121	1B/1T	29.19	1.71	13.39	47.38	8.26		
2384	BLOCK G	11TH FLOOR	G 1122	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2385	BLOCK G	11TH FLOOR	G 1123	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
2386	BLOCK G	11TH FLOOR	G 1124	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
2387	BLOCK G	11TH FLOOR	G 1125	STUDIO - TYPE 2	19.37	1.44	9.37	32.79	5.78		
2388	BLOCK H	11TH FLOOR	H 1101	3B/2T	51.61	3.16	23.44	82.86	14.45		
2389	BLOCK H	11TH FLOOR	H 1102	3B/2T	51.60	3.16	23.47	82.86	14.47		
2390	BLOCK H	11TH FLOOR	H 1103	3B/2T	51.60	3.16	23.47	82.86	14.47		
2391	BLOCK H	11TH FLOOR	H 1104	2B/1T	36.27	2.39	16.75	59.08	10.33		
2392	BLOCK H	11TH FLOOR	H 1105	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
2393	BLOCK H	11TH FLOOR	H 1106	2B/1T	37.10	2.33	17.05	60.29	10.52		
2394	BLOCK H	11TH FLOOR	H 1107	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2395	BLOCK H	11TH FLOOR	H 1108	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2396	BLOCK H	11TH FLOOR	H 1109	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
2397	BLOCK H	11TH FLOOR	H 1110	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
2398	BLOCK H	11TH FLOOR	H 1111	STUDIO - TYPE 2	19.37	1.44	9.27	32.79	5.72		
2399	BLOCK H	11TH FLOOR	H 1112	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
2400	BLOCK H	11TH FLOOR	H 1113	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2401	BLOCK H	11TH FLOOR	H 1114	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2402	BLOCK H	11TH FLOOR	H 1115	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
2403	BLOCK H	11TH FLOOR	H 1116	3B/2T	51.61	3.16	23.43	82.86	14.44		
2404	BLOCK H	11TH FLOOR	H 1117	3B/2T	51.60	3.16	23.43	82.86	14.45		
2405	BLOCK H	11TH FLOOR	H 1118	2B/1T	37.10	2.33	17.03	60.29	10.50		

2406	BLOCK H	11TH FLOOR	H 1119	2B/1T	36.22	2.39	16.73	59.08	10.32		
2407	BLOCK A	12TH FLOOR	A 1201	2B/1T	36.24	2.39	16.72	59.08	10.31		
2408	BLOCK A	12TH FLOOR	A 1202	2B/1T	37.10	2.33	17.05	60.29	10.51		
2409	BLOCK A	12TH FLOOR	A 1203	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2410	BLOCK A	12TH FLOOR	A 1204	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
2411	BLOCK A	12TH FLOOR	A 1205	3B/2T	51.61	3.16	23.43	82.86	14.44		
2412	BLOCK A	12TH FLOOR	A 1206	3B/2T	51.61	3.16	23.44	82.86	14.45		
2413	BLOCK A	12TH FLOOR	A 1207	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2414	BLOCK A	12TH FLOOR	A 1208	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2415	BLOCK A	12TH FLOOR	A 1209	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2416	BLOCK A	12TH FLOOR	A 1210	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2417	BLOCK A	12TH FLOOR	A 1211	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2418	BLOCK A	12TH FLOOR	A 1212	3B/2T	51.61	3.16	23.43	82.86	14.44		
2419	BLOCK A	12TH FLOOR	A 1213	3B/2T	51.60	3.16	23.46	82.86	14.47		
2420	BLOCK A	12TH FLOOR	A 1214	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2421	BLOCK A	12TH FLOOR	A 1215	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2422	BLOCK A	12TH FLOOR	A 1216	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2423	BLOCK A	12TH FLOOR	A 1217	1B/1T	29.19	1.71	13.49	47.38	8.32		
2424	BLOCK A	12TH FLOOR	A 1218	1B/1T	29.19	1.71	13.49	47.38	8.32		
2425	BLOCK A	12TH FLOOR	A 1219	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2426	BLOCK A	12TH FLOOR	A 1220	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2427	BLOCK A	12TH FLOOR	A 1221	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
2428	BLOCK A	12TH FLOOR	A 1222	3B/2T	51.61	3.16	23.42	82.86	14.44		
2429	BLOCK A	12TH FLOOR	A 1223	3B/2T	51.60	3.16	23.46	82.86	14.47		
2430	BLOCK A	12TH FLOOR	A 1224	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2431	BLOCK A	12TH FLOOR	A 1225	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2432	BLOCK A	12TH FLOOR	A 1226	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2433	BLOCK A	12TH FLOOR	A 1227	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2434	BLOCK A	12TH FLOOR	A 1228	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2435	BLOCK A	12TH FLOOR	A 1229	2B/1T	36.24	2.39	16.71	59.08	10.30		
2436	BLOCK B	12TH FLOOR	B 1201	2B/1T	36.24	2.39	16.72	59.08	10.31		
2437	BLOCK B	12TH FLOOR	B 1202	2B/1T	37.10	2.33	17.07	60.29	10.52		
2438	BLOCK B	12TH FLOOR	B 1203	2B/1T	37.10	2.33	17.05	60.29	10.51		
2439	BLOCK B	12TH FLOOR	B 1204	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2440	BLOCK B	12TH FLOOR	B 1205	3B/2T	51.61	3.16	23.44	82.86	14.45		
2441	BLOCK B	12TH FLOOR	B 1206	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2442	BLOCK B	12TH FLOOR	B 1207	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
2443	BLOCK B	12TH FLOOR	B 1208	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2444	BLOCK B	12TH FLOOR	B 1209	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2445	BLOCK B	12TH FLOOR	B 1210	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2446	BLOCK B	12TH FLOOR	B 1211	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2447	BLOCK B	12TH FLOOR	B 1212	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2448	BLOCK B	12TH FLOOR	B 1213	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2449	BLOCK B	12TH FLOOR	B 1214	3B/2T	51.61	3.16	23.43	82.86	14.44		
2450	BLOCK B	12TH FLOOR	B 1215	3B/2T	51.60	3.16	23.46	82.86	14.47		
2451	BLOCK B	12TH FLOOR	B 1216	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2452	BLOCK B	12TH FLOOR	B 1217	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2453	BLOCK B	12TH FLOOR	B 1218	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2454	BLOCK B	12TH FLOOR	B 1219	1B/1T	29.19	1.71	13.49	47.38	8.32		
2455	BLOCK B	12TH FLOOR	B 1220	1B/1T	29.19	1.71	13.49	47.38	8.32		
2456	BLOCK B	12TH FLOOR	B 1221	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2457	BLOCK B	12TH FLOOR	B 1222	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2458	BLOCK B	12TH FLOOR	B 1223	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2459	BLOCK B	12TH FLOOR	B 1224	3B/2T	51.61	3.16	23.43	82.86	14.44		
2460	BLOCK B	12TH FLOOR	B 1225	3B/2T	51.60	3.16	23.46	82.86	14.47		
2461	BLOCK B	12TH FLOOR	B 1226	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2462	BLOCK B	12TH FLOOR	B 1227	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2463	BLOCK B	12TH FLOOR	B 1228	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2464	BLOCK B	12TH FLOOR	B 1229	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2465	BLOCK B	12TH FLOOR	B 1230	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2466	BLOCK B	12TH FLOOR	B 1231	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2467	BLOCK B	12TH FLOOR	B 1232	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2468	BLOCK B	12TH FLOOR	B 1233	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2469	BLOCK B	12TH FLOOR	B 1234	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
2470	BLOCK B	12TH FLOOR	B 1235	2B/1T	37.05	2.33	16.95	60.29	10.45		
2471	BLOCK B	12TH FLOOR	B 1236	2B/1T	37.05	2.33	17.00	60.29	10.48		
2472	BLOCK B	12TH FLOOR	B 1237	2B/1T	36.24	2.39	16.71	59.08	10.30		
2473	BLOCK C	12TH FLOOR	C 1201	2B/1T	36.24	2.39	16.72	59.08	10.31		
2474	BLOCK C	12TH FLOOR	C 1202	2B/1T	37.10	2.33	17.07	60.29	10.52		

2475	BLOCK C	12TH FLOOR	C 1203	2B/1T	37.10	2.33	17.05	60.29	10.51		
2476	BLOCK C	12TH FLOOR	C 1204	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2477	BLOCK C	12TH FLOOR	C 1205	3B/2T	51.60	3.16	23.47	82.86	14.47		
2478	BLOCK C	12TH FLOOR	C 1206	3B/2T	51.61	3.16	23.44	82.86	14.45		
2479	BLOCK C	12TH FLOOR	C 1207	3B/2T	51.61	3.16	23.44	82.86	14.45		
2480	BLOCK C	12TH FLOOR	C 1208	3B/2T	51.61	3.16	23.44	82.86	14.45		
2481	BLOCK C	12TH FLOOR	C 1209	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2482	BLOCK C	12TH FLOOR	C 1210	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2483	BLOCK C	12TH FLOOR	C 1211	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2484	BLOCK C	12TH FLOOR	C 1212	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2485	BLOCK C	12TH FLOOR	C 1213	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2486	BLOCK C	12TH FLOOR	C 1214	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2487	BLOCK C	12TH FLOOR	C 1215	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2488	BLOCK C	12TH FLOOR	C 1216	3B/2T	51.61	3.16	23.43	82.86	14.44		
2489	BLOCK C	12TH FLOOR	C 1217	3B/2T	51.60	3.16	23.46	82.86	14.47		
2490	BLOCK C	12TH FLOOR	C 1218	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2491	BLOCK C	12TH FLOOR	C 1219	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2492	BLOCK C	12TH FLOOR	C 1220	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2493	BLOCK C	12TH FLOOR	C 1221	1B/1T	29.19	1.71	13.49	47.38	8.32		
2494	BLOCK C	12TH FLOOR	C 1222	1B/1T	29.19	1.71	13.49	47.38	8.32		
2495	BLOCK C	12TH FLOOR	C 1223	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2496	BLOCK C	12TH FLOOR	C 1224	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2497	BLOCK C	12TH FLOOR	C 1225	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2498	BLOCK C	12TH FLOOR	C 1226	3B/2T	51.61	3.16	23.43	82.86	14.44		
2499	BLOCK C	12TH FLOOR	C 1227	3B/2T	51.60	3.16	23.46	82.86	14.47		
2500	BLOCK C	12TH FLOOR	C 1228	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2501	BLOCK C	12TH FLOOR	C 1229	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2502	BLOCK C	12TH FLOOR	C 1230	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2503	BLOCK C	12TH FLOOR	C 1231	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2504	BLOCK C	12TH FLOOR	C 1232	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2505	BLOCK C	12TH FLOOR	C 1233	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2506	BLOCK C	12TH FLOOR	C 1234	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2507	BLOCK C	12TH FLOOR	C 1235	3B/2T	51.60	3.16	23.46	82.86	14.46		
2508	BLOCK C	12TH FLOOR	C 1236	3B/2T	51.60	3.16	23.47	82.86	14.47		
2509	BLOCK C	12TH FLOOR	C 1237	3B/2T	51.61	3.16	23.44	82.86	14.45		
2510	BLOCK C	12TH FLOOR	C 1238	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
2511	BLOCK C	12TH FLOOR	C 1239	2B/1T	37.05	2.33	16.96	60.29	10.46		
2512	BLOCK C	12TH FLOOR	C 1240	2B/1T	37.05	2.33	17.00	60.29	10.48		
2513	BLOCK C	12TH FLOOR	C 1241	2B/1T	36.24	2.39	16.71	59.08	10.30		
2514	BLOCK D	12TH FLOOR	D 1201	1B/1T	29.19	1.71	13.37	47.38	8.24		
2515	BLOCK D	12TH FLOOR	D 1202	1B/1T	29.19	1.71	13.27	47.38	8.18		
2516	BLOCK D	12TH FLOOR	D 1203	1B/1T	29.19	1.71	13.29	47.38	8.19		
2517	BLOCK D	12TH FLOOR	D 1204	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
2518	BLOCK D	12TH FLOOR	D 1205	1B/1T	28.95	1.71	13.50	47.38	8.32		
2519	BLOCK D	12TH FLOOR	D 1206	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
2520	BLOCK D	12TH FLOOR	D 1207	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
2521	BLOCK D	12TH FLOOR	D 1208	1B/1T	28.95	1.71	13.33	47.38	8.22		
2522	BLOCK D	12TH FLOOR	D 1209	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2523	BLOCK D	12TH FLOOR	D 1210	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2524	BLOCK D	12TH FLOOR	D 1211	1B/1T	29.19	1.71	13.27	47.38	8.18		
2525	BLOCK D	12TH FLOOR	D 1212	1B/1T	29.19	1.71	13.39	47.38	8.26		
2526	BLOCK D	12TH FLOOR	D 1213	1B/1T	28.95	1.71	13.39	47.38	8.26		
2527	BLOCK D	12TH FLOOR	D 1214	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2528	BLOCK D	12TH FLOOR	D 1215	1B/1T	28.95	1.71	13.48	47.38	8.31		
2529	BLOCK D	12TH FLOOR	D 1216	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2530	BLOCK D	12TH FLOOR	D 1217	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
2531	BLOCK D	12TH FLOOR	D 1218	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
2532	BLOCK D	12TH FLOOR	D 1219	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2533	BLOCK D	12TH FLOOR	D 1220	1B/1T	28.95	1.71	13.39	47.38	8.26		
2534	BLOCK D	12TH FLOOR	D 1221	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2535	BLOCK D	12TH FLOOR	D 1222	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2536	BLOCK D	12TH FLOOR	D 1223	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2537	BLOCK D	12TH FLOOR	D 1224	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2538	BLOCK D	12TH FLOOR	D 1225	1B/1T	29.19	1.71	13.39	47.38	8.26		
2539	BLOCK D	12TH FLOOR	D 1226	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2540	BLOCK D	12TH FLOOR	D 1227	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
2541	BLOCK D	12TH FLOOR	D 1228	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
2542	BLOCK E	12TH FLOOR	E 1201	1B/1T	29.19	1.71	13.49	47.38	8.32		
2543	BLOCK E	12TH FLOOR	E 1202	2B/1T	37.05	2.33	17.02	60.29	10.50		

2544	BLOCK E	12TH FLOOR	E 1203	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
2545	BLOCK E	12TH FLOOR	E 1204	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
2546	BLOCK E	12TH FLOOR	E 1205	3B/2T	51.60	3.16	23.47	82.86	14.47		
2547	BLOCK E	12TH FLOOR	E 1206	3B/2T	51.60	3.16	23.47	82.86	14.47		
2548	BLOCK E	12TH FLOOR	E 1207	3B/2T	51.60	3.16	23.43	82.86	14.45		
2549	BLOCK E	12TH FLOOR	E 1208	2B/1T	37.10	2.33	17.03	60.29	10.50		
2550	BLOCK E	12TH FLOOR	E 1209	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2551	BLOCK E	12TH FLOOR	E 1210	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2552	BLOCK E	12TH FLOOR	E 1211	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2553	BLOCK E	12TH FLOOR	E 1212	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2554	BLOCK E	12TH FLOOR	E 1213	2B/1T	37.05	2.33	17.00	60.29	10.48		
2555	BLOCK E	12TH FLOOR	E 1214	2B/1T	37.05	2.33	17.00	60.29	10.48		
2556	BLOCK E	12TH FLOOR	E 1215	3B/2T	51.61	3.16	23.44	82.86	14.45		
2557	BLOCK E	12TH FLOOR	E 1216	3B/2T	51.61	3.16	23.44	82.86	14.45		
2558	BLOCK E	12TH FLOOR	E 1217	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2559	BLOCK E	12TH FLOOR	E 1218	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2560	BLOCK E	12TH FLOOR	E 1219	2B/1T	37.10	2.33	17.05	60.29	10.52		
2561	BLOCK E	12TH FLOOR	E 1220	1B/1T	29.19	1.71	13.49	47.38	8.32		
2562	BLOCK F	12TH FLOOR	F 1201	1B/1T	29.19	1.71	13.49	47.38	8.32		
2563	BLOCK F	12TH FLOOR	F 1202	2B/1T	37.05	2.33	17.02	60.29	10.50		
2564	BLOCK F	12TH FLOOR	F 1203	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
2565	BLOCK F	12TH FLOOR	F 1204	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
2566	BLOCK F	12TH FLOOR	F 1205	3B/2T	51.60	3.16	23.47	82.86	14.47		
2567	BLOCK F	12TH FLOOR	F 1206	3B/2T	51.60	3.16	23.47	82.86	14.47		
2568	BLOCK F	12TH FLOOR	F 1207	3B/2T	51.60	3.16	23.43	82.86	14.45		
2569	BLOCK F	12TH FLOOR	F 1208	2B/1T	37.10	2.33	17.03	60.29	10.50		
2570	BLOCK F	12TH FLOOR	F 1209	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2571	BLOCK F	12TH FLOOR	F 1210	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2572	BLOCK F	12TH FLOOR	F 1211	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2573	BLOCK F	12TH FLOOR	F 1212	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2574	BLOCK F	12TH FLOOR	F 1213	2B/1T	37.05	2.33	17.00	60.29	10.48		
2575	BLOCK F	12TH FLOOR	F 1214	2B/1T	37.05	2.33	17.00	60.29	10.48		
2576	BLOCK F	12TH FLOOR	F 1215	3B/2T	51.61	3.16	23.44	82.86	14.45		
2577	BLOCK F	12TH FLOOR	F 1216	3B/2T	51.61	3.16	23.44	82.86	14.45		
2578	BLOCK F	12TH FLOOR	F 1217	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2579	BLOCK F	12TH FLOOR	F 1218	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2580	BLOCK F	12TH FLOOR	F 1219	2B/1T	37.10	2.33	17.05	60.29	10.52		
2581	BLOCK F	12TH FLOOR	F 1220	1B/1T	29.19	1.71	13.49	47.38	8.32		
2582	BLOCK G	12TH FLOOR	G 1201	1B/1T	29.19	1.71	13.49	47.38	8.32		
2583	BLOCK G	12TH FLOOR	G 1202	1B/1T	28.95	1.71	13.49	47.38	8.32		
2584	BLOCK G	12TH FLOOR	G 1203	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
2585	BLOCK G	12TH FLOOR	G 1204	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2586	BLOCK G	12TH FLOOR	G 1205	1B/1T	29.19	1.71	13.39	47.38	8.26		
2587	BLOCK G	12TH FLOOR	G 1206	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2588	BLOCK G	12TH FLOOR	G 1207	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
2589	BLOCK G	12TH FLOOR	G 1208	STUDIO - TYPE 1	19.37	1.44	9.20	32.79	5.67		
2590	BLOCK G	12TH FLOOR	G 1209	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
2591	BLOCK G	12TH FLOOR	G 1210	1B/1T	28.95	1.71	13.39	47.38	8.26		
2592	BLOCK G	12TH FLOOR	G 1211	1B/1T	28.95	1.71	13.27	47.38	8.18		
2593	BLOCK G	12TH FLOOR	G 1212	1B/1T	28.95	1.71	13.27	47.38	8.18		
2594	BLOCK G	12TH FLOOR	G 1213	1B/1T	28.95	1.71	13.27	47.38	8.18		
2595	BLOCK G	12TH FLOOR	G 1214	1B/1T	28.95	1.71	13.27	47.38	8.18		
2596	BLOCK G	12TH FLOOR	G 1215	1B/1T	28.95	1.71	13.39	47.38	8.26		
2597	BLOCK G	12TH FLOOR	G 1216	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
2598	BLOCK G	12TH FLOOR	G 1217	STUDIO - TYPE 1	19.37	1.44	9.24	32.79	5.70		
2599	BLOCK G	12TH FLOOR	G 1218	1B/1T	28.95	1.71	13.37	47.38	8.24		
2600	BLOCK G	12TH FLOOR	G 1219	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
2601	BLOCK G	12TH FLOOR	G 1220	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2602	BLOCK G	12TH FLOOR	G 1221	1B/1T	29.19	1.71	13.39	47.38	8.26		
2603	BLOCK G	12TH FLOOR	G 1222	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2604	BLOCK G	12TH FLOOR	G 1223	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
2605	BLOCK G	12TH FLOOR	G 1224	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
2606	BLOCK G	12TH FLOOR	G 1225	STUDIO - TYPE 2	19.37	1.44	9.37	32.79	5.78		
2607	BLOCK H	12TH FLOOR	H 1201	3B/2T	51.61	3.16	23.44	82.86	14.45		
2608	BLOCK H	12TH FLOOR	H 1202	3B/2T	51.60	3.16	23.47	82.86	14.47		
2609	BLOCK H	12TH FLOOR	H 1203	3B/2T	51.60	3.16	23.47	82.86	14.47		
2610	BLOCK H	12TH FLOOR	H 1204	2B/1T	36.27	2.39	16.75	59.08	10.33		
2611	BLOCK H	12TH FLOOR	H 1205	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
2612	BLOCK H	12TH FLOOR	H 1206	2B/1T	37.10	2.33	17.05	60.29	10.52		

2613	BLOCK H	12TH FLOOR	H 1207	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2614	BLOCK H	12TH FLOOR	H 1208	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2615	BLOCK H	12TH FLOOR	H 1209	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
2616	BLOCK H	12TH FLOOR	H 1210	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
2617	BLOCK H	12TH FLOOR	H 1211	STUDIO - TYPE 2	19.37	1.44	9.27	32.79	5.72		
2618	BLOCK H	12TH FLOOR	H 1212	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
2619	BLOCK H	12TH FLOOR	H 1213	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2620	BLOCK H	12TH FLOOR	H 1214	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2621	BLOCK H	12TH FLOOR	H 1215	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
2622	BLOCK H	12TH FLOOR	H 1216	3B/2T	51.61	3.16	23.43	82.86	14.44		
2623	BLOCK H	12TH FLOOR	H 1217	3B/2T	51.60	3.16	23.43	82.86	14.45		
2624	BLOCK H	12TH FLOOR	H 1218	2B/1T	37.10	2.33	17.03	60.29	10.50		
2625	BLOCK H	12TH FLOOR	H 1219	2B/1T	36.27	2.39	16.73	59.08	10.32		
2626	BLOCK A	13TH FLOOR	A 12A01	2B/1T	36.24	2.39	16.72	59.08	10.31		
2627	BLOCK A	13TH FLOOR	A 12A02	2B/1T	37.10	2.33	17.05	60.29	10.51		
2628	BLOCK A	13TH FLOOR	A 12A03	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2629	BLOCK A	13TH FLOOR	A 12A04	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
2630	BLOCK A	13TH FLOOR	A 12A05	3B/2T	51.61	3.16	23.43	82.86	14.44		
2631	BLOCK A	13TH FLOOR	A 12A06	3B/2T	51.61	3.16	23.44	82.86	14.45		
2632	BLOCK A	13TH FLOOR	A 12A07	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2633	BLOCK A	13TH FLOOR	A 12A08	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2634	BLOCK A	13TH FLOOR	A 12A09	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2635	BLOCK A	13TH FLOOR	A 12A10	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2636	BLOCK A	13TH FLOOR	A 12A11	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2637	BLOCK A	13TH FLOOR	A 12A12	3B/2T	51.61	3.16	23.43	82.86	14.44		
2638	BLOCK A	13TH FLOOR	A 12A13	3B/2T	51.60	3.16	23.46	82.86	14.47		
2639	BLOCK A	13TH FLOOR	A 12A14	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2640	BLOCK A	13TH FLOOR	A 12A15	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2641	BLOCK A	13TH FLOOR	A 12A16	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2642	BLOCK A	13TH FLOOR	A 12A17	1B/1T	29.19	1.71	13.49	47.38	8.32		
2643	BLOCK A	13TH FLOOR	A 12A18	1B/1T	29.19	1.71	13.49	47.38	8.32		
2644	BLOCK A	13TH FLOOR	A 12A19	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2645	BLOCK A	13TH FLOOR	A 12A20	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2646	BLOCK A	13TH FLOOR	A 12A21	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
2647	BLOCK A	13TH FLOOR	A 12A22	3B/2T	51.61	3.16	23.42	82.86	14.44		
2648	BLOCK A	13TH FLOOR	A 12A23	3B/2T	51.60	3.16	23.46	82.86	14.47		
2649	BLOCK A	13TH FLOOR	A 12A24	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2650	BLOCK A	13TH FLOOR	A 12A25	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2651	BLOCK A	13TH FLOOR	A 12A26	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2652	BLOCK A	13TH FLOOR	A 12A27	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2653	BLOCK A	13TH FLOOR	A 12A28	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2654	BLOCK A	13TH FLOOR	A 12A29	2B/1T	36.24	2.39	16.71	59.08	10.30		
2655	BLOCK B	13TH FLOOR	B 12A01	2B/1T	36.24	2.39	16.72	59.08	10.31		
2656	BLOCK B	13TH FLOOR	B 12A02	2B/1T	37.10	2.33	17.07	60.29	10.52		
2657	BLOCK B	13TH FLOOR	B 12A03	2B/1T	37.10	2.33	17.05	60.29	10.51		
2658	BLOCK B	13TH FLOOR	B 12A04	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2659	BLOCK B	13TH FLOOR	B 12A05	3B/2T	51.61	3.16	23.44	82.86	14.45		
2660	BLOCK B	13TH FLOOR	B 12A06	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2661	BLOCK B	13TH FLOOR	B 12A07	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
2662	BLOCK B	13TH FLOOR	B 12A08	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2663	BLOCK B	13TH FLOOR	B 12A09	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2664	BLOCK B	13TH FLOOR	B 12A10	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2665	BLOCK B	13TH FLOOR	B 12A11	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2666	BLOCK B	13TH FLOOR	B 12A12	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2667	BLOCK B	13TH FLOOR	B 12A13	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2668	BLOCK B	13TH FLOOR	B 12A14	3B/2T	51.61	3.16	23.43	82.86	14.44		
2669	BLOCK B	13TH FLOOR	B 12A15	3B/2T	51.60	3.16	23.46	82.86	14.47		
2670	BLOCK B	13TH FLOOR	B 12A16	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2671	BLOCK B	13TH FLOOR	B 12A17	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2672	BLOCK B	13TH FLOOR	B 12A18	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2673	BLOCK B	13TH FLOOR	B 12A19	1B/1T	29.19	1.71	13.49	47.38	8.32		
2674	BLOCK B	13TH FLOOR	B 12A20	1B/1T	29.19	1.71	13.49	47.38	8.32		
2675	BLOCK B	13TH FLOOR	B 12A21	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2676	BLOCK B	13TH FLOOR	B 12A22	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2677	BLOCK B	13TH FLOOR	B 12A23	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2678	BLOCK B	13TH FLOOR	B 12A24	3B/2T	51.61	3.16	23.43	82.86	14.44		
2679	BLOCK B	13TH FLOOR	B 12A25	3B/2T	51.60	3.16	23.46	82.86	14.47		
2680	BLOCK B	13TH FLOOR	B 12A26	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2681	BLOCK B	13TH FLOOR	B 12A27	2B/2T - C	42.38	2.58	19.38	68.46	11.95		

2682	BLOCK B	13TH FLOOR	B 12A28	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2683	BLOCK B	13TH FLOOR	B 12A29	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2684	BLOCK B	13TH FLOOR	B 12A30	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2685	BLOCK B	13TH FLOOR	B 12A31	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2686	BLOCK B	13TH FLOOR	B 12A32	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2687	BLOCK B	13TH FLOOR	B 12A33	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2688	BLOCK B	13TH FLOOR	B 12A34	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
2689	BLOCK B	13TH FLOOR	B 12A35	2B/1T	37.05	2.33	16.95	60.29	10.45		
2690	BLOCK B	13TH FLOOR	B 12A36	2B/1T	37.05	2.33	17.00	60.29	10.48		
2691	BLOCK B	13TH FLOOR	B 12A37	2B/1T	36.24	2.39	16.71	59.08	10.30		
2692	BLOCK C	13TH FLOOR	C 12A01	2B/1T	36.24	2.39	16.72	59.08	10.31		
2693	BLOCK C	13TH FLOOR	C 12A02	2B/1T	37.10	2.33	17.07	60.29	10.52		
2694	BLOCK C	13TH FLOOR	C 12A03	2B/1T	37.10	2.33	17.05	60.29	10.51		
2695	BLOCK C	13TH FLOOR	C 12A04	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2696	BLOCK C	13TH FLOOR	C 12A05	3B/2T	51.60	3.16	23.47	82.86	14.47		
2697	BLOCK C	13TH FLOOR	C 12A06	3B/2T	51.61	3.16	23.44	82.86	14.45		
2698	BLOCK C	13TH FLOOR	C 12A07	3B/2T	51.61	3.16	23.44	82.86	14.45		
2699	BLOCK C	13TH FLOOR	C 12A08	3B/2T	51.61	3.16	23.44	82.86	14.45		
2700	BLOCK C	13TH FLOOR	C 12A09	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2701	BLOCK C	13TH FLOOR	C 12A10	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2702	BLOCK C	13TH FLOOR	C 12A11	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2703	BLOCK C	13TH FLOOR	C 12A12	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2704	BLOCK C	13TH FLOOR	C 12A13	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2705	BLOCK C	13TH FLOOR	C 12A14	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2706	BLOCK C	13TH FLOOR	C 12A15	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2707	BLOCK C	13TH FLOOR	C 12A16	3B/2T	51.61	3.16	23.43	82.86	14.44		
2708	BLOCK C	13TH FLOOR	C 12A17	3B/2T	51.60	3.16	23.46	82.86	14.47		
2709	BLOCK C	13TH FLOOR	C 12A18	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2710	BLOCK C	13TH FLOOR	C 12A19	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2711	BLOCK C	13TH FLOOR	C 12A20	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2712	BLOCK C	13TH FLOOR	C 12A21	1B/1T	29.19	1.71	13.49	47.38	8.32		
2713	BLOCK C	13TH FLOOR	C 12A22	1B/1T	29.19	1.71	13.49	47.38	8.32		
2714	BLOCK C	13TH FLOOR	C 12A23	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2715	BLOCK C	13TH FLOOR	C 12A24	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2716	BLOCK C	13TH FLOOR	C 12A25	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2717	BLOCK C	13TH FLOOR	C 12A26	3B/2T	51.61	3.16	23.43	82.86	14.44		
2718	BLOCK C	13TH FLOOR	C 12A27	3B/2T	51.60	3.16	23.46	82.86	14.47		
2719	BLOCK C	13TH FLOOR	C 12A28	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2720	BLOCK C	13TH FLOOR	C 12A29	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2721	BLOCK C	13TH FLOOR	C 12A30	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2722	BLOCK C	13TH FLOOR	C 12A31	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2723	BLOCK C	13TH FLOOR	C 12A32	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2724	BLOCK C	13TH FLOOR	C 12A33	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2725	BLOCK C	13TH FLOOR	C 12A34	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2726	BLOCK C	13TH FLOOR	C 12A35	3B/2T	51.60	3.16	23.46	82.86	14.46		
2727	BLOCK C	13TH FLOOR	C 12A36	3B/2T	51.60	3.16	23.47	82.86	14.47		
2728	BLOCK C	13TH FLOOR	C 12A37	3B/2T	51.61	3.16	23.44	82.86	14.45		
2729	BLOCK C	13TH FLOOR	C 12A38	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
2730	BLOCK C	13TH FLOOR	C 12A39	2B/1T	37.05	2.33	16.96	60.29	10.46		
2731	BLOCK C	13TH FLOOR	C 12A40	2B/1T	37.05	2.33	17.00	60.29	10.48		
2732	BLOCK C	13TH FLOOR	C 12A41	2B/1T	36.24	2.39	16.71	59.08	10.30		
2733	BLOCK D	13TH FLOOR	D 12A01	1B/1T	29.19	1.71	13.37	47.38	8.24		
2734	BLOCK D	13TH FLOOR	D 12A02	1B/1T	29.19	1.71	13.27	47.38	8.18		
2735	BLOCK D	13TH FLOOR	D 12A03	1B/1T	29.19	1.71	13.29	47.38	8.19		
2736	BLOCK D	13TH FLOOR	D 12A04	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
2737	BLOCK D	13TH FLOOR	D 12A05	1B/1T	28.95	1.71	13.50	47.38	8.32		
2738	BLOCK D	13TH FLOOR	D 12A06	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
2739	BLOCK D	13TH FLOOR	D 12A07	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
2740	BLOCK D	13TH FLOOR	D 12A08	1B/1T	28.95	1.71	13.33	47.38	8.22		
2741	BLOCK D	13TH FLOOR	D 12A09	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2742	BLOCK D	13TH FLOOR	D 12A10	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2743	BLOCK D	13TH FLOOR	D 12A11	1B/1T	29.19	1.71	13.27	47.38	8.18		
2744	BLOCK D	13TH FLOOR	D 12A12	1B/1T	29.19	1.71	13.39	47.38	8.26		
2745	BLOCK D	13TH FLOOR	D 12A13	1B/1T	28.95	1.71	13.39	47.38	8.26		
2746	BLOCK D	13TH FLOOR	D 12A14	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2747	BLOCK D	13TH FLOOR	D 12A15	1B/1T	28.95	1.71	13.48	47.38	8.31		
2748	BLOCK D	13TH FLOOR	D 12A16	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2749	BLOCK D	13TH FLOOR	D 12A17	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
2750	BLOCK D	13TH FLOOR	D 12A18	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		

2751	BLOCK D	13TH FLOOR	D 12A19	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2752	BLOCK D	13TH FLOOR	D 12A20	1B/1T	28.95	1.71	13.39	47.38	8.26		
2753	BLOCK D	13TH FLOOR	D 12A21	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2754	BLOCK D	13TH FLOOR	D 12A22	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2755	BLOCK D	13TH FLOOR	D 12A23	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2756	BLOCK D	13TH FLOOR	D 12A24	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2757	BLOCK D	13TH FLOOR	D 12A25	1B/1T	29.19	1.71	13.39	47.38	8.26		
2758	BLOCK D	13TH FLOOR	D 12A26	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2759	BLOCK D	13TH FLOOR	D 12A27	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
2760	BLOCK D	13TH FLOOR	D 12A28	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
2761	BLOCK E	13TH FLOOR	E 12A01	1B/1T	29.19	1.71	13.49	47.38	8.32		
2762	BLOCK E	13TH FLOOR	E 12A02	2B/1T	37.05	2.33	17.02	60.29	10.50		
2763	BLOCK E	13TH FLOOR	E 12A03	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
2764	BLOCK E	13TH FLOOR	E 12A04	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
2765	BLOCK E	13TH FLOOR	E 12A05	3B/2T	51.60	3.16	23.47	82.86	14.47		
2766	BLOCK E	13TH FLOOR	E 12A06	3B/2T	51.60	3.16	23.47	82.86	14.47		
2767	BLOCK E	13TH FLOOR	E 12A07	3B/2T	51.60	3.16	23.43	82.86	14.45		
2768	BLOCK E	13TH FLOOR	E 12A08	2B/1T	37.10	2.33	17.03	60.29	10.50		
2769	BLOCK E	13TH FLOOR	E 12A09	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2770	BLOCK E	13TH FLOOR	E 12A10	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2771	BLOCK E	13TH FLOOR	E 12A11	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2772	BLOCK E	13TH FLOOR	E 12A12	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2773	BLOCK E	13TH FLOOR	E 12A13	2B/1T	37.05	2.33	17.00	60.29	10.48		
2774	BLOCK E	13TH FLOOR	E 12A14	2B/1T	37.05	2.33	17.00	60.29	10.48		
2775	BLOCK E	13TH FLOOR	E 12A15	3B/2T	51.61	3.16	23.44	82.86	14.45		
2776	BLOCK E	13TH FLOOR	E 12A16	3B/2T	51.61	3.16	23.44	82.86	14.45		
2777	BLOCK E	13TH FLOOR	E 12A17	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2778	BLOCK E	13TH FLOOR	E 12A18	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2779	BLOCK E	13TH FLOOR	E 12A19	2B/1T	37.10	2.33	17.05	60.29	10.52		
2780	BLOCK E	13TH FLOOR	E 12A20	1B/1T	29.19	1.71	13.49	47.38	8.32		
2781	BLOCK F	13TH FLOOR	F 12A01	1B/1T	29.19	1.71	13.49	47.38	8.32		
2782	BLOCK F	13TH FLOOR	F 12A02	2B/1T	37.05	2.33	17.02	60.29	10.50		
2783	BLOCK F	13TH FLOOR	F 12A03	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
2784	BLOCK F	13TH FLOOR	F 12A04	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
2785	BLOCK F	13TH FLOOR	F 12A05	3B/2T	51.60	3.16	23.47	82.86	14.47		
2786	BLOCK F	13TH FLOOR	F 12A06	3B/2T	51.60	3.16	23.47	82.86	14.47		
2787	BLOCK F	13TH FLOOR	F 12A07	3B/2T	51.60	3.16	23.43	82.86	14.45		
2788	BLOCK F	13TH FLOOR	F 12A08	2B/1T	37.10	2.33	17.03	60.29	10.50		
2789	BLOCK F	13TH FLOOR	F 12A09	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2790	BLOCK F	13TH FLOOR	F 12A10	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2791	BLOCK F	13TH FLOOR	F 12A11	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2792	BLOCK F	13TH FLOOR	F 12A12	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2793	BLOCK F	13TH FLOOR	F 12A13	2B/1T	37.05	2.33	17.00	60.29	10.48		
2794	BLOCK F	13TH FLOOR	F 12A14	2B/1T	37.05	2.33	17.00	60.29	10.48		
2795	BLOCK F	13TH FLOOR	F 12A15	3B/2T	51.61	3.16	23.44	82.86	14.45		
2796	BLOCK F	13TH FLOOR	F 12A16	3B/2T	51.61	3.16	23.44	82.86	14.45		
2797	BLOCK F	13TH FLOOR	F 12A17	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2798	BLOCK F	13TH FLOOR	F 12A18	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2799	BLOCK F	13TH FLOOR	F 12A19	2B/1T	37.10	2.33	17.05	60.29	10.52		
2800	BLOCK F	13TH FLOOR	F 12A20	1B/1T	29.19	1.71	13.49	47.38	8.32		
2801	BLOCK G	13TH FLOOR	G 12A01	1B/1T	29.19	1.71	13.49	47.38	8.32		
2802	BLOCK G	13TH FLOOR	G 12A02	1B/1T	28.95	1.71	13.49	47.38	8.32		
2803	BLOCK G	13TH FLOOR	G 12A03	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
2804	BLOCK G	13TH FLOOR	G 12A04	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2805	BLOCK G	13TH FLOOR	G 12A05	1B/1T	29.19	1.71	13.39	47.38	8.26		
2806	BLOCK G	13TH FLOOR	G 12A06	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2807	BLOCK G	13TH FLOOR	G 12A07	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
2808	BLOCK G	13TH FLOOR	G 12A08	STUDIO - TYPE 1	19.37	1.44	9.20	32.79	5.67		
2809	BLOCK G	13TH FLOOR	G 12A09	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
2810	BLOCK G	13TH FLOOR	G 12A10	1B/1T	28.95	1.71	13.39	47.38	8.26		
2811	BLOCK G	13TH FLOOR	G 12A11	1B/1T	28.95	1.71	13.27	47.38	8.18		
2812	BLOCK G	13TH FLOOR	G 12A12	1B/1T	28.95	1.71	13.27	47.38	8.18		
2813	BLOCK G	13TH FLOOR	G 12A13	1B/1T	28.95	1.71	13.27	47.38	8.18		
2814	BLOCK G	13TH FLOOR	G 12A14	1B/1T	28.95	1.71	13.27	47.38	8.18		
2815	BLOCK G	13TH FLOOR	G 12A15	1B/1T	28.95	1.71	13.39	47.38	8.26		
2816	BLOCK G	13TH FLOOR	G 12A16	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
2817	BLOCK G	13TH FLOOR	G 12A17	STUDIO - TYPE 1	19.37	1.44	9.24	32.79	5.70		
2818	BLOCK G	13TH FLOOR	G 12A18	1B/1T	28.95	1.71	13.37	47.38	8.24		
2819	BLOCK G	13TH FLOOR	G 12A19	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		

2820	BLOCK G	13TH FLOOR	G 12A20	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2821	BLOCK G	13TH FLOOR	G 12A21	1B/1T	29.19	1.71	13.39	47.38	8.26		
2822	BLOCK G	13TH FLOOR	G 12A22	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2823	BLOCK G	13TH FLOOR	G 12A23	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
2824	BLOCK G	13TH FLOOR	G 12A24	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
2825	BLOCK G	13TH FLOOR	G 12A25	STUDIO - TYPE 2	19.37	1.44	9.37	32.79	5.78		
2826	BLOCK H	13TH FLOOR	H 12A01	3B/2T	51.61	3.16	23.44	82.86	14.45		
2827	BLOCK H	13TH FLOOR	H 12A02	3B/2T	51.60	3.16	23.47	82.86	14.47		
2828	BLOCK H	13TH FLOOR	H 12A03	3B/2T	51.60	3.16	23.47	82.86	14.47		
2829	BLOCK H	13TH FLOOR	H 12A04	2B/1T	36.27	2.39	16.75	59.08	10.33		
2830	BLOCK H	13TH FLOOR	H 12A05	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
2831	BLOCK H	13TH FLOOR	H 12A06	2B/1T	37.10	2.33	17.05	60.29	10.52		
2832	BLOCK H	13TH FLOOR	H 12A07	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2833	BLOCK H	13TH FLOOR	H 12A08	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2834	BLOCK H	13TH FLOOR	H 12A09	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
2835	BLOCK H	13TH FLOOR	H 12A10	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
2836	BLOCK H	13TH FLOOR	H 12A11	STUDIO - TYPE 2	19.37	1.44	9.27	32.79	5.72		
2837	BLOCK H	13TH FLOOR	H 12A12	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
2838	BLOCK H	13TH FLOOR	H 12A13	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2839	BLOCK H	13TH FLOOR	H 12A14	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2840	BLOCK H	13TH FLOOR	H 12A15	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
2841	BLOCK H	13TH FLOOR	H 12A16	3B/2T	51.61	3.16	23.43	82.86	14.44		
2842	BLOCK H	13TH FLOOR	H 12A17	3B/2T	51.60	3.16	23.43	82.86	14.45		
2843	BLOCK H	13TH FLOOR	H 12A18	2B/1T	37.10	2.33	17.03	60.29	10.50		
2844	BLOCK H	13TH FLOOR	H 12A19	2B/1T	36.27	2.39	16.73	59.08	10.32		
2845	BLOCK A	14TH FLOOR	A 1401	2B/1T	36.24	2.39	16.72	59.08	10.31		
2846	BLOCK A	14TH FLOOR	A 1402	2B/1T	37.10	2.33	17.05	60.29	10.51		
2847	BLOCK A	14TH FLOOR	A 1403	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2848	BLOCK A	14TH FLOOR	A 1404	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
2849	BLOCK A	14TH FLOOR	A 1405	3B/2T	51.61	3.16	23.43	82.86	14.44		
2850	BLOCK A	14TH FLOOR	A 1406	3B/2T	51.61	3.16	23.44	82.86	14.45		
2851	BLOCK A	14TH FLOOR	A 1407	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2852	BLOCK A	14TH FLOOR	A 1408	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2853	BLOCK A	14TH FLOOR	A 1409	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2854	BLOCK A	14TH FLOOR	A 1410	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2855	BLOCK A	14TH FLOOR	A 1411	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2856	BLOCK A	14TH FLOOR	A 1412	3B/2T	51.61	3.16	23.43	82.86	14.44		
2857	BLOCK A	14TH FLOOR	A 1413	3B/2T	51.60	3.16	23.46	82.86	14.47		
2858	BLOCK A	14TH FLOOR	A 1414	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2859	BLOCK A	14TH FLOOR	A 1415	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2860	BLOCK A	14TH FLOOR	A 1416	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2861	BLOCK A	14TH FLOOR	A 1417	1B/1T	29.19	1.71	13.49	47.38	8.32		
2862	BLOCK A	14TH FLOOR	A 1418	1B/1T	29.19	1.71	13.49	47.38	8.32		
2863	BLOCK A	14TH FLOOR	A 1419	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2864	BLOCK A	14TH FLOOR	A 1420	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2865	BLOCK A	14TH FLOOR	A 1421	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
2866	BLOCK A	14TH FLOOR	A 1422	3B/2T	51.61	3.16	23.42	82.86	14.44		
2867	BLOCK A	14TH FLOOR	A 1423	3B/2T	51.60	3.16	23.46	82.86	14.47		
2868	BLOCK A	14TH FLOOR	A 1424	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2869	BLOCK A	14TH FLOOR	A 1425	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2870	BLOCK A	14TH FLOOR	A 1426	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2871	BLOCK A	14TH FLOOR	A 1427	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2872	BLOCK A	14TH FLOOR	A 1428	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2873	BLOCK A	14TH FLOOR	A 1429	2B/1T	36.24	2.39	16.71	59.08	10.30		
2874	BLOCK B	14TH FLOOR	B 1401	2B/1T	36.24	2.39	16.72	59.08	10.31		
2875	BLOCK B	14TH FLOOR	B 1402	2B/1T	37.10	2.33	17.07	60.29	10.52		
2876	BLOCK B	14TH FLOOR	B 1403	2B/1T	37.10	2.33	17.05	60.29	10.51		
2877	BLOCK B	14TH FLOOR	B 1404	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2878	BLOCK B	14TH FLOOR	B 1405	3B/2T	51.61	3.16	23.44	82.86	14.45		
2879	BLOCK B	14TH FLOOR	B 1406	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2880	BLOCK B	14TH FLOOR	B 1407	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
2881	BLOCK B	14TH FLOOR	B 1408	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2882	BLOCK B	14TH FLOOR	B 1409	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2883	BLOCK B	14TH FLOOR	B 1410	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2884	BLOCK B	14TH FLOOR	B 1411	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2885	BLOCK B	14TH FLOOR	B 1412	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2886	BLOCK B	14TH FLOOR	B 1413	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2887	BLOCK B	14TH FLOOR	B 1414	3B/2T	51.61	3.16	23.43	82.86	14.44		
2888	BLOCK B	14TH FLOOR	B 1415	3B/2T	51.60	3.16	23.46	82.86	14.47		

2889	BLOCK B	14TH FLOOR	B 1416	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2890	BLOCK B	14TH FLOOR	B 1417	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2891	BLOCK B	14TH FLOOR	B 1418	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2892	BLOCK B	14TH FLOOR	B 1419	1B/1T	29.19	1.71	13.49	47.38	8.32		
2893	BLOCK B	14TH FLOOR	B 1420	1B/1T	29.19	1.71	13.49	47.38	8.32		
2894	BLOCK B	14TH FLOOR	B 1421	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2895	BLOCK B	14TH FLOOR	B 1422	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2896	BLOCK B	14TH FLOOR	B 1423	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2897	BLOCK B	14TH FLOOR	B 1424	3B/2T	51.61	3.16	23.43	82.86	14.44		
2898	BLOCK B	14TH FLOOR	B 1425	3B/2T	51.60	3.16	23.46	82.86	14.47		
2899	BLOCK B	14TH FLOOR	B 1426	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2900	BLOCK B	14TH FLOOR	B 1427	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2901	BLOCK B	14TH FLOOR	B 1428	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2902	BLOCK B	14TH FLOOR	B 1429	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2903	BLOCK B	14TH FLOOR	B 1430	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2904	BLOCK B	14TH FLOOR	B 1431	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2905	BLOCK B	14TH FLOOR	B 1432	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2906	BLOCK B	14TH FLOOR	B 1433	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2907	BLOCK B	14TH FLOOR	B 1434	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
2908	BLOCK B	14TH FLOOR	B 1435	2B/1T	37.05	2.33	16.95	60.29	10.45		
2909	BLOCK B	14TH FLOOR	B 1436	2B/1T	37.05	2.33	17.00	60.29	10.48		
2910	BLOCK B	14TH FLOOR	B 1437	2B/1T	36.24	2.39	16.71	59.08	10.30		
2911	BLOCK C	14TH FLOOR	C 1401	2B/1T	36.24	2.39	16.72	59.08	10.31		
2912	BLOCK C	14TH FLOOR	C 1402	2B/1T	37.10	2.33	17.07	60.29	10.52		
2913	BLOCK C	14TH FLOOR	C 1403	2B/1T	37.10	2.33	17.05	60.29	10.51		
2914	BLOCK C	14TH FLOOR	C 1404	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2915	BLOCK C	14TH FLOOR	C 1405	3B/2T	51.60	3.16	23.47	82.86	14.47		
2916	BLOCK C	14TH FLOOR	C 1406	3B/2T	51.61	3.16	23.44	82.86	14.45		
2917	BLOCK C	14TH FLOOR	C 1407	3B/2T	51.61	3.16	23.44	82.86	14.45		
2918	BLOCK C	14TH FLOOR	C 1408	3B/2T	51.61	3.16	23.44	82.86	14.45		
2919	BLOCK C	14TH FLOOR	C 1409	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2920	BLOCK C	14TH FLOOR	C 1410	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2921	BLOCK C	14TH FLOOR	C 1411	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2922	BLOCK C	14TH FLOOR	C 1412	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2923	BLOCK C	14TH FLOOR	C 1413	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2924	BLOCK C	14TH FLOOR	C 1414	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2925	BLOCK C	14TH FLOOR	C 1415	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2926	BLOCK C	14TH FLOOR	C 1416	3B/2T	51.61	3.16	23.43	82.86	14.44		
2927	BLOCK C	14TH FLOOR	C 1417	3B/2T	51.60	3.16	23.46	82.86	14.47		
2928	BLOCK C	14TH FLOOR	C 1418	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2929	BLOCK C	14TH FLOOR	C 1419	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2930	BLOCK C	14TH FLOOR	C 1420	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2931	BLOCK C	14TH FLOOR	C 1421	1B/1T	29.19	1.71	13.49	47.38	8.32		
2932	BLOCK C	14TH FLOOR	C 1422	1B/1T	29.19	1.71	13.49	47.38	8.32		
2933	BLOCK C	14TH FLOOR	C 1423	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
2934	BLOCK C	14TH FLOOR	C 1424	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
2935	BLOCK C	14TH FLOOR	C 1425	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
2936	BLOCK C	14TH FLOOR	C 1426	3B/2T	51.61	3.16	23.43	82.86	14.44		
2937	BLOCK C	14TH FLOOR	C 1427	3B/2T	51.60	3.16	23.46	82.86	14.47		
2938	BLOCK C	14TH FLOOR	C 1428	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2939	BLOCK C	14TH FLOOR	C 1429	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2940	BLOCK C	14TH FLOOR	C 1430	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2941	BLOCK C	14TH FLOOR	C 1431	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2942	BLOCK C	14TH FLOOR	C 1432	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2943	BLOCK C	14TH FLOOR	C 1433	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
2944	BLOCK C	14TH FLOOR	C 1434	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2945	BLOCK C	14TH FLOOR	C 1435	3B/2T	51.60	3.16	23.46	82.86	14.46		
2946	BLOCK C	14TH FLOOR	C 1436	3B/2T	51.60	3.16	23.47	82.86	14.47		
2947	BLOCK C	14TH FLOOR	C 1437	3B/2T	51.61	3.16	23.44	82.86	14.45		
2948	BLOCK C	14TH FLOOR	C 1438	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
2949	BLOCK C	14TH FLOOR	C 1439	2B/1T	37.05	2.33	16.96	60.29	10.46		
2950	BLOCK C	14TH FLOOR	C 1440	2B/1T	37.05	2.33	17.00	60.29	10.48		
2951	BLOCK C	14TH FLOOR	C 1441	2B/1T	36.24	2.39	16.71	59.08	10.30		
2952	BLOCK D	14TH FLOOR	D 1401	1B/1T	29.19	1.71	13.37	47.38	8.24		
2953	BLOCK D	14TH FLOOR	D 1402	1B/1T	29.19	1.71	13.27	47.38	8.18		
2954	BLOCK D	14TH FLOOR	D 1403	1B/1T	29.19	1.71	13.29	47.38	8.19		
2955	BLOCK D	14TH FLOOR	D 1404	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
2956	BLOCK D	14TH FLOOR	D 1405	1B/1T	28.95	1.71	13.50	47.38	8.32		
2957	BLOCK D	14TH FLOOR	D 1406	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		

2958	BLOCK D	14TH FLOOR	D 1407	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
2959	BLOCK D	14TH FLOOR	D 1408	1B/1T	28.95	1.71	13.33	47.38	8.22		
2960	BLOCK D	14TH FLOOR	D 1409	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2961	BLOCK D	14TH FLOOR	D 1410	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2962	BLOCK D	14TH FLOOR	D 1411	1B/1T	29.19	1.71	13.27	47.38	8.18		
2963	BLOCK D	14TH FLOOR	D 1412	1B/1T	29.19	1.71	13.39	47.38	8.26		
2964	BLOCK D	14TH FLOOR	D 1413	1B/1T	28.95	1.71	13.39	47.38	8.26		
2965	BLOCK D	14TH FLOOR	D 1414	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2966	BLOCK D	14TH FLOOR	D 1415	1B/1T	28.95	1.71	13.48	47.38	8.31		
2967	BLOCK D	14TH FLOOR	D 1416	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2968	BLOCK D	14TH FLOOR	D 1417	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
2969	BLOCK D	14TH FLOOR	D 1418	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
2970	BLOCK D	14TH FLOOR	D 1419	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2971	BLOCK D	14TH FLOOR	D 1420	1B/1T	28.95	1.71	13.39	47.38	8.26		
2972	BLOCK D	14TH FLOOR	D 1421	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2973	BLOCK D	14TH FLOOR	D 1422	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2974	BLOCK D	14TH FLOOR	D 1423	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
2975	BLOCK D	14TH FLOOR	D 1424	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
2976	BLOCK D	14TH FLOOR	D 1425	1B/1T	29.19	1.71	13.39	47.38	8.26		
2977	BLOCK D	14TH FLOOR	D 1426	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
2978	BLOCK D	14TH FLOOR	D 1427	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
2979	BLOCK D	14TH FLOOR	D 1428	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
2980	BLOCK E	14TH FLOOR	E 1401	1B/1T	29.19	1.71	13.49	47.38	8.32		
2981	BLOCK E	14TH FLOOR	E 1402	2B/1T	37.05	2.33	17.02	60.29	10.50		
2982	BLOCK E	14TH FLOOR	E 1403	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
2983	BLOCK E	14TH FLOOR	E 1404	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
2984	BLOCK E	14TH FLOOR	E 1405	3B/2T	51.60	3.16	23.47	82.86	14.47		
2985	BLOCK E	14TH FLOOR	E 1406	3B/2T	51.60	3.16	23.47	82.86	14.47		
2986	BLOCK E	14TH FLOOR	E 1407	3B/2T	51.60	3.16	23.43	82.86	14.45		
2987	BLOCK E	14TH FLOOR	E 1408	2B/1T	37.10	2.33	17.03	60.29	10.50		
2988	BLOCK E	14TH FLOOR	E 1409	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2989	BLOCK E	14TH FLOOR	E 1410	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2990	BLOCK E	14TH FLOOR	E 1411	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
2991	BLOCK E	14TH FLOOR	E 1412	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
2992	BLOCK E	14TH FLOOR	E 1413	2B/1T	37.05	2.33	17.00	60.29	10.48		
2993	BLOCK E	14TH FLOOR	E 1414	2B/1T	37.05	2.33	17.00	60.29	10.48		
2994	BLOCK E	14TH FLOOR	E 1415	3B/2T	51.61	3.16	23.44	82.86	14.45		
2995	BLOCK E	14TH FLOOR	E 1416	3B/2T	51.61	3.16	23.44	82.86	14.45		
2996	BLOCK E	14TH FLOOR	E 1417	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
2997	BLOCK E	14TH FLOOR	E 1418	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
2998	BLOCK E	14TH FLOOR	E 1419	2B/1T	37.10	2.33	17.05	60.29	10.52		
2999	BLOCK E	14TH FLOOR	E 1420	1B/1T	29.19	1.71	13.49	47.38	8.32		
3000	BLOCK F	14TH FLOOR	F 1401	1B/1T	29.19	1.71	13.49	47.38	8.32		
3001	BLOCK F	14TH FLOOR	F 1402	2B/1T	37.05	2.33	17.02	60.29	10.50		
3002	BLOCK F	14TH FLOOR	F 1403	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
3003	BLOCK F	14TH FLOOR	F 1404	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
3004	BLOCK F	14TH FLOOR	F 1405	3B/2T	51.60	3.16	23.47	82.86	14.47		
3005	BLOCK F	14TH FLOOR	F 1406	3B/2T	51.60	3.16	23.47	82.86	14.47		
3006	BLOCK F	14TH FLOOR	F 1407	3B/2T	51.60	3.16	23.43	82.86	14.45		
3007	BLOCK F	14TH FLOOR	F 1408	2B/1T	37.10	2.33	17.03	60.29	10.50		
3008	BLOCK F	14TH FLOOR	F 1409	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3009	BLOCK F	14TH FLOOR	F 1410	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3010	BLOCK F	14TH FLOOR	F 1411	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3011	BLOCK F	14TH FLOOR	F 1412	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3012	BLOCK F	14TH FLOOR	F 1413	2B/1T	37.05	2.33	17.00	60.29	10.48		
3013	BLOCK F	14TH FLOOR	F 1414	2B/1T	37.05	2.33	17.00	60.29	10.48		
3014	BLOCK F	14TH FLOOR	F 1415	3B/2T	51.61	3.16	23.44	82.86	14.45		
3015	BLOCK F	14TH FLOOR	F 1416	3B/2T	51.61	3.16	23.44	82.86	14.45		
3016	BLOCK F	14TH FLOOR	F 1417	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3017	BLOCK F	14TH FLOOR	F 1418	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
3018	BLOCK F	14TH FLOOR	F 1419	2B/1T	37.10	2.33	17.05	60.29	10.52		
3019	BLOCK F	14TH FLOOR	F 1420	1B/1T	29.19	1.71	13.49	47.38	8.32		
3020	BLOCK G	14TH FLOOR	G 1401	1B/1T	29.19	1.71	13.49	47.38	8.32		
3021	BLOCK G	14TH FLOOR	G 1402	1B/1T	28.95	1.71	13.49	47.38	8.32		
3022	BLOCK G	14TH FLOOR	G 1403	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
3023	BLOCK G	14TH FLOOR	G 1404	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3024	BLOCK G	14TH FLOOR	G 1405	1B/1T	29.19	1.71	13.39	47.38	8.26		
3025	BLOCK G	14TH FLOOR	G 1406	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3026	BLOCK G	14TH FLOOR	G 1407	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		

3027	BLOCK G	14TH FLOOR	G 1408	STUDIO – TYPE 1	19.37	1.44	9.20	32.79	5.67		
3028	BLOCK G	14TH FLOOR	G 1409	STUDIO – TYPE 1	19.37	1.44	9.30	32.79	5.73		
3029	BLOCK G	14TH FLOOR	G 1410	1B/1T	28.95	1.71	13.39	47.38	8.26		
3030	BLOCK G	14TH FLOOR	G 1411	1B/1T	28.95	1.71	13.27	47.38	8.18		
3031	BLOCK G	14TH FLOOR	G 1412	1B/1T	28.95	1.71	13.27	47.38	8.18		
3032	BLOCK G	14TH FLOOR	G 1413	1B/1T	28.95	1.71	13.27	47.38	8.18		
3033	BLOCK G	14TH FLOOR	G 1414	1B/1T	28.95	1.71	13.27	47.38	8.18		
3034	BLOCK G	14TH FLOOR	G 1415	1B/1T	28.95	1.71	13.39	47.38	8.26		
3035	BLOCK G	14TH FLOOR	G 1416	STUDIO – TYPE 1	19.37	1.44	9.30	32.79	5.73		
3036	BLOCK G	14TH FLOOR	G 1417	STUDIO – TYPE 1	19.37	1.44	9.24	32.79	5.70		
3037	BLOCK G	14TH FLOOR	G 1418	1B/1T	28.95	1.71	13.37	47.38	8.24		
3038	BLOCK G	14TH FLOOR	G 1419	STUDIO – TYPE 1	19.32	1.37	9.24	32.79	5.69		
3039	BLOCK G	14TH FLOOR	G 1420	STUDIO – TYPE 2	19.37	1.44	9.26	32.79	5.71		
3040	BLOCK G	14TH FLOOR	G 1421	1B/1T	29.19	1.71	13.39	47.38	8.26		
3041	BLOCK G	14TH FLOOR	G 1422	STUDIO – TYPE 2	19.37	1.44	9.14	32.79	5.63		
3042	BLOCK G	14TH FLOOR	G 1423	STUDIO – TYPE 1	19.32	1.37	9.16	32.79	5.65		
3043	BLOCK G	14TH FLOOR	G 1424	STUDIO – TYPE 1	19.37	1.44	9.30	32.79	5.73		
3044	BLOCK G	14TH FLOOR	G 1425	STUDIO – TYPE 2	19.37	1.44	9.37	32.79	5.78		
3045	BLOCK H	14TH FLOOR	H 1401	3B/2T	51.61	3.16	23.44	82.86	14.45		
3046	BLOCK H	14TH FLOOR	H 1402	3B/2T	51.60	3.16	23.47	82.86	14.47		
3047	BLOCK H	14TH FLOOR	H 1403	3B/2T	51.60	3.16	23.47	82.86	14.47		
3048	BLOCK H	14TH FLOOR	H 1404	2B/1T	36.27	2.39	16.75	59.08	10.33		
3049	BLOCK H	14TH FLOOR	H 1405	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
3050	BLOCK H	14TH FLOOR	H 1406	2B/1T	37.10	2.33	17.05	60.29	10.52		
3051	BLOCK H	14TH FLOOR	H 1407	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3052	BLOCK H	14TH FLOOR	H 1408	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3053	BLOCK H	14TH FLOOR	H 1409	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
3054	BLOCK H	14TH FLOOR	H 1410	STUDIO – TYPE 1	19.37	1.44	9.27	32.79	5.72		
3055	BLOCK H	14TH FLOOR	H 1411	STUDIO – TYPE 2	19.37	1.44	9.27	32.79	5.72		
3056	BLOCK H	14TH FLOOR	H 1412	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
3057	BLOCK H	14TH FLOOR	H 1413	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3058	BLOCK H	14TH FLOOR	H 1414	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3059	BLOCK H	14TH FLOOR	H 1415	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
3060	BLOCK H	14TH FLOOR	H 1416	3B/2T	51.61	3.16	23.43	82.86	14.44		
3061	BLOCK H	14TH FLOOR	H 1417	3B/2T	51.60	3.16	23.43	82.86	14.45		
3062	BLOCK H	14TH FLOOR	H 1418	2B/1T	37.10	2.33	17.03	60.29	10.50		
3063	BLOCK H	14TH FLOOR	H 1419	2B/1T	36.27	2.39	16.73	59.08	10.32		
3064	BLOCK A	15TH FLOOR	A 1501	2B/1T	36.24	2.39	16.72	59.08	10.31		
3065	BLOCK A	15TH FLOOR	A 1502	2B/1T	37.10	2.33	17.05	60.29	10.51		
3066	BLOCK A	15TH FLOOR	A 1503	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3067	BLOCK A	15TH FLOOR	A 1504	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
3068	BLOCK A	15TH FLOOR	A 1505	3B/2T	51.61	3.16	23.43	82.86	14.44		
3069	BLOCK A	15TH FLOOR	A 1506	3B/2T	51.61	3.16	23.44	82.86	14.45		
3070	BLOCK A	15TH FLOOR	A 1507	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3071	BLOCK A	15TH FLOOR	A 1508	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3072	BLOCK A	15TH FLOOR	A 1509	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3073	BLOCK A	15TH FLOOR	A 1510	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3074	BLOCK A	15TH FLOOR	A 1511	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3075	BLOCK A	15TH FLOOR	A 1512	3B/2T	51.61	3.16	23.43	82.86	14.44		
3076	BLOCK A	15TH FLOOR	A 1513	3B/2T	51.60	3.16	23.46	82.86	14.47		
3077	BLOCK A	15TH FLOOR	A 1514	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3078	BLOCK A	15TH FLOOR	A 1515	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3079	BLOCK A	15TH FLOOR	A 1516	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3080	BLOCK A	15TH FLOOR	A 1517	1B/1T	29.19	1.71	13.49	47.38	8.32		
3081	BLOCK A	15TH FLOOR	A 1518	1B/1T	29.19	1.71	13.49	47.38	8.32		
3082	BLOCK A	15TH FLOOR	A 1519	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3083	BLOCK A	15TH FLOOR	A 1520	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3084	BLOCK A	15TH FLOOR	A 1521	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
3085	BLOCK A	15TH FLOOR	A 1522	3B/2T	51.61	3.16	23.42	82.86	14.44		
3086	BLOCK A	15TH FLOOR	A 1523	3B/2T	51.60	3.16	23.46	82.86	14.47		
3087	BLOCK A	15TH FLOOR	A 1524	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3088	BLOCK A	15TH FLOOR	A 1525	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3089	BLOCK A	15TH FLOOR	A 1526	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3090	BLOCK A	15TH FLOOR	A 1527	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3091	BLOCK A	15TH FLOOR	A 1528	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3092	BLOCK A	15TH FLOOR	A 1529	2B/1T	36.24	2.39	16.71	59.08	10.30		
3093	BLOCK B	15TH FLOOR	B 1501	2B/1T	36.24	2.39	16.72	59.08	10.31		
3094	BLOCK B	15TH FLOOR	B 1502	2B/1T	37.10	2.33	17.07	60.29	10.52		
3095	BLOCK B	15TH FLOOR	B 1503	2B/1T	37.10	2.33	17.05	60.29	10.51		

3096	BLOCK B	15TH FLOOR	B 1504	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3097	BLOCK B	15TH FLOOR	B 1505	3B/2T	51.61	3.16	23.44	82.86	14.45		
3098	BLOCK B	15TH FLOOR	B 1506	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3099	BLOCK B	15TH FLOOR	B 1507	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
3100	BLOCK B	15TH FLOOR	B 1508	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3101	BLOCK B	15TH FLOOR	B 1509	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3102	BLOCK B	15TH FLOOR	B 1510	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3103	BLOCK B	15TH FLOOR	B 1511	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3104	BLOCK B	15TH FLOOR	B 1512	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3105	BLOCK B	15TH FLOOR	B 1513	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3106	BLOCK B	15TH FLOOR	B 1514	3B/2T	51.61	3.16	23.43	82.86	14.44		
3107	BLOCK B	15TH FLOOR	B 1515	3B/2T	51.60	3.16	23.46	82.86	14.47		
3108	BLOCK B	15TH FLOOR	B 1516	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3109	BLOCK B	15TH FLOOR	B 1517	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3110	BLOCK B	15TH FLOOR	B 1518	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3111	BLOCK B	15TH FLOOR	B 1519	1B/1T	29.19	1.71	13.49	47.38	8.32		
3112	BLOCK B	15TH FLOOR	B 1520	1B/1T	29.19	1.71	13.49	47.38	8.32		
3113	BLOCK B	15TH FLOOR	B 1521	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3114	BLOCK B	15TH FLOOR	B 1522	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3115	BLOCK B	15TH FLOOR	B 1523	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3116	BLOCK B	15TH FLOOR	B 1524	3B/2T	51.61	3.16	23.43	82.86	14.44		
3117	BLOCK B	15TH FLOOR	B 1525	3B/2T	51.60	3.16	23.46	82.86	14.47		
3118	BLOCK B	15TH FLOOR	B 1526	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3119	BLOCK B	15TH FLOOR	B 1527	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3120	BLOCK B	15TH FLOOR	B 1528	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3121	BLOCK B	15TH FLOOR	B 1529	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3122	BLOCK B	15TH FLOOR	B 1530	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3123	BLOCK B	15TH FLOOR	B 1531	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3124	BLOCK B	15TH FLOOR	B 1532	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
3125	BLOCK B	15TH FLOOR	B 1533	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3126	BLOCK B	15TH FLOOR	B 1534	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
3127	BLOCK B	15TH FLOOR	B 1535	2B/1T	37.05	2.33	16.95	60.29	10.45		
3128	BLOCK B	15TH FLOOR	B 1536	2B/1T	37.05	2.33	17.00	60.29	10.48		
3129	BLOCK B	15TH FLOOR	B 1537	2B/1T	36.24	2.39	16.71	59.08	10.30		
3130	BLOCK C	15TH FLOOR	C 1501	2B/1T	36.24	2.39	16.72	59.08	10.31		
3131	BLOCK C	15TH FLOOR	C 1502	2B/1T	37.10	2.33	17.07	60.29	10.52		
3132	BLOCK C	15TH FLOOR	C 1503	2B/1T	37.10	2.33	17.05	60.29	10.51		
3133	BLOCK C	15TH FLOOR	C 1504	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3134	BLOCK C	15TH FLOOR	C 1505	3B/2T	51.60	3.16	23.47	82.86	14.47		
3135	BLOCK C	15TH FLOOR	C 1506	3B/2T	51.61	3.16	23.44	82.86	14.45		
3136	BLOCK C	15TH FLOOR	C 1507	3B/2T	51.61	3.16	23.44	82.86	14.45		
3137	BLOCK C	15TH FLOOR	C 1508	3B/2T	51.61	3.16	23.44	82.86	14.45		
3138	BLOCK C	15TH FLOOR	C 1509	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3139	BLOCK C	15TH FLOOR	C 1510	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3140	BLOCK C	15TH FLOOR	C 1511	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3141	BLOCK C	15TH FLOOR	C 1512	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3142	BLOCK C	15TH FLOOR	C 1513	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3143	BLOCK C	15TH FLOOR	C 1514	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3144	BLOCK C	15TH FLOOR	C 1515	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3145	BLOCK C	15TH FLOOR	C 1516	3B/2T	51.61	3.16	23.43	82.86	14.44		
3146	BLOCK C	15TH FLOOR	C 1517	3B/2T	51.60	3.16	23.46	82.86	14.47		
3147	BLOCK C	15TH FLOOR	C 1518	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3148	BLOCK C	15TH FLOOR	C 1519	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3149	BLOCK C	15TH FLOOR	C 1520	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3150	BLOCK C	15TH FLOOR	C 1521	1B/1T	29.19	1.71	13.49	47.38	8.32		
3151	BLOCK C	15TH FLOOR	C 1522	1B/1T	29.19	1.71	13.49	47.38	8.32		
3152	BLOCK C	15TH FLOOR	C 1523	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3153	BLOCK C	15TH FLOOR	C 1524	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3154	BLOCK C	15TH FLOOR	C 1525	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3155	BLOCK C	15TH FLOOR	C 1526	3B/2T	51.61	3.16	23.43	82.86	14.44		
3156	BLOCK C	15TH FLOOR	C 1527	3B/2T	51.60	3.16	23.46	82.86	14.47		
3157	BLOCK C	15TH FLOOR	C 1528	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3158	BLOCK C	15TH FLOOR	C 1529	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3159	BLOCK C	15TH FLOOR	C 1530	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3160	BLOCK C	15TH FLOOR	C 1531	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3161	BLOCK C	15TH FLOOR	C 1532	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3162	BLOCK C	15TH FLOOR	C 1533	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3163	BLOCK C	15TH FLOOR	C 1534	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
3164	BLOCK C	15TH FLOOR	C 1535	3B/2T	51.60	3.16	23.46	82.86	14.46		

3165	BLOCK C	15TH FLOOR	C 1536	3B/2T	51.60	3.16	23.47	82.86	14.47		
3166	BLOCK C	15TH FLOOR	C 1537	3B/2T	51.61	3.16	23.44	82.86	14.45		
3167	BLOCK C	15TH FLOOR	C 1538	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
3168	BLOCK C	15TH FLOOR	C 1539	2B/1T	37.05	2.33	16.96	60.29	10.46		
3169	BLOCK C	15TH FLOOR	C 1540	2B/1T	37.05	2.33	17.00	60.29	10.48		
3170	BLOCK C	15TH FLOOR	C 1541	2B/1T	36.24	2.39	16.71	59.08	10.30		
3171	BLOCK D	15TH FLOOR	D 1501	1B/1T	29.19	1.71	13.37	47.38	8.24		
3172	BLOCK D	15TH FLOOR	D 1502	1B/1T	29.19	1.71	13.27	47.38	8.18		
3173	BLOCK D	15TH FLOOR	D 1503	1B/1T	29.19	1.71	13.29	47.38	8.19		
3174	BLOCK D	15TH FLOOR	D 1504	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
3175	BLOCK D	15TH FLOOR	D 1505	1B/1T	28.95	1.71	13.50	47.38	8.32		
3176	BLOCK D	15TH FLOOR	D 1506	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
3177	BLOCK D	15TH FLOOR	D 1507	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
3178	BLOCK D	15TH FLOOR	D 1508	1B/1T	28.95	1.71	13.33	47.38	8.22		
3179	BLOCK D	15TH FLOOR	D 1509	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
3180	BLOCK D	15TH FLOOR	D 1510	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3181	BLOCK D	15TH FLOOR	D 1511	1B/1T	29.19	1.71	13.27	47.38	8.18		
3182	BLOCK D	15TH FLOOR	D 1512	1B/1T	29.19	1.71	13.39	47.38	8.26		
3183	BLOCK D	15TH FLOOR	D 1513	1B/1T	28.95	1.71	13.39	47.38	8.26		
3184	BLOCK D	15TH FLOOR	D 1514	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3185	BLOCK D	15TH FLOOR	D 1515	1B/1T	28.95	1.71	13.48	47.38	8.31		
3186	BLOCK D	15TH FLOOR	D 1516	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
3187	BLOCK D	15TH FLOOR	D 1517	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
3188	BLOCK D	15TH FLOOR	D 1518	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
3189	BLOCK D	15TH FLOOR	D 1519	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3190	BLOCK D	15TH FLOOR	D 1520	1B/1T	28.95	1.71	13.39	47.38	8.26		
3191	BLOCK D	15TH FLOOR	D 1521	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3192	BLOCK D	15TH FLOOR	D 1522	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
3193	BLOCK D	15TH FLOOR	D 1523	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
3194	BLOCK D	15TH FLOOR	D 1524	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3195	BLOCK D	15TH FLOOR	D 1525	1B/1T	29.19	1.71	13.39	47.38	8.26		
3196	BLOCK D	15TH FLOOR	D 1526	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3197	BLOCK D	15TH FLOOR	D 1527	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
3198	BLOCK D	15TH FLOOR	D 1528	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
3199	BLOCK E	15TH FLOOR	E 1501	1B/1T	29.19	1.71	13.49	47.38	8.32		
3200	BLOCK E	15TH FLOOR	E 1502	2B/1T	37.05	2.33	17.02	60.29	10.50		
3201	BLOCK E	15TH FLOOR	E 1503	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
3202	BLOCK E	15TH FLOOR	E 1504	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
3203	BLOCK E	15TH FLOOR	E 1505	3B/2T	51.60	3.16	23.47	82.86	14.47		
3204	BLOCK E	15TH FLOOR	E 1506	3B/2T	51.60	3.16	23.47	82.86	14.47		
3205	BLOCK E	15TH FLOOR	E 1507	3B/2T	51.60	3.16	23.43	82.86	14.45		
3206	BLOCK E	15TH FLOOR	E 1508	2B/1T	37.10	2.33	17.03	60.29	10.50		
3207	BLOCK E	15TH FLOOR	E 1509	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3208	BLOCK E	15TH FLOOR	E 1510	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3209	BLOCK E	15TH FLOOR	E 1511	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3210	BLOCK E	15TH FLOOR	E 1512	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3211	BLOCK E	15TH FLOOR	E 1513	2B/1T	37.05	2.33	17.00	60.29	10.48		
3212	BLOCK E	15TH FLOOR	E 1514	2B/1T	37.05	2.33	17.00	60.29	10.48		
3213	BLOCK E	15TH FLOOR	E 1515	3B/2T	51.61	3.16	23.44	82.86	14.45		
3214	BLOCK E	15TH FLOOR	E 1516	3B/2T	51.61	3.16	23.44	82.86	14.45		
3215	BLOCK E	15TH FLOOR	E 1517	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3216	BLOCK E	15TH FLOOR	E 1518	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
3217	BLOCK E	15TH FLOOR	E 1519	2B/1T	37.10	2.33	17.05	60.29	10.52		
3218	BLOCK E	15TH FLOOR	E 1520	1B/1T	29.19	1.71	13.49	47.38	8.32		
3219	BLOCK F	15TH FLOOR	F 1501	1B/1T	29.19	1.71	13.49	47.38	8.32		
3220	BLOCK F	15TH FLOOR	F 1502	2B/1T	37.05	2.33	17.02	60.29	10.50		
3221	BLOCK F	15TH FLOOR	F 1503	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
3222	BLOCK F	15TH FLOOR	F 1504	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
3223	BLOCK F	15TH FLOOR	F 1505	3B/2T	51.60	3.16	23.47	82.86	14.47		
3224	BLOCK F	15TH FLOOR	F 1506	3B/2T	51.60	3.16	23.47	82.86	14.47		
3225	BLOCK F	15TH FLOOR	F 1507	3B/2T	51.60	3.16	23.43	82.86	14.45		
3226	BLOCK F	15TH FLOOR	F 1508	2B/1T	37.10	2.33	17.03	60.29	10.50		
3227	BLOCK F	15TH FLOOR	F 1509	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3228	BLOCK F	15TH FLOOR	F 1510	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3229	BLOCK F	15TH FLOOR	F 1511	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3230	BLOCK F	15TH FLOOR	F 1512	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3231	BLOCK F	15TH FLOOR	F 1513	2B/1T	37.05	2.33	17.00	60.29	10.48		
3232	BLOCK F	15TH FLOOR	F 1514	2B/1T	37.05	2.33	17.00	60.29	10.48		
3233	BLOCK F	15TH FLOOR	F 1515	3B/2T	51.61	3.16	23.44	82.86	14.45		

3234	BLOCK F	15TH FLOOR	F 1516	3B/2T	51.61	3.16	23.44	82.86	14.45		
3235	BLOCK F	15TH FLOOR	F 1517	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3236	BLOCK F	15TH FLOOR	F 1518	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
3237	BLOCK F	15TH FLOOR	F 1519	2B/1T	37.10	2.33	17.05	60.29	10.52		
3238	BLOCK F	15TH FLOOR	F 1520	1B/1T	29.19	1.71	13.49	47.38	8.32		
3239	BLOCK G	15TH FLOOR	G 1501	1B/1T	29.19	1.71	13.49	47.38	8.32		
3240	BLOCK G	15TH FLOOR	G 1502	1B/1T	28.95	1.71	13.49	47.38	8.32		
3241	BLOCK G	15TH FLOOR	G 1503	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
3242	BLOCK G	15TH FLOOR	G 1504	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3243	BLOCK G	15TH FLOOR	G 1505	1B/1T	29.19	1.71	13.39	47.38	8.26		
3244	BLOCK G	15TH FLOOR	G 1506	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3245	BLOCK G	15TH FLOOR	G 1507	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
3246	BLOCK G	15TH FLOOR	G 1508	STUDIO - TYPE 1	19.37	1.44	9.20	32.79	5.67		
3247	BLOCK G	15TH FLOOR	G 1509	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
3248	BLOCK G	15TH FLOOR	G 1510	1B/1T	28.95	1.71	13.39	47.38	8.26		
3249	BLOCK G	15TH FLOOR	G 1511	1B/1T	28.95	1.71	13.27	47.38	8.18		
3250	BLOCK G	15TH FLOOR	G 1512	1B/1T	28.95	1.71	13.27	47.38	8.18		
3251	BLOCK G	15TH FLOOR	G 1513	1B/1T	28.95	1.71	13.27	47.38	8.18		
3252	BLOCK G	15TH FLOOR	G 1514	1B/1T	28.95	1.71	13.27	47.38	8.18		
3253	BLOCK G	15TH FLOOR	G 1515	1B/1T	28.95	1.71	13.39	47.38	8.26		
3254	BLOCK G	15TH FLOOR	G 1516	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
3255	BLOCK G	15TH FLOOR	G 1517	STUDIO - TYPE 1	19.37	1.44	9.24	32.79	5.70		
3256	BLOCK G	15TH FLOOR	G 1518	1B/1T	28.95	1.71	13.37	47.38	8.24		
3257	BLOCK G	15TH FLOOR	G 1519	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
3258	BLOCK G	15TH FLOOR	G 1520	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3259	BLOCK G	15TH FLOOR	G 1521	1B/1T	29.19	1.71	13.39	47.38	8.26		
3260	BLOCK G	15TH FLOOR	G 1522	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3261	BLOCK G	15TH FLOOR	G 1523	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
3262	BLOCK G	15TH FLOOR	G 1524	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
3263	BLOCK G	15TH FLOOR	G 1525	STUDIO - TYPE 2	19.37	1.44	9.37	32.79	5.78		
3264	BLOCK H	15TH FLOOR	H 1501	3B/2T	51.61	3.16	23.44	82.86	14.45		
3265	BLOCK H	15TH FLOOR	H 1502	3B/2T	51.60	3.16	23.47	82.86	14.47		
3266	BLOCK H	15TH FLOOR	H 1503	3B/2T	51.60	3.16	23.47	82.86	14.47		
3267	BLOCK H	15TH FLOOR	H 1504	2B/1T	36.27	2.39	16.75	59.08	10.33		
3268	BLOCK H	15TH FLOOR	H 1505	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
3269	BLOCK H	15TH FLOOR	H 1506	2B/1T	37.10	2.33	17.05	60.29	10.52		
3270	BLOCK H	15TH FLOOR	H 1507	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3271	BLOCK H	15TH FLOOR	H 1508	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3272	BLOCK H	15TH FLOOR	H 1509	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
3273	BLOCK H	15TH FLOOR	H 1510	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
3274	BLOCK H	15TH FLOOR	H 1511	STUDIO - TYPE 2	19.37	1.44	9.27	32.79	5.72		
3275	BLOCK H	15TH FLOOR	H 1512	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
3276	BLOCK H	15TH FLOOR	H 1513	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3277	BLOCK H	15TH FLOOR	H 1514	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3278	BLOCK H	15TH FLOOR	H 1515	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
3279	BLOCK H	15TH FLOOR	H 1516	3B/2T	51.61	3.16	23.43	82.86	14.44		
3280	BLOCK H	15TH FLOOR	H 1517	3B/2T	51.60	3.16	23.43	82.86	14.45		
3281	BLOCK H	15TH FLOOR	H 1518	2B/1T	37.10	2.33	17.03	60.29	10.50		
3282	BLOCK H	15TH FLOOR	H 1519	2B/1T	36.27	2.39	16.73	59.08	10.32		
3283	BLOCK A	16TH FLOOR	A 1601	2B/1T	36.24	2.39	16.72	59.08	10.31		
3284	BLOCK A	16TH FLOOR	A 1602	2B/1T	37.10	2.33	17.05	60.29	10.51		
3285	BLOCK A	16TH FLOOR	A 1603	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3286	BLOCK A	16TH FLOOR	A 1604	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
3287	BLOCK A	16TH FLOOR	A 1605	3B/2T	51.61	3.16	23.43	82.86	14.44		
3288	BLOCK A	16TH FLOOR	A 1606	3B/2T	51.61	3.16	23.44	82.86	14.45		
3289	BLOCK A	16TH FLOOR	A 1607	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3290	BLOCK A	16TH FLOOR	A 1608	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3291	BLOCK A	16TH FLOOR	A 1609	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3292	BLOCK A	16TH FLOOR	A 1610	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3293	BLOCK A	16TH FLOOR	A 1611	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3294	BLOCK A	16TH FLOOR	A 1612	3B/2T	51.61	3.16	23.43	82.86	14.44		
3295	BLOCK A	16TH FLOOR	A 1613	3B/2T	51.60	3.16	23.46	82.86	14.47		
3296	BLOCK A	16TH FLOOR	A 1614	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3297	BLOCK A	16TH FLOOR	A 1615	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3298	BLOCK A	16TH FLOOR	A 1616	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3299	BLOCK A	16TH FLOOR	A 1617	1B/1T	29.19	1.71	13.49	47.38	8.32		
3300	BLOCK A	16TH FLOOR	A 1618	1B/1T	29.19	1.71	13.49	47.38	8.32		
3301	BLOCK A	16TH FLOOR	A 1619	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3302	BLOCK A	16TH FLOOR	A 1620	2B/2T - C	43.18	2.58	19.66	69.49	12.12		

3303	BLOCK A	16TH FLOOR	A 1621	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
3304	BLOCK A	16TH FLOOR	A 1622	3B/2T	51.61	3.16	23.42	82.86	14.44		
3305	BLOCK A	16TH FLOOR	A 1623	3B/2T	51.60	3.16	23.46	82.86	14.47		
3306	BLOCK A	16TH FLOOR	A 1624	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3307	BLOCK A	16TH FLOOR	A 1625	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3308	BLOCK A	16TH FLOOR	A 1626	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3309	BLOCK A	16TH FLOOR	A 1627	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3310	BLOCK A	16TH FLOOR	A 1628	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3311	BLOCK A	16TH FLOOR	A 1629	2B/1T	36.24	2.39	16.71	59.08	10.30		
3312	BLOCK B	16TH FLOOR	B 1601	2B/1T	36.24	2.39	16.72	59.08	10.31		
3313	BLOCK B	16TH FLOOR	B 1602	2B/1T	37.10	2.33	17.07	60.29	10.52		
3314	BLOCK B	16TH FLOOR	B 1603	2B/1T	37.10	2.33	17.05	60.29	10.51		
3315	BLOCK B	16TH FLOOR	B 1604	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3316	BLOCK B	16TH FLOOR	B 1605	3B/2T	51.61	3.16	23.44	82.86	14.45		
3317	BLOCK B	16TH FLOOR	B 1606	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3318	BLOCK B	16TH FLOOR	B 1607	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
3319	BLOCK B	16TH FLOOR	B 1608	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3320	BLOCK B	16TH FLOOR	B 1609	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3321	BLOCK B	16TH FLOOR	B 1610	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3322	BLOCK B	16TH FLOOR	B 1611	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3323	BLOCK B	16TH FLOOR	B 1612	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3324	BLOCK B	16TH FLOOR	B 1613	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3325	BLOCK B	16TH FLOOR	B 1614	3B/2T	51.61	3.16	23.43	82.86	14.44		
3326	BLOCK B	16TH FLOOR	B 1615	3B/2T	51.60	3.16	23.46	82.86	14.47		
3327	BLOCK B	16TH FLOOR	B 1616	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3328	BLOCK B	16TH FLOOR	B 1617	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3329	BLOCK B	16TH FLOOR	B 1618	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3330	BLOCK B	16TH FLOOR	B 1619	1B/1T	29.19	1.71	13.49	47.38	8.32		
3331	BLOCK B	16TH FLOOR	B 1620	1B/1T	29.19	1.71	13.49	47.38	8.32		
3332	BLOCK B	16TH FLOOR	B 1621	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3333	BLOCK B	16TH FLOOR	B 1622	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3334	BLOCK B	16TH FLOOR	B 1623	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3335	BLOCK B	16TH FLOOR	B 1624	3B/2T	51.61	3.16	23.43	82.86	14.44		
3336	BLOCK B	16TH FLOOR	B 1625	3B/2T	51.60	3.16	23.46	82.86	14.47		
3337	BLOCK B	16TH FLOOR	B 1626	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3338	BLOCK B	16TH FLOOR	B 1627	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3339	BLOCK B	16TH FLOOR	B 1628	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3340	BLOCK B	16TH FLOOR	B 1629	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3341	BLOCK B	16TH FLOOR	B 1630	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3342	BLOCK B	16TH FLOOR	B 1631	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3343	BLOCK B	16TH FLOOR	B 1632	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
3344	BLOCK B	16TH FLOOR	B 1633	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3345	BLOCK B	16TH FLOOR	B 1634	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
3346	BLOCK B	16TH FLOOR	B 1635	2B/1T	37.05	2.33	16.95	60.29	10.45		
3347	BLOCK B	16TH FLOOR	B 1636	2B/1T	37.05	2.33	17.00	60.29	10.48		
3348	BLOCK B	16TH FLOOR	B 1637	2B/1T	36.24	2.39	16.71	59.08	10.30		
3349	BLOCK C	16TH FLOOR	C 1601	2B/1T	36.24	2.39	16.72	59.08	10.31		
3350	BLOCK C	16TH FLOOR	C 1602	2B/1T	37.10	2.33	17.07	60.29	10.52		
3351	BLOCK C	16TH FLOOR	C 1603	2B/1T	37.10	2.33	17.05	60.29	10.51		
3352	BLOCK C	16TH FLOOR	C 1604	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3353	BLOCK C	16TH FLOOR	C 1605	3B/2T	51.60	3.16	23.47	82.86	14.47		
3354	BLOCK C	16TH FLOOR	C 1606	3B/2T	51.61	3.16	23.44	82.86	14.45		
3355	BLOCK C	16TH FLOOR	C 1607	3B/2T	51.61	3.16	23.44	82.86	14.45		
3356	BLOCK C	16TH FLOOR	C 1608	3B/2T	51.61	3.16	23.44	82.86	14.45		
3357	BLOCK C	16TH FLOOR	C 1609	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3358	BLOCK C	16TH FLOOR	C 1610	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3359	BLOCK C	16TH FLOOR	C 1611	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3360	BLOCK C	16TH FLOOR	C 1612	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3361	BLOCK C	16TH FLOOR	C 1613	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3362	BLOCK C	16TH FLOOR	C 1614	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3363	BLOCK C	16TH FLOOR	C 1615	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3364	BLOCK C	16TH FLOOR	C 1616	3B/2T	51.61	3.16	23.43	82.86	14.44		
3365	BLOCK C	16TH FLOOR	C 1617	3B/2T	51.60	3.16	23.46	82.86	14.47		
3366	BLOCK C	16TH FLOOR	C 1618	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3367	BLOCK C	16TH FLOOR	C 1619	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3368	BLOCK C	16TH FLOOR	C 1620	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3369	BLOCK C	16TH FLOOR	C 1621	1B/1T	29.19	1.71	13.49	47.38	8.32		
3370	BLOCK C	16TH FLOOR	C 1622	1B/1T	29.19	1.71	13.49	47.38	8.32		
3371	BLOCK C	16TH FLOOR	C 1623	2B/2T - C	43.18	2.58	19.67	69.49	12.13		

3372	BLOCK C	16TH FLOOR	C 1624	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3373	BLOCK C	16TH FLOOR	C 1625	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3374	BLOCK C	16TH FLOOR	C 1626	3B/2T	51.61	3.16	23.43	82.86	14.44		
3375	BLOCK C	16TH FLOOR	C 1627	3B/2T	51.60	3.16	23.46	82.86	14.47		
3376	BLOCK C	16TH FLOOR	C 1628	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3377	BLOCK C	16TH FLOOR	C 1629	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3378	BLOCK C	16TH FLOOR	C 1630	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3379	BLOCK C	16TH FLOOR	C 1631	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3380	BLOCK C	16TH FLOOR	C 1632	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3381	BLOCK C	16TH FLOOR	C 1633	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3382	BLOCK C	16TH FLOOR	C 1634	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
3383	BLOCK C	16TH FLOOR	C 1635	3B/2T	51.60	3.16	23.46	82.86	14.46		
3384	BLOCK C	16TH FLOOR	C 1636	3B/2T	51.60	3.16	23.47	82.86	14.47		
3385	BLOCK C	16TH FLOOR	C 1637	3B/2T	51.61	3.16	23.44	82.86	14.45		
3386	BLOCK C	16TH FLOOR	C 1638	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
3387	BLOCK C	16TH FLOOR	C 1639	2B/1T	37.05	2.33	16.96	60.29	10.46		
3388	BLOCK C	16TH FLOOR	C 1640	2B/1T	37.05	2.33	17.00	60.29	10.48		
3389	BLOCK C	16TH FLOOR	C 1641	2B/1T	36.24	2.39	16.71	59.08	10.30		
3390	BLOCK D	16TH FLOOR	D 1601	1B/1T	29.19	1.71	13.37	47.38	8.24		
3391	BLOCK D	16TH FLOOR	D 1602	1B/1T	29.19	1.71	13.27	47.38	8.18		
3392	BLOCK D	16TH FLOOR	D 1603	1B/1T	29.19	1.71	13.29	47.38	8.19		
3393	BLOCK D	16TH FLOOR	D 1604	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
3394	BLOCK D	16TH FLOOR	D 1605	1B/1T	28.95	1.71	13.50	47.38	8.32		
3395	BLOCK D	16TH FLOOR	D 1606	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
3396	BLOCK D	16TH FLOOR	D 1607	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
3397	BLOCK D	16TH FLOOR	D 1608	1B/1T	28.95	1.71	13.33	47.38	8.22		
3398	BLOCK D	16TH FLOOR	D 1609	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
3399	BLOCK D	16TH FLOOR	D 1610	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3400	BLOCK D	16TH FLOOR	D 1611	1B/1T	29.19	1.71	13.27	47.38	8.18		
3401	BLOCK D	16TH FLOOR	D 1612	1B/1T	29.19	1.71	13.39	47.38	8.26		
3402	BLOCK D	16TH FLOOR	D 1613	1B/1T	28.95	1.71	13.39	47.38	8.26		
3403	BLOCK D	16TH FLOOR	D 1614	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3404	BLOCK D	16TH FLOOR	D 1615	1B/1T	28.95	1.71	13.48	47.38	8.31		
3405	BLOCK D	16TH FLOOR	D 1616	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
3406	BLOCK D	16TH FLOOR	D 1617	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
3407	BLOCK D	16TH FLOOR	D 1618	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
3408	BLOCK D	16TH FLOOR	D 1619	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3409	BLOCK D	16TH FLOOR	D 1620	1B/1T	28.95	1.71	13.39	47.38	8.26		
3410	BLOCK D	16TH FLOOR	D 1621	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3411	BLOCK D	16TH FLOOR	D 1622	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
3412	BLOCK D	16TH FLOOR	D 1623	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
3413	BLOCK D	16TH FLOOR	D 1624	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3414	BLOCK D	16TH FLOOR	D 1625	1B/1T	29.19	1.71	13.39	47.38	8.26		
3415	BLOCK D	16TH FLOOR	D 1626	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3416	BLOCK D	16TH FLOOR	D 1627	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
3417	BLOCK D	16TH FLOOR	D 1628	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
3418	BLOCK E	16TH FLOOR	E 1601	1B/1T	29.19	1.71	13.49	47.38	8.32		
3419	BLOCK E	16TH FLOOR	E 1602	2B/1T	37.05	2.33	17.02	60.29	10.50		
3420	BLOCK E	16TH FLOOR	E 1603	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
3421	BLOCK E	16TH FLOOR	E 1604	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
3422	BLOCK E	16TH FLOOR	E 1605	3B/2T	51.60	3.16	23.47	82.86	14.47		
3423	BLOCK E	16TH FLOOR	E 1606	3B/2T	51.60	3.16	23.47	82.86	14.47		
3424	BLOCK E	16TH FLOOR	E 1607	3B/2T	51.60	3.16	23.43	82.86	14.45		
3425	BLOCK E	16TH FLOOR	E 1608	2B/1T	37.10	2.33	17.03	60.29	10.50		
3426	BLOCK E	16TH FLOOR	E 1609	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3427	BLOCK E	16TH FLOOR	E 1610	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3428	BLOCK E	16TH FLOOR	E 1611	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3429	BLOCK E	16TH FLOOR	E 1612	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3430	BLOCK E	16TH FLOOR	E 1613	2B/1T	37.05	2.33	17.00	60.29	10.48		
3431	BLOCK E	16TH FLOOR	E 1614	2B/1T	37.05	2.33	17.00	60.29	10.48		
3432	BLOCK E	16TH FLOOR	E 1615	3B/2T	51.61	3.16	23.44	82.86	14.45		
3433	BLOCK E	16TH FLOOR	E 1616	3B/2T	51.61	3.16	23.44	82.86	14.45		
3434	BLOCK E	16TH FLOOR	E 1617	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3435	BLOCK E	16TH FLOOR	E 1618	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
3436	BLOCK E	16TH FLOOR	E 1619	2B/1T	37.10	2.33	17.05	60.29	10.52		
3437	BLOCK E	16TH FLOOR	E 1620	1B/1T	29.19	1.71	13.49	47.38	8.32		
3438	BLOCK F	16TH FLOOR	F 1601	1B/1T	29.19	1.71	13.49	47.38	8.32		
3439	BLOCK F	16TH FLOOR	F 1602	2B/1T	37.05	2.33	17.02	60.29	10.50		
3440	BLOCK F	16TH FLOOR	F 1603	2B/2T - R	49.67	2.95	22.49	79.61	13.87		

3441	BLOCK F	16TH FLOOR	F 1604	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
3442	BLOCK F	16TH FLOOR	F 1605	3B/2T	51.60	3.16	23.47	82.86	14.47		
3443	BLOCK F	16TH FLOOR	F 1606	3B/2T	51.60	3.16	23.47	82.86	14.47		
3444	BLOCK F	16TH FLOOR	F 1607	3B/2T	51.60	3.16	23.43	82.86	14.45		
3445	BLOCK F	16TH FLOOR	F 1608	2B/1T	37.10	2.33	17.03	60.29	10.50		
3446	BLOCK F	16TH FLOOR	F 1609	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3447	BLOCK F	16TH FLOOR	F 1610	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3448	BLOCK F	16TH FLOOR	F 1611	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3449	BLOCK F	16TH FLOOR	F 1612	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3450	BLOCK F	16TH FLOOR	F 1613	2B/1T	37.05	2.33	17.00	60.29	10.48		
3451	BLOCK F	16TH FLOOR	F 1614	2B/1T	37.05	2.33	17.00	60.29	10.48		
3452	BLOCK F	16TH FLOOR	F 1615	3B/2T	51.61	3.16	23.44	82.86	14.45		
3453	BLOCK F	16TH FLOOR	F 1616	3B/2T	51.61	3.16	23.44	82.86	14.45		
3454	BLOCK F	16TH FLOOR	F 1617	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3455	BLOCK F	16TH FLOOR	F 1618	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
3456	BLOCK F	16TH FLOOR	F 1619	2B/1T	37.10	2.33	17.05	60.29	10.52		
3457	BLOCK F	16TH FLOOR	F 1620	1B/1T	29.19	1.71	13.49	47.38	8.32		
3458	BLOCK G	16TH FLOOR	G 1601	1B/1T	29.19	1.71	13.49	47.38	8.32		
3459	BLOCK G	16TH FLOOR	G 1602	1B/1T	28.95	1.71	13.49	47.38	8.32		
3460	BLOCK G	16TH FLOOR	G 1603	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
3461	BLOCK G	16TH FLOOR	G 1604	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3462	BLOCK G	16TH FLOOR	G 1605	1B/1T	29.19	1.71	13.39	47.38	8.26		
3463	BLOCK G	16TH FLOOR	G 1606	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3464	BLOCK G	16TH FLOOR	G 1607	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
3465	BLOCK G	16TH FLOOR	G 1608	STUDIO - TYPE 1	19.37	1.44	9.20	32.79	5.67		
3466	BLOCK G	16TH FLOOR	G 1609	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
3467	BLOCK G	16TH FLOOR	G 1610	1B/1T	28.95	1.71	13.39	47.38	8.26		
3468	BLOCK G	16TH FLOOR	G 1611	1B/1T	28.95	1.71	13.27	47.38	8.18		
3469	BLOCK G	16TH FLOOR	G 1612	1B/1T	28.95	1.71	13.27	47.38	8.18		
3470	BLOCK G	16TH FLOOR	G 1613	1B/1T	28.95	1.71	13.27	47.38	8.18		
3471	BLOCK G	16TH FLOOR	G 1614	1B/1T	28.95	1.71	13.27	47.38	8.18		
3472	BLOCK G	16TH FLOOR	G 1615	1B/1T	28.95	1.71	13.39	47.38	8.26		
3473	BLOCK G	16TH FLOOR	G 1616	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
3474	BLOCK G	16TH FLOOR	G 1617	STUDIO - TYPE 1	19.37	1.44	9.24	32.79	5.70		
3475	BLOCK G	16TH FLOOR	G 1618	1B/1T	28.95	1.71	13.37	47.38	8.24		
3476	BLOCK G	16TH FLOOR	G 1619	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
3477	BLOCK G	16TH FLOOR	G 1620	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3478	BLOCK G	16TH FLOOR	G 1621	1B/1T	29.19	1.71	13.39	47.38	8.26		
3479	BLOCK G	16TH FLOOR	G 1622	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3480	BLOCK G	16TH FLOOR	G 1623	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
3481	BLOCK G	16TH FLOOR	G 1624	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
3482	BLOCK G	16TH FLOOR	G 1625	STUDIO - TYPE 2	19.37	1.44	9.37	32.79	5.78		
3483	BLOCK H	16TH FLOOR	H 1601	3B/2T	51.61	3.16	23.44	82.86	14.45		
3484	BLOCK H	16TH FLOOR	H 1602	3B/2T	51.60	3.16	23.47	82.86	14.47		
3485	BLOCK H	16TH FLOOR	H 1603	3B/2T	51.60	3.16	23.47	82.86	14.47		
3486	BLOCK H	16TH FLOOR	H 1604	2B/1T	36.27	2.39	16.75	59.08	10.33		
3487	BLOCK H	16TH FLOOR	H 1605	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
3488	BLOCK H	16TH FLOOR	H 1606	2B/1T	37.10	2.33	17.05	60.29	10.52		
3489	BLOCK H	16TH FLOOR	H 1607	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3490	BLOCK H	16TH FLOOR	H 1608	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3491	BLOCK H	16TH FLOOR	H 1609	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
3492	BLOCK H	16TH FLOOR	H 1610	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
3493	BLOCK H	16TH FLOOR	H 1611	STUDIO - TYPE 2	19.37	1.44	9.27	32.79	5.72		
3494	BLOCK H	16TH FLOOR	H 1612	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
3495	BLOCK H	16TH FLOOR	H 1613	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3496	BLOCK H	16TH FLOOR	H 1614	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3497	BLOCK H	16TH FLOOR	H 1615	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
3498	BLOCK H	16TH FLOOR	H 1616	3B/2T	51.61	3.16	23.43	82.86	14.44		
3499	BLOCK H	16TH FLOOR	H 1617	3B/2T	51.60	3.16	23.43	82.86	14.45		
3500	BLOCK H	16TH FLOOR	H 1618	2B/1T	37.10	2.33	17.03	60.29	10.50		
3501	BLOCK H	16TH FLOOR	H 1619	2B/1T	36.27	2.39	16.73	59.08	10.32		
3502	BLOCK A	17TH FLOOR	A 1701	2B/1T	36.24	2.39	16.72	59.08	10.31		
3503	BLOCK A	17TH FLOOR	A 1702	2B/1T	37.10	2.33	17.05	60.29	10.51		
3504	BLOCK A	17TH FLOOR	A 1703	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3505	BLOCK A	17TH FLOOR	A 1704	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
3506	BLOCK A	17TH FLOOR	A 1705	3B/2T	51.61	3.16	23.43	82.86	14.44		
3507	BLOCK A	17TH FLOOR	A 1706	3B/2T	51.61	3.16	23.44	82.86	14.45		
3508	BLOCK A	17TH FLOOR	A 1707	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3509	BLOCK A	17TH FLOOR	A 1708	2B/2T - C	43.18	2.58	19.67	69.49	12.13		

3510	BLOCK A	17TH FLOOR	A 1709	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3511	BLOCK A	17TH FLOOR	A 1710	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3512	BLOCK A	17TH FLOOR	A 1711	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3513	BLOCK A	17TH FLOOR	A 1712	3B/2T	51.61	3.16	23.43	82.86	14.44		
3514	BLOCK A	17TH FLOOR	A 1713	3B/2T	51.60	3.16	23.46	82.86	14.47		
3515	BLOCK A	17TH FLOOR	A 1714	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3516	BLOCK A	17TH FLOOR	A 1715	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3517	BLOCK A	17TH FLOOR	A 1716	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3518	BLOCK A	17TH FLOOR	A 1717	1B/1T	29.19	1.71	13.49	47.38	8.32		
3519	BLOCK A	17TH FLOOR	A 1718	1B/1T	29.19	1.71	13.49	47.38	8.32		
3520	BLOCK A	17TH FLOOR	A 1719	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3521	BLOCK A	17TH FLOOR	A 1720	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3522	BLOCK A	17TH FLOOR	A 1721	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
3523	BLOCK A	17TH FLOOR	A 1722	3B/2T	51.61	3.16	23.42	82.86	14.44		
3524	BLOCK A	17TH FLOOR	A 1723	3B/2T	51.60	3.16	23.46	82.86	14.47		
3525	BLOCK A	17TH FLOOR	A 1724	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3526	BLOCK A	17TH FLOOR	A 1725	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3527	BLOCK A	17TH FLOOR	A 1726	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3528	BLOCK A	17TH FLOOR	A 1727	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3529	BLOCK A	17TH FLOOR	A 1728	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3530	BLOCK A	17TH FLOOR	A 1729	2B/1T	36.24	2.39	16.71	59.08	10.30		
3531	BLOCK B	17TH FLOOR	B 1701	2B/1T	36.24	2.39	16.72	59.08	10.31		
3532	BLOCK B	17TH FLOOR	B 1702	2B/1T	37.10	2.33	17.07	60.29	10.52		
3533	BLOCK B	17TH FLOOR	B 1703	2B/1T	37.10	2.33	17.05	60.29	10.51		
3534	BLOCK B	17TH FLOOR	B 1704	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3535	BLOCK B	17TH FLOOR	B 1705	3B/2T	51.61	3.16	23.44	82.86	14.45		
3536	BLOCK B	17TH FLOOR	B 1706	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3537	BLOCK B	17TH FLOOR	B 1707	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
3538	BLOCK B	17TH FLOOR	B 1708	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3539	BLOCK B	17TH FLOOR	B 1709	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3540	BLOCK B	17TH FLOOR	B 1710	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3541	BLOCK B	17TH FLOOR	B 1711	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3542	BLOCK B	17TH FLOOR	B 1712	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3543	BLOCK B	17TH FLOOR	B 1713	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3544	BLOCK B	17TH FLOOR	B 1714	3B/2T	51.61	3.16	23.43	82.86	14.44		
3545	BLOCK B	17TH FLOOR	B 1715	3B/2T	51.60	3.16	23.46	82.86	14.47		
3546	BLOCK B	17TH FLOOR	B 1716	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3547	BLOCK B	17TH FLOOR	B 1717	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3548	BLOCK B	17TH FLOOR	B 1718	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3549	BLOCK B	17TH FLOOR	B 1719	1B/1T	29.19	1.71	13.49	47.38	8.32		
3550	BLOCK B	17TH FLOOR	B 1720	1B/1T	29.19	1.71	13.49	47.38	8.32		
3551	BLOCK B	17TH FLOOR	B 1721	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3552	BLOCK B	17TH FLOOR	B 1722	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3553	BLOCK B	17TH FLOOR	B 1723	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3554	BLOCK B	17TH FLOOR	B 1724	3B/2T	51.61	3.16	23.43	82.86	14.44		
3555	BLOCK B	17TH FLOOR	B 1725	3B/2T	51.60	3.16	23.46	82.86	14.47		
3556	BLOCK B	17TH FLOOR	B 1726	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3557	BLOCK B	17TH FLOOR	B 1727	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3558	BLOCK B	17TH FLOOR	B 1728	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3559	BLOCK B	17TH FLOOR	B 1729	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3560	BLOCK B	17TH FLOOR	B 1730	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3561	BLOCK B	17TH FLOOR	B 1731	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3562	BLOCK B	17TH FLOOR	B 1732	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
3563	BLOCK B	17TH FLOOR	B 1733	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3564	BLOCK B	17TH FLOOR	B 1734	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
3565	BLOCK B	17TH FLOOR	B 1735	2B/1T	37.05	2.33	16.95	60.29	10.45		
3566	BLOCK B	17TH FLOOR	B 1736	2B/1T	37.05	2.33	17.00	60.29	10.48		
3567	BLOCK B	17TH FLOOR	B 1737	2B/1T	36.24	2.39	16.71	59.08	10.30		
3568	BLOCK C	17TH FLOOR	C 1701	2B/1T	36.24	2.39	16.72	59.08	10.31		
3569	BLOCK C	17TH FLOOR	C 1702	2B/1T	37.10	2.33	17.07	60.29	10.52		
3570	BLOCK C	17TH FLOOR	C 1703	2B/1T	37.10	2.33	17.05	60.29	10.51		
3571	BLOCK C	17TH FLOOR	C 1704	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3572	BLOCK C	17TH FLOOR	C 1705	3B/2T	51.60	3.16	23.47	82.86	14.47		
3573	BLOCK C	17TH FLOOR	C 1706	3B/2T	51.61	3.16	23.44	82.86	14.45		
3574	BLOCK C	17TH FLOOR	C 1707	3B/2T	51.61	3.16	23.44	82.86	14.45		
3575	BLOCK C	17TH FLOOR	C 1708	3B/2T	51.61	3.16	23.44	82.86	14.45		
3576	BLOCK C	17TH FLOOR	C 1709	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3577	BLOCK C	17TH FLOOR	C 1710	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3578	BLOCK C	17TH FLOOR	C 1711	2B/2T - C	43.18	2.58	19.66	69.49	12.12		

3579	BLOCK C	17TH FLOOR	C 1712	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3580	BLOCK C	17TH FLOOR	C 1713	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3581	BLOCK C	17TH FLOOR	C 1714	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3582	BLOCK C	17TH FLOOR	C 1715	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3583	BLOCK C	17TH FLOOR	C 1716	3B/2T	51.61	3.16	23.43	82.86	14.44		
3584	BLOCK C	17TH FLOOR	C 1717	3B/2T	51.60	3.16	23.46	82.86	14.47		
3585	BLOCK C	17TH FLOOR	C 1718	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3586	BLOCK C	17TH FLOOR	C 1719	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3587	BLOCK C	17TH FLOOR	C 1720	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3588	BLOCK C	17TH FLOOR	C 1721	1B/1T	29.19	1.71	13.49	47.38	8.32		
3589	BLOCK C	17TH FLOOR	C 1722	1B/1T	29.19	1.71	13.49	47.38	8.32		
3590	BLOCK C	17TH FLOOR	C 1723	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3591	BLOCK C	17TH FLOOR	C 1724	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3592	BLOCK C	17TH FLOOR	C 1725	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3593	BLOCK C	17TH FLOOR	C 1726	3B/2T	51.61	3.16	23.43	82.86	14.44		
3594	BLOCK C	17TH FLOOR	C 1727	3B/2T	51.60	3.16	23.46	82.86	14.47		
3595	BLOCK C	17TH FLOOR	C 1728	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3596	BLOCK C	17TH FLOOR	C 1729	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3597	BLOCK C	17TH FLOOR	C 1730	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3598	BLOCK C	17TH FLOOR	C 1731	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3599	BLOCK C	17TH FLOOR	C 1732	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3600	BLOCK C	17TH FLOOR	C 1733	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3601	BLOCK C	17TH FLOOR	C 1734	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
3602	BLOCK C	17TH FLOOR	C 1735	3B/2T	51.60	3.16	23.46	82.86	14.46		
3603	BLOCK C	17TH FLOOR	C 1736	3B/2T	51.60	3.16	23.47	82.86	14.47		
3604	BLOCK C	17TH FLOOR	C 1737	3B/2T	51.61	3.16	23.44	82.86	14.45		
3605	BLOCK C	17TH FLOOR	C 1738	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
3606	BLOCK C	17TH FLOOR	C 1739	2B/1T	37.05	2.33	16.96	60.29	10.46		
3607	BLOCK C	17TH FLOOR	C 1740	2B/1T	37.05	2.33	17.00	60.29	10.48		
3608	BLOCK C	17TH FLOOR	C 1741	2B/1T	36.24	2.39	16.71	59.08	10.30		
3609	BLOCK D	17TH FLOOR	D 1701	1B/1T	29.19	1.71	13.37	47.38	8.24		
3610	BLOCK D	17TH FLOOR	D 1702	1B/1T	29.19	1.71	13.27	47.38	8.18		
3611	BLOCK D	17TH FLOOR	D 1703	1B/1T	29.19	1.71	13.29	47.38	8.19		
3612	BLOCK D	17TH FLOOR	D 1704	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
3613	BLOCK D	17TH FLOOR	D 1705	1B/1T	28.95	1.71	13.50	47.38	8.32		
3614	BLOCK D	17TH FLOOR	D 1706	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
3615	BLOCK D	17TH FLOOR	D 1707	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
3616	BLOCK D	17TH FLOOR	D 1708	1B/1T	28.95	1.71	13.33	47.38	8.22		
3617	BLOCK D	17TH FLOOR	D 1709	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
3618	BLOCK D	17TH FLOOR	D 1710	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3619	BLOCK D	17TH FLOOR	D 1711	1B/1T	29.19	1.71	13.27	47.38	8.18		
3620	BLOCK D	17TH FLOOR	D 1712	1B/1T	29.19	1.71	13.39	47.38	8.26		
3621	BLOCK D	17TH FLOOR	D 1713	1B/1T	28.95	1.71	13.39	47.38	8.26		
3622	BLOCK D	17TH FLOOR	D 1714	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3623	BLOCK D	17TH FLOOR	D 1715	1B/1T	28.95	1.71	13.48	47.38	8.31		
3624	BLOCK D	17TH FLOOR	D 1716	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
3625	BLOCK D	17TH FLOOR	D 1717	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
3626	BLOCK D	17TH FLOOR	D 1718	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
3627	BLOCK D	17TH FLOOR	D 1719	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3628	BLOCK D	17TH FLOOR	D 1720	1B/1T	28.95	1.71	13.39	47.38	8.26		
3629	BLOCK D	17TH FLOOR	D 1721	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3630	BLOCK D	17TH FLOOR	D 1722	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
3631	BLOCK D	17TH FLOOR	D 1723	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
3632	BLOCK D	17TH FLOOR	D 1724	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3633	BLOCK D	17TH FLOOR	D 1725	1B/1T	29.19	1.71	13.39	47.38	8.26		
3634	BLOCK D	17TH FLOOR	D 1726	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3635	BLOCK D	17TH FLOOR	D 1727	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
3636	BLOCK D	17TH FLOOR	D 1728	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
3637	BLOCK E	17TH FLOOR	E 1701	1B/1T	29.19	1.71	13.49	47.38	8.32		
3638	BLOCK E	17TH FLOOR	E 1702	2B/1T	37.05	2.33	17.02	60.29	10.50		
3639	BLOCK E	17TH FLOOR	E 1703	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
3640	BLOCK E	17TH FLOOR	E 1704	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
3641	BLOCK E	17TH FLOOR	E 1705	3B/2T	51.60	3.16	23.47	82.86	14.47		
3642	BLOCK E	17TH FLOOR	E 1706	3B/2T	51.60	3.16	23.47	82.86	14.47		
3643	BLOCK E	17TH FLOOR	E 1707	3B/2T	51.60	3.16	23.43	82.86	14.45		
3644	BLOCK E	17TH FLOOR	E 1708	2B/1T	37.10	2.33	17.03	60.29	10.50		
3645	BLOCK E	17TH FLOOR	E 1709	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3646	BLOCK E	17TH FLOOR	E 1710	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3647	BLOCK E	17TH FLOOR	E 1711	2B/2T - C	41.83	2.88	19.12	67.54	11.79		

3648	BLOCK E	17TH FLOOR	E 1712	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3649	BLOCK E	17TH FLOOR	E 1713	2B/1T	37.05	2.33	17.00	60.29	10.48		
3650	BLOCK E	17TH FLOOR	E 1714	2B/1T	37.05	2.33	17.00	60.29	10.48		
3651	BLOCK E	17TH FLOOR	E 1715	3B/2T	51.61	3.16	23.44	82.86	14.45		
3652	BLOCK E	17TH FLOOR	E 1716	3B/2T	51.61	3.16	23.44	82.86	14.45		
3653	BLOCK E	17TH FLOOR	E 1717	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3654	BLOCK E	17TH FLOOR	E 1718	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
3655	BLOCK E	17TH FLOOR	E 1719	2B/1T	37.10	2.33	17.05	60.29	10.52		
3656	BLOCK E	17TH FLOOR	E 1720	1B/1T	29.19	1.71	13.49	47.38	8.32		
3657	BLOCK F	17TH FLOOR	F 1701	1B/1T	29.19	1.71	13.49	47.38	8.32		
3658	BLOCK F	17TH FLOOR	F 1702	2B/1T	37.05	2.33	17.02	60.29	10.50		
3659	BLOCK F	17TH FLOOR	F 1703	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
3660	BLOCK F	17TH FLOOR	F 1704	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
3661	BLOCK F	17TH FLOOR	F 1705	3B/2T	51.60	3.16	23.47	82.86	14.47		
3662	BLOCK F	17TH FLOOR	F 1706	3B/2T	51.60	3.16	23.47	82.86	14.47		
3663	BLOCK F	17TH FLOOR	F 1707	3B/2T	51.60	3.16	23.43	82.86	14.45		
3664	BLOCK F	17TH FLOOR	F 1708	2B/1T	37.10	2.33	17.03	60.29	10.50		
3665	BLOCK F	17TH FLOOR	F 1709	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3666	BLOCK F	17TH FLOOR	F 1710	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3667	BLOCK F	17TH FLOOR	F 1711	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3668	BLOCK F	17TH FLOOR	F 1712	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3669	BLOCK F	17TH FLOOR	F 1713	2B/1T	37.05	2.33	17.00	60.29	10.48		
3670	BLOCK F	17TH FLOOR	F 1714	2B/1T	37.05	2.33	17.00	60.29	10.48		
3671	BLOCK F	17TH FLOOR	F 1715	3B/2T	51.61	3.16	23.44	82.86	14.45		
3672	BLOCK F	17TH FLOOR	F 1716	3B/2T	51.61	3.16	23.44	82.86	14.45		
3673	BLOCK F	17TH FLOOR	F 1717	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3674	BLOCK F	17TH FLOOR	F 1718	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
3675	BLOCK F	17TH FLOOR	F 1719	2B/1T	37.10	2.33	17.05	60.29	10.52		
3676	BLOCK F	17TH FLOOR	F 1720	1B/1T	29.19	1.71	13.49	47.38	8.32		
3677	BLOCK G	17TH FLOOR	G 1701	1B/1T	29.19	1.71	13.49	47.38	8.32		
3678	BLOCK G	17TH FLOOR	G 1702	1B/1T	28.95	1.71	13.49	47.38	8.32		
3679	BLOCK G	17TH FLOOR	G 1703	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
3680	BLOCK G	17TH FLOOR	G 1704	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3681	BLOCK G	17TH FLOOR	G 1705	1B/1T	29.19	1.71	13.39	47.38	8.26		
3682	BLOCK G	17TH FLOOR	G 1706	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3683	BLOCK G	17TH FLOOR	G 1707	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
3684	BLOCK G	17TH FLOOR	G 1708	STUDIO - TYPE 1	19.37	1.44	9.20	32.79	5.67		
3685	BLOCK G	17TH FLOOR	G 1709	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
3686	BLOCK G	17TH FLOOR	G 1710	1B/1T	28.95	1.71	13.39	47.38	8.26		
3687	BLOCK G	17TH FLOOR	G 1711	1B/1T	28.95	1.71	13.27	47.38	8.18		
3688	BLOCK G	17TH FLOOR	G 1712	1B/1T	28.95	1.71	13.27	47.38	8.18		
3689	BLOCK G	17TH FLOOR	G 1713	1B/1T	28.95	1.71	13.27	47.38	8.18		
3690	BLOCK G	17TH FLOOR	G 1714	1B/1T	28.95	1.71	13.27	47.38	8.18		
3691	BLOCK G	17TH FLOOR	G 1715	1B/1T	28.95	1.71	13.39	47.38	8.26		
3692	BLOCK G	17TH FLOOR	G 1716	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
3693	BLOCK G	17TH FLOOR	G 1717	STUDIO - TYPE 1	19.37	1.44	9.24	32.79	5.70		
3694	BLOCK G	17TH FLOOR	G 1718	1B/1T	28.95	1.71	13.37	47.38	8.24		
3695	BLOCK G	17TH FLOOR	G 1719	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
3696	BLOCK G	17TH FLOOR	G 1720	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3697	BLOCK G	17TH FLOOR	G 1721	1B/1T	29.19	1.71	13.39	47.38	8.26		
3698	BLOCK G	17TH FLOOR	G 1722	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3699	BLOCK G	17TH FLOOR	G 1723	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
3700	BLOCK G	17TH FLOOR	G 1724	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
3701	BLOCK G	17TH FLOOR	G 1725	STUDIO - TYPE 2	19.37	1.44	9.37	32.79	5.78		
3702	BLOCK H	17TH FLOOR	H 1701	3B/2T	51.61	3.16	23.44	82.86	14.45		
3703	BLOCK H	17TH FLOOR	H 1702	3B/2T	51.60	3.16	23.47	82.86	14.47		
3704	BLOCK H	17TH FLOOR	H 1703	3B/2T	51.60	3.16	23.47	82.86	14.47		
3705	BLOCK H	17TH FLOOR	H 1704	2B/1T	36.27	2.39	16.75	59.08	10.33		
3706	BLOCK H	17TH FLOOR	H 1705	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
3707	BLOCK H	17TH FLOOR	H 1706	2B/1T	37.10	2.33	17.05	60.29	10.52		
3708	BLOCK H	17TH FLOOR	H 1707	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3709	BLOCK H	17TH FLOOR	H 1708	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3710	BLOCK H	17TH FLOOR	H 1709	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
3711	BLOCK H	17TH FLOOR	H 1710	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
3712	BLOCK H	17TH FLOOR	H 1711	STUDIO - TYPE 2	19.37	1.44	9.27	32.79	5.72		
3713	BLOCK H	17TH FLOOR	H 1712	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
3714	BLOCK H	17TH FLOOR	H 1713	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3715	BLOCK H	17TH FLOOR	H 1714	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3716	BLOCK H	17TH FLOOR	H 1715	2B/2T - R	49.67	2.95	22.49	79.61	13.87		

3717	BLOCK H	17TH FLOOR	H 1716	3B/2T	51.61	3.16	23.43	82.86	14.44		
3718	BLOCK H	17TH FLOOR	H 1717	3B/2T	51.60	3.16	23.43	82.86	14.45		
3719	BLOCK H	17TH FLOOR	H 1718	2B/1T	37.10	2.33	17.03	60.29	10.50		
3720	BLOCK H	17TH FLOOR	H 1719	2B/1T	36.27	2.39	16.73	59.08	10.32		
3721	BLOCK A	18TH FLOOR	A 1801	2B/1T	36.24	2.39	16.72	59.08	10.31		
3722	BLOCK A	18TH FLOOR	A 1802	2B/1T	37.10	2.33	17.05	60.29	10.51		
3723	BLOCK A	18TH FLOOR	A 1803	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3724	BLOCK A	18TH FLOOR	A 1804	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
3725	BLOCK A	18TH FLOOR	A 1805	3B/2T	51.61	3.16	23.43	82.86	14.44		
3726	BLOCK A	18TH FLOOR	A 1806	3B/2T	51.61	3.16	23.44	82.86	14.45		
3727	BLOCK A	18TH FLOOR	A 1807	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3728	BLOCK A	18TH FLOOR	A 1808	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3729	BLOCK A	18TH FLOOR	A 1809	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3730	BLOCK A	18TH FLOOR	A 1810	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3731	BLOCK A	18TH FLOOR	A 1811	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3732	BLOCK A	18TH FLOOR	A 1812	3B/2T	51.61	3.16	23.43	82.86	14.44		
3733	BLOCK A	18TH FLOOR	A 1813	3B/2T	51.60	3.16	23.46	82.86	14.47		
3734	BLOCK A	18TH FLOOR	A 1814	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3735	BLOCK A	18TH FLOOR	A 1815	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3736	BLOCK A	18TH FLOOR	A 1816	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3737	BLOCK A	18TH FLOOR	A 1817	1B/1T	29.19	1.71	13.49	47.38	8.32		
3738	BLOCK A	18TH FLOOR	A 1818	1B/1T	29.19	1.71	13.49	47.38	8.32		
3739	BLOCK A	18TH FLOOR	A 1819	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3740	BLOCK A	18TH FLOOR	A 1820	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3741	BLOCK A	18TH FLOOR	A 1821	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
3742	BLOCK A	18TH FLOOR	A 1822	3B/2T	51.61	3.16	23.42	82.86	14.44		
3743	BLOCK A	18TH FLOOR	A 1823	3B/2T	51.60	3.16	23.46	82.86	14.47		
3744	BLOCK A	18TH FLOOR	A 1824	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3745	BLOCK A	18TH FLOOR	A 1825	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3746	BLOCK A	18TH FLOOR	A 1826	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3747	BLOCK A	18TH FLOOR	A 1827	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3748	BLOCK A	18TH FLOOR	A 1828	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3749	BLOCK A	18TH FLOOR	A 1829	2B/1T	36.24	2.39	16.71	59.08	10.30		
3750	BLOCK B	18TH FLOOR	B 1801	2B/1T	36.24	2.39	16.72	59.08	10.31		
3751	BLOCK B	18TH FLOOR	B 1802	2B/1T	37.10	2.33	17.07	60.29	10.52		
3752	BLOCK B	18TH FLOOR	B 1803	2B/1T	37.10	2.33	17.05	60.29	10.51		
3753	BLOCK B	18TH FLOOR	B 1804	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3754	BLOCK B	18TH FLOOR	B 1805	3B/2T	51.61	3.16	23.44	82.86	14.45		
3755	BLOCK B	18TH FLOOR	B 1806	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3756	BLOCK B	18TH FLOOR	B 1807	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
3757	BLOCK B	18TH FLOOR	B 1808	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3758	BLOCK B	18TH FLOOR	B 1809	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3759	BLOCK B	18TH FLOOR	B 1810	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3760	BLOCK B	18TH FLOOR	B 1811	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3761	BLOCK B	18TH FLOOR	B 1812	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3762	BLOCK B	18TH FLOOR	B 1813	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3763	BLOCK B	18TH FLOOR	B 1814	3B/2T	51.61	3.16	23.43	82.86	14.44		
3764	BLOCK B	18TH FLOOR	B 1815	3B/2T	51.60	3.16	23.46	82.86	14.47		
3765	BLOCK B	18TH FLOOR	B 1816	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3766	BLOCK B	18TH FLOOR	B 1817	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3767	BLOCK B	18TH FLOOR	B 1818	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3768	BLOCK B	18TH FLOOR	B 1819	1B/1T	29.19	1.71	13.49	47.38	8.32		
3769	BLOCK B	18TH FLOOR	B 1820	1B/1T	29.19	1.71	13.49	47.38	8.32		
3770	BLOCK B	18TH FLOOR	B 1821	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3771	BLOCK B	18TH FLOOR	B 1822	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3772	BLOCK B	18TH FLOOR	B 1823	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3773	BLOCK B	18TH FLOOR	B 1824	3B/2T	51.61	3.16	23.43	82.86	14.44		
3774	BLOCK B	18TH FLOOR	B 1825	3B/2T	51.60	3.16	23.46	82.86	14.47		
3775	BLOCK B	18TH FLOOR	B 1826	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3776	BLOCK B	18TH FLOOR	B 1827	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3777	BLOCK B	18TH FLOOR	B 1828	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3778	BLOCK B	18TH FLOOR	B 1829	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3779	BLOCK B	18TH FLOOR	B 1830	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3780	BLOCK B	18TH FLOOR	B 1831	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3781	BLOCK B	18TH FLOOR	B 1832	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
3782	BLOCK B	18TH FLOOR	B 1833	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3783	BLOCK B	18TH FLOOR	B 1834	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
3784	BLOCK B	18TH FLOOR	B 1835	2B/1T	37.05	2.33	16.95	60.29	10.45		
3785	BLOCK B	18TH FLOOR	B 1836	2B/1T	37.05	2.33	17.00	60.29	10.48		

3786	BLOCK B	18TH FLOOR	B 1837	2B/1T	36.24	2.39	16.71	59.08	10.30		
3787	BLOCK C	18TH FLOOR	C 1801	2B/1T	36.24	2.39	16.72	59.08	10.31		
3788	BLOCK C	18TH FLOOR	C 1802	2B/1T	37.10	2.33	17.07	60.29	10.52		
3789	BLOCK C	18TH FLOOR	C 1803	2B/1T	37.10	2.33	17.05	60.29	10.51		
3790	BLOCK C	18TH FLOOR	C 1804	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3791	BLOCK C	18TH FLOOR	C 1805	3B/2T	51.60	3.16	23.47	82.86	14.47		
3792	BLOCK C	18TH FLOOR	C 1806	3B/2T	51.61	3.16	23.44	82.86	14.45		
3793	BLOCK C	18TH FLOOR	C 1807	3B/2T	51.61	3.16	23.44	82.86	14.45		
3794	BLOCK C	18TH FLOOR	C 1808	3B/2T	51.61	3.16	23.44	82.86	14.45		
3795	BLOCK C	18TH FLOOR	C 1809	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3796	BLOCK C	18TH FLOOR	C 1810	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3797	BLOCK C	18TH FLOOR	C 1811	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3798	BLOCK C	18TH FLOOR	C 1812	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3799	BLOCK C	18TH FLOOR	C 1813	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3800	BLOCK C	18TH FLOOR	C 1814	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3801	BLOCK C	18TH FLOOR	C 1815	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3802	BLOCK C	18TH FLOOR	C 1816	3B/2T	51.61	3.16	23.43	82.86	14.44		
3803	BLOCK C	18TH FLOOR	C 1817	3B/2T	51.60	3.16	23.46	82.86	14.47		
3804	BLOCK C	18TH FLOOR	C 1818	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3805	BLOCK C	18TH FLOOR	C 1819	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3806	BLOCK C	18TH FLOOR	C 1820	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3807	BLOCK C	18TH FLOOR	C 1821	1B/1T	29.19	1.71	13.49	47.38	8.32		
3808	BLOCK C	18TH FLOOR	C 1822	1B/1T	29.19	1.71	13.49	47.38	8.32		
3809	BLOCK C	18TH FLOOR	C 1823	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3810	BLOCK C	18TH FLOOR	C 1824	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3811	BLOCK C	18TH FLOOR	C 1825	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3812	BLOCK C	18TH FLOOR	C 1826	3B/2T	51.61	3.16	23.43	82.86	14.44		
3813	BLOCK C	18TH FLOOR	C 1827	3B/2T	51.60	3.16	23.46	82.86	14.47		
3814	BLOCK C	18TH FLOOR	C 1828	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3815	BLOCK C	18TH FLOOR	C 1829	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3816	BLOCK C	18TH FLOOR	C 1830	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3817	BLOCK C	18TH FLOOR	C 1831	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3818	BLOCK C	18TH FLOOR	C 1832	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3819	BLOCK C	18TH FLOOR	C 1833	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3820	BLOCK C	18TH FLOOR	C 1834	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
3821	BLOCK C	18TH FLOOR	C 1835	3B/2T	51.60	3.16	23.46	82.86	14.46		
3822	BLOCK C	18TH FLOOR	C 1836	3B/2T	51.60	3.16	23.47	82.86	14.47		
3823	BLOCK C	18TH FLOOR	C 1837	3B/2T	51.61	3.16	23.44	82.86	14.45		
3824	BLOCK C	18TH FLOOR	C 1838	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
3825	BLOCK C	18TH FLOOR	C 1839	2B/1T	37.05	2.33	16.96	60.29	10.46		
3826	BLOCK C	18TH FLOOR	C 1840	2B/1T	37.05	2.33	17.00	60.29	10.48		
3827	BLOCK C	18TH FLOOR	C 1841	2B/1T	36.24	2.39	16.71	59.08	10.30		
3828	BLOCK D	18TH FLOOR	D 1801	1B/1T	29.19	1.71	13.37	47.38	8.24		
3829	BLOCK D	18TH FLOOR	D 1802	1B/1T	29.19	1.71	13.27	47.38	8.18		
3830	BLOCK D	18TH FLOOR	D 1803	1B/1T	29.19	1.71	13.29	47.38	8.19		
3831	BLOCK D	18TH FLOOR	D 1804	STUDIO - TYPE I	19.37	1.44	9.30	32.79	5.73		
3832	BLOCK D	18TH FLOOR	D 1805	1B/1T	28.95	1.71	13.50	47.38	8.32		
3833	BLOCK D	18TH FLOOR	D 1806	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
3834	BLOCK D	18TH FLOOR	D 1807	STUDIO - TYPE I	19.32	1.37	9.08	32.79	5.60		
3835	BLOCK D	18TH FLOOR	D 1808	1B/1T	28.95	1.71	13.33	47.38	8.22		
3836	BLOCK D	18TH FLOOR	D 1809	STUDIO - TYPE I	19.32	1.37	9.26	32.79	5.71		
3837	BLOCK D	18TH FLOOR	D 1810	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3838	BLOCK D	18TH FLOOR	D 1811	1B/1T	29.19	1.71	13.27	47.38	8.18		
3839	BLOCK D	18TH FLOOR	D 1812	1B/1T	29.19	1.71	13.39	47.38	8.26		
3840	BLOCK D	18TH FLOOR	D 1813	1B/1T	28.95	1.71	13.39	47.38	8.26		
3841	BLOCK D	18TH FLOOR	D 1814	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3842	BLOCK D	18TH FLOOR	D 1815	1B/1T	28.95	1.71	13.48	47.38	8.31		
3843	BLOCK D	18TH FLOOR	D 1816	STUDIO - TYPE I	19.32	1.37	9.26	32.79	5.71		
3844	BLOCK D	18TH FLOOR	D 1817	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
3845	BLOCK D	18TH FLOOR	D 1818	STUDIO - TYPE I	19.32	1.37	9.08	32.79	5.60		
3846	BLOCK D	18TH FLOOR	D 1819	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3847	BLOCK D	18TH FLOOR	D 1820	1B/1T	28.95	1.71	13.39	47.38	8.26		
3848	BLOCK D	18TH FLOOR	D 1821	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3849	BLOCK D	18TH FLOOR	D 1822	STUDIO - TYPE I	19.32	1.37	9.26	32.79	5.71		
3850	BLOCK D	18TH FLOOR	D 1823	STUDIO - TYPE I	19.32	1.37	9.26	32.79	5.71		
3851	BLOCK D	18TH FLOOR	D 1824	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
3852	BLOCK D	18TH FLOOR	D 1825	1B/1T	29.19	1.71	13.39	47.38	8.26		
3853	BLOCK D	18TH FLOOR	D 1826	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
3854	BLOCK D	18TH FLOOR	D 1827	STUDIO - TYPE I	19.32	1.37	9.16	32.79	5.65		

3855	BLOCK D	18TH FLOOR	D 1828	STUDIO – TYPE 1	19.37	1.44	9.27	32.79	5.72		
3856	BLOCK E	18TH FLOOR	E 1801	1B/1T	29.19	1.71	13.49	47.38	8.32		
3857	BLOCK E	18TH FLOOR	E 1802	2B/1T	37.05	2.33	17.02	60.29	10.50		
3858	BLOCK E	18TH FLOOR	E 1803	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
3859	BLOCK E	18TH FLOOR	E 1804	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
3860	BLOCK E	18TH FLOOR	E 1805	3B/2T	51.60	3.16	23.47	82.86	14.47		
3861	BLOCK E	18TH FLOOR	E 1806	3B/2T	51.60	3.16	23.47	82.86	14.47		
3862	BLOCK E	18TH FLOOR	E 1807	3B/2T	51.60	3.16	23.43	82.86	14.45		
3863	BLOCK E	18TH FLOOR	E 1808	2B/1T	37.10	2.33	17.03	60.29	10.50		
3864	BLOCK E	18TH FLOOR	E 1809	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3865	BLOCK E	18TH FLOOR	E 1810	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3866	BLOCK E	18TH FLOOR	E 1811	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3867	BLOCK E	18TH FLOOR	E 1812	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3868	BLOCK E	18TH FLOOR	E 1813	2B/1T	37.05	2.33	17.00	60.29	10.48		
3869	BLOCK E	18TH FLOOR	E 1814	2B/1T	37.05	2.33	17.00	60.29	10.48		
3870	BLOCK E	18TH FLOOR	E 1815	3B/2T	51.61	3.16	23.44	82.86	14.45		
3871	BLOCK E	18TH FLOOR	E 1816	3B/2T	51.61	3.16	23.44	82.86	14.45		
3872	BLOCK E	18TH FLOOR	E 1817	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3873	BLOCK E	18TH FLOOR	E 1818	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
3874	BLOCK E	18TH FLOOR	E 1819	2B/1T	37.10	2.33	17.05	60.29	10.52		
3875	BLOCK E	18TH FLOOR	E 1820	1B/1T	29.19	1.71	13.49	47.38	8.32		
3876	BLOCK F	18TH FLOOR	F 1801	1B/1T	29.19	1.71	13.49	47.38	8.32		
3877	BLOCK F	18TH FLOOR	F 1802	2B/1T	37.05	2.33	17.02	60.29	10.50		
3878	BLOCK F	18TH FLOOR	F 1803	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
3879	BLOCK F	18TH FLOOR	F 1804	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
3880	BLOCK F	18TH FLOOR	F 1805	3B/2T	51.60	3.16	23.47	82.86	14.47		
3881	BLOCK F	18TH FLOOR	F 1806	3B/2T	51.60	3.16	23.47	82.86	14.47		
3882	BLOCK F	18TH FLOOR	F 1807	3B/2T	51.60	3.16	23.43	82.86	14.45		
3883	BLOCK F	18TH FLOOR	F 1808	2B/1T	37.10	2.33	17.03	60.29	10.50		
3884	BLOCK F	18TH FLOOR	F 1809	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3885	BLOCK F	18TH FLOOR	F 1810	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3886	BLOCK F	18TH FLOOR	F 1811	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3887	BLOCK F	18TH FLOOR	F 1812	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3888	BLOCK F	18TH FLOOR	F 1813	2B/1T	37.05	2.33	17.00	60.29	10.48		
3889	BLOCK F	18TH FLOOR	F 1814	2B/1T	37.05	2.33	17.00	60.29	10.48		
3890	BLOCK F	18TH FLOOR	F 1815	3B/2T	51.61	3.16	23.44	82.86	14.45		
3891	BLOCK F	18TH FLOOR	F 1816	3B/2T	51.61	3.16	23.44	82.86	14.45		
3892	BLOCK F	18TH FLOOR	F 1817	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3893	BLOCK F	18TH FLOOR	F 1818	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
3894	BLOCK F	18TH FLOOR	F 1819	2B/1T	37.10	2.33	17.05	60.29	10.52		
3895	BLOCK F	18TH FLOOR	F 1820	1B/1T	29.19	1.71	13.49	47.38	8.32		
3896	BLOCK G	18TH FLOOR	G 1801	1B/1T	29.19	1.71	13.49	47.38	8.32		
3897	BLOCK G	18TH FLOOR	G 1802	1B/1T	28.95	1.71	13.49	47.38	8.32		
3898	BLOCK G	18TH FLOOR	G 1803	STUDIO – TYPE 1	19.32	1.37	9.24	32.79	5.69		
3899	BLOCK G	18TH FLOOR	G 1804	STUDIO – TYPE 2	19.37	1.44	9.26	32.79	5.71		
3900	BLOCK G	18TH FLOOR	G 1805	1B/1T	29.19	1.71	13.39	47.38	8.26		
3901	BLOCK G	18TH FLOOR	G 1806	STUDIO – TYPE 2	19.37	1.44	9.14	32.79	5.63		
3902	BLOCK G	18TH FLOOR	G 1807	STUDIO – TYPE 1	19.32	1.37	9.16	32.79	5.65		
3903	BLOCK G	18TH FLOOR	G 1808	STUDIO – TYPE 1	19.37	1.44	9.20	32.79	5.67		
3904	BLOCK G	18TH FLOOR	G 1809	STUDIO – TYPE 1	19.37	1.44	9.30	32.79	5.73		
3905	BLOCK G	18TH FLOOR	G 1810	1B/1T	28.95	1.71	13.39	47.38	8.26		
3906	BLOCK G	18TH FLOOR	G 1811	1B/1T	28.95	1.71	13.27	47.38	8.18		
3907	BLOCK G	18TH FLOOR	G 1812	1B/1T	28.95	1.71	13.27	47.38	8.18		
3908	BLOCK G	18TH FLOOR	G 1813	1B/1T	28.95	1.71	13.27	47.38	8.18		
3909	BLOCK G	18TH FLOOR	G 1814	1B/1T	28.95	1.71	13.27	47.38	8.18		
3910	BLOCK G	18TH FLOOR	G 1815	1B/1T	28.95	1.71	13.39	47.38	8.26		
3911	BLOCK G	18TH FLOOR	G 1816	STUDIO – TYPE 1	19.37	1.44	9.30	32.79	5.73		
3912	BLOCK G	18TH FLOOR	G 1817	STUDIO – TYPE 1	19.37	1.44	9.24	32.79	5.70		
3913	BLOCK G	18TH FLOOR	G 1818	1B/1T	28.95	1.71	13.37	47.38	8.24		
3914	BLOCK G	18TH FLOOR	G 1819	STUDIO – TYPE 1	19.32	1.37	9.24	32.79	5.69		
3915	BLOCK G	18TH FLOOR	G 1820	STUDIO – TYPE 2	19.37	1.44	9.26	32.79	5.71		
3916	BLOCK G	18TH FLOOR	G 1821	1B/1T	29.19	1.71	13.39	47.38	8.26		
3917	BLOCK G	18TH FLOOR	G 1822	STUDIO – TYPE 2	19.37	1.44	9.14	32.79	5.63		
3918	BLOCK G	18TH FLOOR	G 1823	STUDIO – TYPE 1	19.32	1.37	9.16	32.79	5.65		
3919	BLOCK G	18TH FLOOR	G 1824	STUDIO – TYPE 1	19.37	1.44	9.30	32.79	5.73		
3920	BLOCK G	18TH FLOOR	G 1825	STUDIO – TYPE 2	19.37	1.44	9.37	32.79	5.78		
3921	BLOCK H	18TH FLOOR	H 1801	3B/2T	51.61	3.16	23.44	82.86	14.45		
3922	BLOCK H	18TH FLOOR	H 1802	3B/2T	51.60	3.16	23.47	82.86	14.47		
3923	BLOCK H	18TH FLOOR	H 1803	3B/2T	51.60	3.16	23.47	82.86	14.47		


3924	BLOCK H	18TH FLOOR	H 1804	2B/1T	36.27	2.39	16.75	59.08	10.33		
3925	BLOCK H	18TH FLOOR	H 1805	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
3926	BLOCK H	18TH FLOOR	H 1806	2B/1T	37.10	2.33	17.05	60.29	10.52		
3927	BLOCK H	18TH FLOOR	H 1807	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3928	BLOCK H	18TH FLOOR	H 1808	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3929	BLOCK H	18TH FLOOR	H 1809	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
3930	BLOCK H	18TH FLOOR	H 1810	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
3931	BLOCK H	18TH FLOOR	H 1811	STUDIO - TYPE 2	19.37	1.44	9.27	32.79	5.72		
3932	BLOCK H	18TH FLOOR	H 1812	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
3933	BLOCK H	18TH FLOOR	H 1813	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
3934	BLOCK H	18TH FLOOR	H 1814	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
3935	BLOCK H	18TH FLOOR	H 1815	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
3936	BLOCK H	18TH FLOOR	H 1816	3B/2T	51.61	3.16	23.43	82.86	14.44		
3937	BLOCK H	18TH FLOOR	H 1817	3B/2T	51.60	3.16	23.43	82.86	14.45		
3938	BLOCK H	18TH FLOOR	H 1818	2B/1T	37.10	2.33	17.03	60.29	10.50		
3939	BLOCK H	18TH FLOOR	H 1819	2B/1T	36.27	2.39	16.73	59.08	10.32		
3940	BLOCK A	19TH FLOOR	A 1901	2B/1T	36.24	2.39	16.72	59.08	10.31		
3941	BLOCK A	19TH FLOOR	A 1902	2B/1T	37.10	2.33	17.05	60.29	10.51		
3942	BLOCK A	19TH FLOOR	A 1903	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3943	BLOCK A	19TH FLOOR	A 1904	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
3944	BLOCK A	19TH FLOOR	A 1905	3B/2T	51.61	3.16	23.43	82.86	14.44		
3945	BLOCK A	19TH FLOOR	A 1906	3B/2T	51.61	3.16	23.44	82.86	14.45		
3946	BLOCK A	19TH FLOOR	A 1907	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3947	BLOCK A	19TH FLOOR	A 1908	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3948	BLOCK A	19TH FLOOR	A 1909	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3949	BLOCK A	19TH FLOOR	A 1910	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3950	BLOCK A	19TH FLOOR	A 1911	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3951	BLOCK A	19TH FLOOR	A 1912	3B/2T	51.61	3.16	23.43	82.86	14.44		
3952	BLOCK A	19TH FLOOR	A 1913	3B/2T	51.60	3.16	23.46	82.86	14.47		
3953	BLOCK A	19TH FLOOR	A 1914	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3954	BLOCK A	19TH FLOOR	A 1915	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3955	BLOCK A	19TH FLOOR	A 1916	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3956	BLOCK A	19TH FLOOR	A 1917	1B/1T	29.19	1.71	13.49	47.38	8.32		
3957	BLOCK A	19TH FLOOR	A 1918	1B/1T	29.19	1.71	13.49	47.38	8.32		
3958	BLOCK A	19TH FLOOR	A 1919	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3959	BLOCK A	19TH FLOOR	A 1920	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3960	BLOCK A	19TH FLOOR	A 1921	2B/2T - R	49.67	2.95	22.47	79.61	13.85		
3961	BLOCK A	19TH FLOOR	A 1922	3B/2T	51.61	3.16	23.42	82.86	14.44		
3962	BLOCK A	19TH FLOOR	A 1923	3B/2T	51.60	3.16	23.46	82.86	14.47		
3963	BLOCK A	19TH FLOOR	A 1924	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3964	BLOCK A	19TH FLOOR	A 1925	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3965	BLOCK A	19TH FLOOR	A 1926	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3966	BLOCK A	19TH FLOOR	A 1927	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3967	BLOCK A	19TH FLOOR	A 1928	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3968	BLOCK A	19TH FLOOR	A 1929	2B/1T	36.24	2.39	16.71	59.08	10.30		
3969	BLOCK B	19TH FLOOR	B 1901	2B/1T	36.24	2.39	16.72	59.08	10.31		
3970	BLOCK B	19TH FLOOR	B 1902	2B/1T	37.10	2.33	17.07	60.29	10.52		
3971	BLOCK B	19TH FLOOR	B 1903	2B/1T	37.10	2.33	17.05	60.29	10.51		
3972	BLOCK B	19TH FLOOR	B 1904	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3973	BLOCK B	19TH FLOOR	B 1905	3B/2T	51.61	3.16	23.44	82.86	14.45		
3974	BLOCK B	19TH FLOOR	B 1906	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3975	BLOCK B	19TH FLOOR	B 1907	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
3976	BLOCK B	19TH FLOOR	B 1908	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3977	BLOCK B	19TH FLOOR	B 1909	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3978	BLOCK B	19TH FLOOR	B 1910	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3979	BLOCK B	19TH FLOOR	B 1911	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3980	BLOCK B	19TH FLOOR	B 1912	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3981	BLOCK B	19TH FLOOR	B 1913	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3982	BLOCK B	19TH FLOOR	B 1914	3B/2T	51.61	3.16	23.43	82.86	14.44		
3983	BLOCK B	19TH FLOOR	B 1915	3B/2T	51.60	3.16	23.46	82.86	14.47		
3984	BLOCK B	19TH FLOOR	B 1916	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3985	BLOCK B	19TH FLOOR	B 1917	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3986	BLOCK B	19TH FLOOR	B 1918	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3987	BLOCK B	19TH FLOOR	B 1919	1B/1T	29.19	1.71	13.49	47.38	8.32		
3988	BLOCK B	19TH FLOOR	B 1920	1B/1T	29.19	1.71	13.49	47.38	8.32		
3989	BLOCK B	19TH FLOOR	B 1921	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
3990	BLOCK B	19TH FLOOR	B 1922	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
3991	BLOCK B	19TH FLOOR	B 1923	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
3992	BLOCK B	19TH FLOOR	B 1924	3B/2T	51.61	3.16	23.43	82.86	14.44		

3993	BLOCK B	19TH FLOOR	B 1925	3B/2T	51.60	3.16	23.46	82.86	14.47		
3994	BLOCK B	19TH FLOOR	B 1926	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
3995	BLOCK B	19TH FLOOR	B 1927	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3996	BLOCK B	19TH FLOOR	B 1928	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3997	BLOCK B	19TH FLOOR	B 1929	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3998	BLOCK B	19TH FLOOR	B 1930	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
3999	BLOCK B	19TH FLOOR	B 1931	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
4000	BLOCK B	19TH FLOOR	B 1932	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
4001	BLOCK B	19TH FLOOR	B 1933	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
4002	BLOCK B	19TH FLOOR	B 1934	2B/2T - R	49.67	2.95	22.45	79.61	13.84		
4003	BLOCK B	19TH FLOOR	B 1935	2B/1T	37.05	2.33	16.95	60.29	10.45		
4004	BLOCK B	19TH FLOOR	B 1936	2B/1T	37.05	2.33	17.00	60.29	10.48		
4005	BLOCK B	19TH FLOOR	B 1937	2B/1T	36.24	2.39	16.71	59.08	10.30		
4006	BLOCK C	19TH FLOOR	C 1901	2B/1T	36.24	2.39	16.72	59.08	10.31		
4007	BLOCK C	19TH FLOOR	C 1902	2B/1T	37.10	2.33	17.07	60.29	10.52		
4008	BLOCK C	19TH FLOOR	C 1903	2B/1T	37.10	2.33	17.05	60.29	10.51		
4009	BLOCK C	19TH FLOOR	C 1904	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
4010	BLOCK C	19TH FLOOR	C 1905	3B/2T	51.60	3.16	23.47	82.86	14.47		
4011	BLOCK C	19TH FLOOR	C 1906	3B/2T	51.61	3.16	23.44	82.86	14.45		
4012	BLOCK C	19TH FLOOR	C 1907	3B/2T	51.61	3.16	23.44	82.86	14.45		
4013	BLOCK C	19TH FLOOR	C 1908	3B/2T	51.61	3.16	23.44	82.86	14.45		
4014	BLOCK C	19TH FLOOR	C 1909	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
4015	BLOCK C	19TH FLOOR	C 1910	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
4016	BLOCK C	19TH FLOOR	C 1911	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
4017	BLOCK C	19TH FLOOR	C 1912	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
4018	BLOCK C	19TH FLOOR	C 1913	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
4019	BLOCK C	19TH FLOOR	C 1914	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
4020	BLOCK C	19TH FLOOR	C 1915	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
4021	BLOCK C	19TH FLOOR	C 1916	3B/2T	51.61	3.16	23.43	82.86	14.44		
4022	BLOCK C	19TH FLOOR	C 1917	3B/2T	51.60	3.16	23.46	82.86	14.47		
4023	BLOCK C	19TH FLOOR	C 1918	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
4024	BLOCK C	19TH FLOOR	C 1919	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
4025	BLOCK C	19TH FLOOR	C 1920	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
4026	BLOCK C	19TH FLOOR	C 1921	1B/1T	29.19	1.71	13.49	47.38	8.32		
4027	BLOCK C	19TH FLOOR	C 1922	1B/1T	29.19	1.71	13.49	47.38	8.32		
4028	BLOCK C	19TH FLOOR	C 1923	2B/2T - C	43.18	2.58	19.67	69.49	12.13		
4029	BLOCK C	19TH FLOOR	C 1924	2B/2T - C	43.18	2.58	19.66	69.49	12.12		
4030	BLOCK C	19TH FLOOR	C 1925	2B/2T - R	49.67	2.95	22.48	79.61	13.86		
4031	BLOCK C	19TH FLOOR	C 1926	3B/2T	51.61	3.16	23.43	82.86	14.44		
4032	BLOCK C	19TH FLOOR	C 1927	3B/2T	51.60	3.16	23.46	82.86	14.47		
4033	BLOCK C	19TH FLOOR	C 1928	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
4034	BLOCK C	19TH FLOOR	C 1929	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
4035	BLOCK C	19TH FLOOR	C 1930	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
4036	BLOCK C	19TH FLOOR	C 1931	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
4037	BLOCK C	19TH FLOOR	C 1932	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
4038	BLOCK C	19TH FLOOR	C 1933	2B/2T - C	42.38	2.58	19.38	68.46	11.95		
4039	BLOCK C	19TH FLOOR	C 1934	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
4040	BLOCK C	19TH FLOOR	C 1935	3B/2T	51.60	3.16	23.46	82.86	14.46		
4041	BLOCK C	19TH FLOOR	C 1936	3B/2T	51.60	3.16	23.47	82.86	14.47		
4042	BLOCK C	19TH FLOOR	C 1937	3B/2T	51.61	3.16	23.44	82.86	14.45		
4043	BLOCK C	19TH FLOOR	C 1938	2B/2T - C	43.18	2.58	19.64	69.49	12.11		
4044	BLOCK C	19TH FLOOR	C 1939	2B/1T	37.05	2.33	16.96	60.29	10.46		
4045	BLOCK C	19TH FLOOR	C 1940	2B/1T	37.05	2.33	17.00	60.29	10.48		
4046	BLOCK C	19TH FLOOR	C 1941	2B/1T	36.24	2.39	16.71	59.08	10.30		
4047	BLOCK D	19TH FLOOR	D 1901	1B/1T	29.19	1.71	13.37	47.38	8.24		
4048	BLOCK D	19TH FLOOR	D 1902	1B/1T	29.19	1.71	13.27	47.38	8.18		
4049	BLOCK D	19TH FLOOR	D 1903	1B/1T	29.19	1.71	13.29	47.38	8.19		
4050	BLOCK D	19TH FLOOR	D 1904	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
4051	BLOCK D	19TH FLOOR	D 1905	1B/1T	28.95	1.71	13.50	47.38	8.32		
4052	BLOCK D	19TH FLOOR	D 1906	STUDIO - TYPE 2	19.37	1.44	9.24	32.79	5.69		
4053	BLOCK D	19TH FLOOR	D 1907	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
4054	BLOCK D	19TH FLOOR	D 1908	1B/1T	28.95	1.71	13.33	47.38	8.22		
4055	BLOCK D	19TH FLOOR	D 1909	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
4056	BLOCK D	19TH FLOOR	D 1910	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
4057	BLOCK D	19TH FLOOR	D 1911	1B/1T	29.19	1.71	13.27	47.38	8.18		
4058	BLOCK D	19TH FLOOR	D 1912	1B/1T	29.19	1.71	13.39	47.38	8.26		
4059	BLOCK D	19TH FLOOR	D 1913	1B/1T	28.95	1.71	13.39	47.38	8.26		
4060	BLOCK D	19TH FLOOR	D 1914	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
4061	BLOCK D	19TH FLOOR	D 1915	1B/1T	28.95	1.71	13.48	47.38	8.31		

4062	BLOCK D	19TH FLOOR	D 1916	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
4063	BLOCK D	19TH FLOOR	D 1917	STUDIO - TYPE 2	19.37	1.44	9.08	32.79	5.60		
4064	BLOCK D	19TH FLOOR	D 1918	STUDIO - TYPE 1	19.32	1.37	9.08	32.79	5.60		
4065	BLOCK D	19TH FLOOR	D 1919	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
4066	BLOCK D	19TH FLOOR	D 1920	1B/1T	28.95	1.71	13.39	47.38	8.26		
4067	BLOCK D	19TH FLOOR	D 1921	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
4068	BLOCK D	19TH FLOOR	D 1922	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
4069	BLOCK D	19TH FLOOR	D 1923	STUDIO - TYPE 1	19.32	1.37	9.26	32.79	5.71		
4070	BLOCK D	19TH FLOOR	D 1924	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
4071	BLOCK D	19TH FLOOR	D 1925	1B/1T	29.19	1.71	13.39	47.38	8.26		
4072	BLOCK D	19TH FLOOR	D 1926	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
4073	BLOCK D	19TH FLOOR	D 1927	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
4074	BLOCK D	19TH FLOOR	D 1928	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
4075	BLOCK E	19TH FLOOR	E 1901	1B/1T	29.19	1.71	13.49	47.38	8.32		
4076	BLOCK E	19TH FLOOR	E 1902	2B/1T	37.05	2.33	17.02	60.29	10.50		
4077	BLOCK E	19TH FLOOR	E 1903	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
4078	BLOCK E	19TH FLOOR	E 1904	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
4079	BLOCK E	19TH FLOOR	E 1905	3B/2T	51.60	3.16	23.47	82.86	14.47		
4080	BLOCK E	19TH FLOOR	E 1906	3B/2T	51.60	3.16	23.47	82.86	14.47		
4081	BLOCK E	19TH FLOOR	E 1907	3B/2T	51.60	3.16	23.43	82.86	14.45		
4082	BLOCK E	19TH FLOOR	E 1908	2B/1T	37.10	2.33	17.03	60.29	10.50		
4083	BLOCK E	19TH FLOOR	E 1909	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
4084	BLOCK E	19TH FLOOR	E 1910	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
4085	BLOCK E	19TH FLOOR	E 1911	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
4086	BLOCK E	19TH FLOOR	E 1912	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
4087	BLOCK E	19TH FLOOR	E 1913	2B/1T	37.05	2.33	17.00	60.29	10.48		
4088	BLOCK E	19TH FLOOR	E 1914	2B/1T	37.05	2.33	17.00	60.29	10.48		
4089	BLOCK E	19TH FLOOR	E 1915	3B/2T	51.61	3.16	23.44	82.86	14.45		
4090	BLOCK E	19TH FLOOR	E 1916	3B/2T	51.61	3.16	23.44	82.86	14.45		
4091	BLOCK E	19TH FLOOR	E 1917	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
4092	BLOCK E	19TH FLOOR	E 1918	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
4093	BLOCK E	19TH FLOOR	E 1919	2B/1T	37.10	2.33	17.05	60.29	10.52		
4094	BLOCK E	19TH FLOOR	E 1920	1B/1T	29.19	1.71	13.49	47.38	8.32		
4095	BLOCK F	19TH FLOOR	F 1901	1B/1T	29.19	1.71	13.49	47.38	8.32		
4096	BLOCK F	19TH FLOOR	F 1902	2B/1T	37.05	2.33	17.02	60.29	10.50		
4097	BLOCK F	19TH FLOOR	F 1903	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
4098	BLOCK F	19TH FLOOR	F 1904	2B/2T - R	49.67	2.95	22.50	79.61	13.87		
4099	BLOCK F	19TH FLOOR	F 1905	3B/2T	51.60	3.16	23.47	82.86	14.47		
4100	BLOCK F	19TH FLOOR	F 1906	3B/2T	51.60	3.16	23.47	82.86	14.47		
4101	BLOCK F	19TH FLOOR	F 1907	3B/2T	51.60	3.16	23.43	82.86	14.45		
4102	BLOCK F	19TH FLOOR	F 1908	2B/1T	37.10	2.33	17.03	60.29	10.50		
4103	BLOCK F	19TH FLOOR	F 1909	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
4104	BLOCK F	19TH FLOOR	F 1910	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
4105	BLOCK F	19TH FLOOR	F 1911	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
4106	BLOCK F	19TH FLOOR	F 1912	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
4107	BLOCK F	19TH FLOOR	F 1913	2B/1T	37.05	2.33	17.00	60.29	10.48		
4108	BLOCK F	19TH FLOOR	F 1914	2B/1T	37.05	2.33	17.00	60.29	10.48		
4109	BLOCK F	19TH FLOOR	F 1915	3B/2T	51.61	3.16	23.44	82.86	14.45		
4110	BLOCK F	19TH FLOOR	F 1916	3B/2T	51.61	3.16	23.44	82.86	14.45		
4111	BLOCK F	19TH FLOOR	F 1917	2B/2T - R	49.68	2.95	22.53	79.61	13.89		
4112	BLOCK F	19TH FLOOR	F 1918	2B/2T - R	49.68	2.95	22.52	79.61	13.88		
4113	BLOCK F	19TH FLOOR	F 1919	2B/1T	37.10	2.33	17.05	60.29	10.52		
4114	BLOCK F	19TH FLOOR	F 1920	1B/1T	29.19	1.71	13.49	47.38	8.32		
4115	BLOCK G	19TH FLOOR	G 1901	1B/1T	29.19	1.71	13.49	47.38	8.32		
4116	BLOCK G	19TH FLOOR	G 1902	1B/1T	28.95	1.71	13.49	47.38	8.32		
4117	BLOCK G	19TH FLOOR	G 1903	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
4118	BLOCK G	19TH FLOOR	G 1904	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
4119	BLOCK G	19TH FLOOR	G 1905	1B/1T	29.19	1.71	13.39	47.38	8.26		
4120	BLOCK G	19TH FLOOR	G 1906	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
4121	BLOCK G	19TH FLOOR	G 1907	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
4122	BLOCK G	19TH FLOOR	G 1908	STUDIO - TYPE 1	19.37	1.44	9.20	32.79	5.67		
4123	BLOCK G	19TH FLOOR	G 1909	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
4124	BLOCK G	19TH FLOOR	G 1910	1B/1T	28.95	1.71	13.39	47.38	8.26		
4125	BLOCK G	19TH FLOOR	G 1911	1B/1T	28.95	1.71	13.27	47.38	8.18		
4126	BLOCK G	19TH FLOOR	G 1912	1B/1T	28.95	1.71	13.27	47.38	8.18		
4127	BLOCK G	19TH FLOOR	G 1913	1B/1T	28.95	1.71	13.27	47.38	8.18		
4128	BLOCK G	19TH FLOOR	G 1914	1B/1T	28.95	1.71	13.27	47.38	8.18		
4129	BLOCK G	19TH FLOOR	G 1915	1B/1T	28.95	1.71	13.39	47.38	8.26		
4130	BLOCK G	19TH FLOOR	G 1916	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		

4131	BLOCK G	19TH FLOOR	G 1917	STUDIO - TYPE 1	19.37	1.44	9.24	32.79	5.70		
4132	BLOCK G	19TH FLOOR	G 1918	1B/1T	28.95	1.71	13.37	47.38	8.24		
4133	BLOCK G	19TH FLOOR	G 1919	STUDIO - TYPE 1	19.32	1.37	9.24	32.79	5.69		
4134	BLOCK G	19TH FLOOR	G 1920	STUDIO - TYPE 2	19.37	1.44	9.26	32.79	5.71		
4135	BLOCK G	19TH FLOOR	G 1921	1B/1T	29.19	1.71	13.39	47.38	8.26		
4136	BLOCK G	19TH FLOOR	G 1922	STUDIO - TYPE 2	19.37	1.44	9.14	32.79	5.63		
4137	BLOCK G	19TH FLOOR	G 1923	STUDIO - TYPE 1	19.32	1.37	9.16	32.79	5.65		
4138	BLOCK G	19TH FLOOR	G 1924	STUDIO - TYPE 1	19.37	1.44	9.30	32.79	5.73		
4139	BLOCK G	19TH FLOOR	G 1925	STUDIO - TYPE 2	19.37	1.44	9.37	32.79	5.78		
4140	BLOCK H	19TH FLOOR	H 1901	3B/2T	51.61	3.16	23.44	82.86	14.45		
4141	BLOCK H	19TH FLOOR	H 1902	3B/2T	51.60	3.16	23.47	82.86	14.47		
4142	BLOCK H	19TH FLOOR	H 1903	3B/2T	51.60	3.16	23.47	82.86	14.47		
4143	BLOCK H	19TH FLOOR	H 1904	2B/1T	36.27	2.39	16.75	59.08	10.33		
4144	BLOCK H	19TH FLOOR	H 1905	2B/2T - R	49.68	2.95	22.52	79.61	13.89		
4145	BLOCK H	19TH FLOOR	H 1906	2B/1T	37.10	2.33	17.05	60.29	10.52		
4146	BLOCK H	19TH FLOOR	H 1907	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
4147	BLOCK H	19TH FLOOR	H 1908	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
4148	BLOCK H	19TH FLOOR	H 1909	2B/2T - C	41.83	2.88	19.13	67.54	11.79		
4149	BLOCK H	19TH FLOOR	H 1910	STUDIO - TYPE 1	19.37	1.44	9.27	32.79	5.72		
4150	BLOCK H	19TH FLOOR	H 1911	STUDIO - TYPE 2	19.37	1.44	9.27	32.79	5.72		
4151	BLOCK H	19TH FLOOR	H 1912	2B/2T - C	41.83	2.88	19.13	67.54	11.80		
4152	BLOCK H	19TH FLOOR	H 1913	2B/2T - C	41.83	2.88	19.12	67.54	11.79		
4153	BLOCK H	19TH FLOOR	H 1914	2B/2T - C	41.83	2.88	19.23	67.54	11.85		
4154	BLOCK H	19TH FLOOR	H 1915	2B/2T - R	49.67	2.95	22.49	79.61	13.87		
4155	BLOCK H	19TH FLOOR	H 1916	3B/2T	51.61	3.16	23.43	82.86	14.44		
4156	BLOCK H	19TH FLOOR	H 1917	3B/2T	51.60	3.16	23.43	82.86	14.45		
4157	BLOCK H	19TH FLOOR	H 1918	2B/1T	37.10	2.33	17.03	60.29	10.50		
4158	BLOCK H	19TH FLOOR	H 1919	2B/1T	36.27	2.39	16.73	59.08	10.32		
	BLOCK I	GROUND, 1ST, 2ND & 3RD	CLUB HOUSE	COMMERCIAL						22	
TOTAL									45482.89	790	390
GRAND TOTAL										1180	

"The project has 1180 car parks as per the approved layout plan. Since all the units in the project are less than 60 square meter, we are not allocating the car parks on a mandatory basis. The car parks will be allocated to those customers who want a reserved car park on a 'first-come-first-served basis'. If there are any car parks that are left out after the completion of the project and 100% unit allotment, those car parks will be handed over to the association. Apart from this 1150 car parks, another 30 car parks have been allocated for retail & club house "



ARVINDAN S ANAND

Regd. No: 17/35, II Main Road, Gandhi Nagar,

Adyar, CHENNAI - 600 020.

Adyar, CHENNAI - 600 020.

Our services go beyond



Buying & Selling Services

Property Buying Assistance, Property Selling Support, Market Price Analysis, Owner Outreach and Negotiation.



Legal & Documentation Services

Certified EC, Patta, legal opinions, property verification, due diligence, litigation solutions, and legal heir certificates.



Property Development & Approvals

Building plan approvals, construction, layout and sub-division approvals, zone conversion, and occupancy certification.



NRI & Investment Services

Escrow Services, Rentals, Litigation Solutions, Property Valuation and Property Management



Compliance & Special Services

Demolition, Vaasthu checks, regularization of unauthorized buildings, and office space solutions.

Smarter Tools, Stronger Decisions



Property Valuation & Cost Estimation

Guideline Value, Apartment Composite Value, Stamp Duty & Registration Fees Calculator, Building Value Calculator, Capital Gains Calculator, Area Unit Converter, Length Unit Converter



Ownership, Compliance & Legal Verification

Encumbrance Certificate (EC) Search, Find Your SRO, Temple Property Check, WAQF Property Check, View Patta/Chitta, View FMB, Patta Analyzer, EC Analyzer



Zoning & Land Use Analysis

Land Use Zone Finder, CRZ Zone Check, Aquifer Zone Check, CBA Check, EWS Check, Road Width Check, Proposed Road Widening Check, FSI Calculator



Property Documentation & Workflow Tools

Forms & Templates, Document Generator, Document Translation, Dictionary



Vastu & Property Management Tools

Home Vastu Shastra, Plot Vastu Shastra, Property Management



We're honored to be part of your
real estate journey

3/350/2 Mettukuppam,
OMR Thoraipakkam,
Chennai, India

hello@verified.realestate
+91 9996 12 9996
www.verified.realestate