Verified RealEstate™

Your trusted partner for buying, selling, and managing property, ensuring hassle-free service with 100% transparency.

3/350/2 Mettukuppam,
OMR Thoraipakkam,
Chennai, India

hello@verified.realestate
+91 9996 12 9996
www.verified.realestate

Official Property Record



Digitally Verified Record - Powered by Verified RealEstate™

ENCHANTED, THORAIPAKKAM - TNRERA CARPET AREA STATEMENT										11.02.2025		
Sl.No	Block	Floor	Flat No	Type	RERA Carpet area (sec 2(k)) (Sq.mt)	Exclusive balcony (Sq.mt)	Exclusive Verandah / Utility / Service / Open Terrace (Sq.mt)	Proportionate Common Area (Sq.mt)	Total area (Sq.mt)	UDS Land Area (Sq.mt)	Car Parking (Nos.)	
											Covered	Open
1	Tower – 1	1st Floor	1-A1	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
2	Tower – 1	1st Floor	1-B1	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
3	Tower – 1	1st Floor	1-C1	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
4	Tower – 1	1st Floor	1-D1	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
5	Tower – 1	1st Floor	1-E1	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
6	Tower – 1	2nd Floor	1-A2	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
7	Tower – 1	2nd Floor	1-B2	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
8	Tower – 1	2nd Floor	1-C2	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
9	Tower – 1	2nd Floor	1-D2	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
10	Tower – 1	2nd Floor	1-E2	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
11	Tower – 1	3rd Floor	1-A3	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
12	Tower – 1	3rd Floor	1-B3	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
13	Tower – 1	3rd Floor	1-C3	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
14	Tower – 1	3rd Floor	1-D3	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
15	Tower – 1	3rd Floor	1-E3	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
16	Tower – 1	4th Floor	1-A4	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
17	Tower – 1	4th Floor	1-B4	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
18	Tower – 1	4th Floor	1-C4	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
19	Tower – 1	4th Floor	1-D4	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
20	Tower – 1	4th Floor	1-E4	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
21	Tower – 1	5th Floor	1-A5	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
22	Tower – 1	5th Floor	1-B5	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
23	Tower – 1	5th Floor	1-C5	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
24	Tower – 1	5th Floor	1-D5	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
25	Tower – 1	5th Floor	1-E5	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
26	Tower – 1	6th Floor	1-A6	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
27	Tower – 1	6th Floor	1-B6	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
28	Tower – 1	6th Floor	1-C6	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
29	Tower – 1	6th Floor	1-D6	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
30	Tower – 1	6th Floor	1-E6	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
31	Tower – 1	7th Floor	1-A7	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
32	Tower – 1	7th Floor	1-B7	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
33	Tower – 1	7th Floor	1-C7	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
34	Tower – 1	7th Floor	1-D7	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
35	Tower – 1	7th Floor	1-E7	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
36	Tower – 1	8th Floor	1-A8	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
37	Tower – 1	8th Floor	1-B8	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
38	Tower – 1	8th Floor	1-C8	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
39	Tower – 1	8th Floor	1-D8	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
40	Tower – 1	8th Floor	1-E8	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
41	Tower – 1	9th Floor	1-A9	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
42	Tower – 1	9th Floor	1-B9	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
43	Tower – 1	9th Floor	1-C9	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	

44	Tower – 1	9th Floor	1-D9	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
45	Tower – 1	9th Floor	1-E9	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
46	Tower – 1	10th Floor	1-A10	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
47	Tower – 1	10th Floor	1-B10	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
48	Tower – 1	10th Floor	1-C10	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
49	Tower – 1	10th Floor	1-D10	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
50	Tower – 1	10th Floor	1-E10	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
51	Tower – 1	11th Floor	1-A11	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
52	Tower – 1	11th Floor	1-B11	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
53	Tower – 1	11th Floor	1-C11	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
54	Tower – 1	11th Floor	1-D11	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
55	Tower – 1	11th Floor	1-E11	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
56	Tower – 1	12th Floor	1-A12	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
57	Tower – 1	12th Floor	1-B12	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
58	Tower – 1	12th Floor	1-C12	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
59	Tower – 1	12th Floor	1-D12	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
60	Tower – 1	12th Floor	1-E12	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
61	Tower – 1	13th Floor	1-A13	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
62	Tower – 1	13th Floor	1-B13	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
63	Tower – 1	13th Floor	1-C13	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
64	Tower – 1	13th Floor	1-D13	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
65	Tower – 1	13th Floor	1-E13	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
66	Tower – 1	14th Floor	1-A14	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
67	Tower – 1	14th Floor	1-B14	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
68	Tower – 1	14th Floor	1-C14	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
69	Tower – 1	14th Floor	1-D14	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
70	Tower – 1	14th Floor	1-E14	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
71	Tower – 1	15th Floor	1-A15	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
72	Tower – 1	15th Floor	1-B15	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
73	Tower – 1	15th Floor	1-C15	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
74	Tower – 1	15th Floor	1-D15	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
75	Tower – 1	15th Floor	1-E15	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
76	Tower – 1	16th Floor	1-A16	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
77	Tower – 1	16th Floor	1-B16	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
78	Tower – 1	16th Floor	1-C16	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
79	Tower – 1	16th Floor	1-D16	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
80	Tower – 1	16th Floor	1-E16	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
81	Tower – 1	17th Floor	1-A17	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
82	Tower – 1	17th Floor	1-B17	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
83	Tower – 1	17th Floor	1-C17	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
84	Tower – 1	17th Floor	1-D17	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
85	Tower – 1	17th Floor	1-E17	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
86	Tower – 1	18th Floor	1-A18	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
87	Tower – 1	18th Floor	1-B18	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
88	Tower – 1	18th Floor	1-C18	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
89	Tower – 1	18th Floor	1-D18	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
90	Tower – 1	18th Floor	1-E18	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
91	Tower – 1	19th Floor	1-A19	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
92	Tower – 1	19th Floor	1-B19	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	

93	Tower – 1	19th Floor	1-C19	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
94	Tower – 1	19th Floor	1-D19	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
95	Tower – 1	19th Floor	1-E19	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
96	Tower – 1	20th Floor	1-A20	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
97	Tower – 1	20th Floor	1-B20	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
98	Tower – 1	20th Floor	1-C20	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
99	Tower – 1	20th Floor	1-D20	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
100	Tower – 1	20th Floor	1-E20	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
101	Tower – 1	21st Floor	1-A21	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
102	Tower – 1	21st Floor	1-B21	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
103	Tower – 1	21st Floor	1-C21	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
104	Tower – 1	21st Floor	1-D21	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
105	Tower – 1	21st Floor	1-E21	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
106	Tower – 1	22nd Floor	1-A22	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
107	Tower – 1	22nd Floor	1-B22	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
108	Tower – 1	22nd Floor	1-C22	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
109	Tower – 1	22nd Floor	1-D22	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
110	Tower – 1	22nd Floor	1-E22	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
111	Tower – 1	23rd Floor	1-A23	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
112	Tower – 1	23rd Floor	1-B23	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
113	Tower – 1	23rd Floor	1-C23	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
114	Tower – 1	23rd Floor	1-D23	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
115	Tower – 1	23rd Floor	1-E23	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
116	Tower – 1	24th Floor	1-A24	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
117	Tower – 1	24th Floor	1-B24	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
118	Tower – 1	24th Floor	1-C24	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
119	Tower – 1	24th Floor	1-D24	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
120	Tower – 1	24th Floor	1-E24	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
121	Tower – 1	25th Floor	1-A25	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
122	Tower – 1	25th Floor	1-B25	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
123	Tower – 1	25th Floor	1-C25	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
124	Tower – 1	25th Floor	1-D25	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
125	Tower – 1	25th Floor	1-E25	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
126	Tower – 1	26th Floor	1-A26	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
127	Tower – 1	26th Floor	1-B26	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
128	Tower – 1	26th Floor	1-C26	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
129	Tower – 1	26th Floor	1-D26	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
130	Tower – 1	26th Floor	1-E26	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
131	Tower – 1	27th Floor	1-A27	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
132	Tower – 1	27th Floor	1-B27	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
133	Tower – 1	27th Floor	1-C27	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
134	Tower – 1	27th Floor	1-D27	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
135	Tower – 1	27th Floor	1-E27	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
136	Tower – 1	28th Floor	1-A28	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
137	Tower – 1	28th Floor	1-B28	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
138	Tower – 1	28th Floor	1-C28	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
139	Tower – 1	28th Floor	1-D28	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
140	Tower – 1	28th Floor	1-E28	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
141	Tower – 1	29th Floor	1-A29	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	

142	Tower – 1	29th Floor	1-B29	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
143	Tower – 1	29th Floor	1-C29	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
144	Tower – 1	29th Floor	1-D29	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
145	Tower – 1	29th Floor	1-E29	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
146	Tower – 1	30th Floor	1-A30	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
147	Tower – 1	30th Floor	1-B30	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
148	Tower – 1	30th Floor	1-C30	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
149	Tower – 1	30th Floor	1-D30	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
150	Tower – 1	30th Floor	1-E30	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
151	Tower – 1	31st Floor	1-A31	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
152	Tower – 1	31st Floor	1-B31	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
153	Tower – 1	31st Floor	1-C31	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
154	Tower – 1	31st Floor	1-D31	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
155	Tower – 1	31st Floor	1-E31	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
156	Tower – 1	32nd Floor	1-A32	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
157	Tower – 1	32nd Floor	1-B32	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
158	Tower – 1	32nd Floor	1-C32	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
159	Tower – 1	32nd Floor	1-D32	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
160	Tower – 1	32nd Floor	1-E32	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
161	Tower – 1	33rd Floor	1-A33	3B + 3T	137.75	6.46	-	59.20	203.41	36.70	2	
162	Tower – 1	33rd Floor	1-B33	3B + 3T	122.19	4.96	-	52.36	179.51	32.39	1	
163	Tower – 1	33rd Floor	1-C33	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
164	Tower – 1	33rd Floor	1-D33	3B + 3T	132.15	4.72	-	55.02	191.88	34.62	2	
165	Tower – 1	33rd Floor	1-E33	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
Tower – 1 Sub Total					**21003.18**	**859.95**		**8956.63**	**30819.75**	**5561.16**	**231**	
166	Tower – 2	1st Floor	2-A1	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
167	Tower – 2	1st Floor	2-B1	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
168	Tower – 2	1st Floor	2-C1	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
169	Tower – 2	1st Floor	2-D1	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	1	
170	Tower – 2	1st Floor	2-E1	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
171	Tower – 2	2nd Floor	2-A2	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
172	Tower – 2	2nd Floor	2-B2	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
173	Tower – 2	2nd Floor	2-C2	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
174	Tower – 2	2nd Floor	2-D2	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	1	
175	Tower – 2	2nd Floor	2-E2	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
176	Tower – 2	3rd Floor	2-A3	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
177	Tower – 2	3rd Floor	2-B3	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
178	Tower – 2	3rd Floor	2-C3	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
179	Tower – 2	3rd Floor	2-D3	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	1	
180	Tower – 2	3rd Floor	2-E3	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
181	Tower – 2	4th Floor	2-A4	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
182	Tower – 2	4th Floor	2-B4	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
183	Tower – 2	4th Floor	2-C4	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
184	Tower – 2	4th Floor	2-D4	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	1	
185	Tower – 2	4th Floor	2-E4	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
186	Tower – 2	5th Floor	2-A5	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
187	Tower – 2	5th Floor	2-B5	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
188	Tower – 2	5th Floor	2-C5	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
189	Tower – 2	5th Floor	2-D5	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	1	

190	Tower – 2	5th Floor	2-E5	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
191	Tower – 2	6th Floor	2-A6	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
192	Tower – 2	6th Floor	2-B6	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
193	Tower – 2	6th Floor	2-C6	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
194	Tower – 2	6th Floor	2-D6	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	1	
195	Tower – 2	6th Floor	2-E6	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
196	Tower – 2	7th Floor	2-A7	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
197	Tower – 2	7th Floor	2-B7	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
198	Tower – 2	7th Floor	2-C7	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
199	Tower – 2	7th Floor	2-D7	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	1	
200	Tower – 2	7th Floor	2-E7	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
201	Tower – 2	8th Floor	2-A8	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
202	Tower – 2	8th Floor	2-B8	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
203	Tower – 2	8th Floor	2-C8	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
204	Tower – 2	8th Floor	2-D8	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	1	
205	Tower – 2	8th Floor	2-E8	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
206	Tower – 2	9th Floor	2-A9	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
207	Tower – 2	9th Floor	2-B9	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
208	Tower – 2	9th Floor	2-C9	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
209	Tower – 2	9th Floor	2-D9	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	1	
210	Tower – 2	9th Floor	2-E9	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
211	Tower – 2	10th Floor	2-A10	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
212	Tower – 2	10th Floor	2-B10	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
213	Tower – 2	10th Floor	2-C10	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
214	Tower – 2	10th Floor	2-D10	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
215	Tower – 2	10th Floor	2-E10	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
216	Tower – 2	11th Floor	2-A11	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
217	Tower – 2	11th Floor	2-B11	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
218	Tower – 2	11th Floor	2-C11	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
219	Tower – 2	11th Floor	2-D11	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
220	Tower – 2	11th Floor	2-E11	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
221	Tower – 2	12th Floor	2-A12	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
222	Tower – 2	12th Floor	2-B12	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
223	Tower – 2	12th Floor	2-C12	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
224	Tower – 2	12th Floor	2-D12	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
225	Tower – 2	12th Floor	2-E12	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
226	Tower – 2	13th Floor	2-A13	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
227	Tower – 2	13th Floor	2-B13	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
228	Tower – 2	13th Floor	2-C13	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
229	Tower – 2	13th Floor	2-D13	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
230	Tower – 2	13th Floor	2-E13	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
231	Tower – 2	14th Floor	2-A14	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
232	Tower – 2	14th Floor	2-B14	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
233	Tower – 2	14th Floor	2-C14	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
234	Tower – 2	14th Floor	2-D14	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
235	Tower – 2	14th Floor	2-E14	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
236	Tower – 2	15th Floor	2-A15	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
237	Tower – 2	15th Floor	2-B15	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
238	Tower – 2	15th Floor	2-C15	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	

239	Tower – 2	15th Floor	2-D15	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
240	Tower – 2	15th Floor	2-E15	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
241	Tower – 2	16th Floor	2-A16	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
242	Tower – 2	16th Floor	2-B16	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
243	Tower – 2	16th Floor	2-C16	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
244	Tower – 2	16th Floor	2-D16	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
245	Tower – 2	16th Floor	2-E16	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
246	Tower – 2	17th Floor	2-A17	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
247	Tower – 2	17th Floor	2-B17	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
248	Tower – 2	17th Floor	2-C17	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
249	Tower – 2	17th Floor	2-D17	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
250	Tower – 2	17th Floor	2-E17	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
251	Tower – 2	18th Floor	2-A18	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
252	Tower – 2	18th Floor	2-B18	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
253	Tower – 2	18th Floor	2-C18	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
254	Tower – 2	18th Floor	2-D18	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
255	Tower – 2	18th Floor	2-E18	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
256	Tower – 2	19th Floor	2-A19	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
257	Tower – 2	19th Floor	2-B19	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
258	Tower – 2	19th Floor	2-C19	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
259	Tower – 2	19th Floor	2-D19	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
260	Tower – 2	19th Floor	2-E19	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
261	Tower – 2	20th Floor	2-A20	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
262	Tower – 2	20th Floor	2-B20	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
263	Tower – 2	20th Floor	2-C20	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
264	Tower – 2	20th Floor	2-D20	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
265	Tower – 2	20th Floor	2-E20	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
266	Tower – 2	21st Floor	2-A21	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
267	Tower – 2	21st Floor	2-B21	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
268	Tower – 2	21st Floor	2-C21	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
269	Tower – 2	21st Floor	2-D21	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
270	Tower – 2	21st Floor	2-E21	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
271	Tower – 2	22nd Floor	2-A22	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
272	Tower – 2	22nd Floor	2-B22	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
273	Tower – 2	22nd Floor	2-C22	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
274	Tower – 2	22nd Floor	2-D22	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
275	Tower – 2	22nd Floor	2-E22	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
276	Tower – 2	23rd Floor	2-A23	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
277	Tower – 2	23rd Floor	2-B23	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
278	Tower – 2	23rd Floor	2-C23	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
279	Tower – 2	23rd Floor	2-D23	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
280	Tower – 2	23rd Floor	2-E23	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
281	Tower – 2	24th Floor	2-A24	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
282	Tower – 2	24th Floor	2-B24	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
283	Tower – 2	24th Floor	2-C24	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
284	Tower – 2	24th Floor	2-D24	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
285	Tower – 2	24th Floor	2-E24	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
286	Tower – 2	25th Floor	2-A25	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
287	Tower – 2	25th Floor	2-B25	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	

288	Tower – 2	25th Floor	2-C25	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
289	Tower – 2	25th Floor	2-D25	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
290	Tower – 2	25th Floor	2-E25	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
291	Tower – 2	26th Floor	2-A26	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
292	Tower – 2	26th Floor	2-B26	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
293	Tower – 2	26th Floor	2-C26	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
294	Tower – 2	26th Floor	2-D26	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
295	Tower – 2	26th Floor	2-E26	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
296	Tower – 2	27th Floor	2-A27	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
297	Tower – 2	27th Floor	2-B27	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
298	Tower – 2	27th Floor	2-C27	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
299	Tower – 2	27th Floor	2-D27	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
300	Tower – 2	27th Floor	2-E27	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
301	Tower – 2	28th Floor	2-A28	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
302	Tower – 2	28th Floor	2-B28	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
303	Tower – 2	28th Floor	2-C28	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
304	Tower – 2	28th Floor	2-D28	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
305	Tower – 2	28th Floor	2-E28	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
306	Tower – 2	29th Floor	2-A29	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
307	Tower – 2	29th Floor	2-B29	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
308	Tower – 2	29th Floor	2-C29	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
309	Tower – 2	29th Floor	2-D29	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
310	Tower – 2	29th Floor	2-E29	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
311	Tower – 2	30th Floor	2-A30	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
312	Tower – 2	30th Floor	2-B30	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
313	Tower – 2	30th Floor	2-C30	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
314	Tower – 2	30th Floor	2-D30	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
315	Tower – 2	30th Floor	2-E30	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
316	Tower – 2	31st Floor	2-A31	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
317	Tower – 2	31st Floor	2-B31	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
318	Tower – 2	31st Floor	2-C31	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
319	Tower – 2	31st Floor	2-D31	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
320	Tower – 2	31st Floor	2-E31	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
321	Tower – 2	32nd Floor	2-A32	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
322	Tower – 2	32nd Floor	2-B32	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
323	Tower – 2	32nd Floor	2-C32	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
324	Tower – 2	32nd Floor	2-D32	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
325	Tower – 2	32nd Floor	2-E32	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
326	Tower – 2	33rd Floor	2-A33	3B + 3T	139.75	5.13	-	61.40	206.28	37.22	2	
327	Tower – 2	33rd Floor	2-B33	3B + 3T	122.19	4.95	-	54.41	181.54	32.76	2	
328	Tower – 2	33rd Floor	2-C33	3B + 3T	132.01	4.95	-	57.46	194.42	35.08	2	
329	Tower – 2	33rd Floor	2-D33	3B + 3T	122.19	4.95	-	53.95	181.09	32.68	2	
330	Tower – 2	33rd Floor	2-E33	3B + 3T	122.08	4.95	-	53.61	180.64	32.59	1	
Tower – 2 Sub Total					**21060.70**	**822.76**		**9267.39**	**31150.85**	**5620.90**	**288**	
331	Tower – 3	1st Floor	3-A1	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
332	Tower – 3	1st Floor	3-B1	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
333	Tower – 3	1st Floor	3-C1	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
334	Tower – 3	1st Floor	3-D1	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
335	Tower – 3	1st Floor	3-E1	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	

336	Tower – 3	2nd Floor	3-A2	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
337	Tower – 3	2nd Floor	3-B2	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
338	Tower – 3	2nd Floor	3-C2	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
339	Tower – 3	2nd Floor	3-D2	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
340	Tower – 3	2nd Floor	3-E2	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
341	Tower – 3	3rd Floor	3-A3	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
342	Tower – 3	3rd Floor	3-B3	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
343	Tower – 3	3rd Floor	3-C3	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
344	Tower – 3	3rd Floor	3-D3	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
345	Tower – 3	3rd Floor	3-E3	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
346	Tower – 3	4th Floor	3-A4	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
347	Tower – 3	4th Floor	3-B4	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
348	Tower – 3	4th Floor	3-C4	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
349	Tower – 3	4th Floor	3-D4	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
350	Tower – 3	4th Floor	3-E4	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
351	Tower – 3	5th Floor	3-A5	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
352	Tower – 3	5th Floor	3-B5	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
353	Tower – 3	5th Floor	3-C5	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
354	Tower – 3	5th Floor	3-D5	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
355	Tower – 3	5th Floor	3-E5	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
356	Tower – 3	6th Floor	3-A6	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
357	Tower – 3	6th Floor	3-B6	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
358	Tower – 3	6th Floor	3-C6	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
359	Tower – 3	6th Floor	3-D6	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
360	Tower – 3	6th Floor	3-E6	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
361	Tower – 3	7th Floor	3-A7	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
362	Tower – 3	7th Floor	3-B7	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
363	Tower – 3	7th Floor	3-C7	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
364	Tower – 3	7th Floor	3-D7	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
365	Tower – 3	7th Floor	3-E7	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
366	Tower – 3	8th Floor	3-A8	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
367	Tower – 3	8th Floor	3-B8	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
368	Tower – 3	8th Floor	3-C8	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
369	Tower – 3	8th Floor	3-D8	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
370	Tower – 3	8th Floor	3-E8	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
371	Tower – 3	9th Floor	3-A9	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
372	Tower – 3	9th Floor	3-B9	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
373	Tower – 3	9th Floor	3-C9	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
374	Tower – 3	9th Floor	3-D9	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
375	Tower – 3	9th Floor	3-E9	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
376	Tower – 3	10th Floor	3-A10	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
377	Tower – 3	10th Floor	3-B10	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
378	Tower – 3	10th Floor	3-C10	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
379	Tower – 3	10th Floor	3-D10	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
380	Tower – 3	10th Floor	3-E10	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
381	Tower – 3	11th Floor	3-A11	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
382	Tower – 3	11th Floor	3-B11	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
383	Tower – 3	11th Floor	3-C11	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
384	Tower – 3	11th Floor	3-D11	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	

385	Tower – 3	11th Floor	3-E11	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
386	Tower – 3	12th Floor	3-A12	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
387	Tower – 3	12th Floor	3-B12	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
388	Tower – 3	12th Floor	3-C12	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
389	Tower – 3	12th Floor	3-D12	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
390	Tower – 3	12th Floor	3-E12	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
391	Tower – 3	13th Floor	3-A13	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
392	Tower – 3	13th Floor	3-B13	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
393	Tower – 3	13th Floor	3-C13	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
394	Tower – 3	13th Floor	3-D13	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
395	Tower – 3	13th Floor	3-E13	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
396	Tower – 3	14th Floor	3-A14	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
397	Tower – 3	14th Floor	3-B14	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
398	Tower – 3	14th Floor	3-C14	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
399	Tower – 3	14th Floor	3-D14	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
400	Tower – 3	14th Floor	3-E14	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
401	Tower – 3	15th Floor	3-A15	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
402	Tower – 3	15th Floor	3-B15	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
403	Tower – 3	15th Floor	3-C15	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
404	Tower – 3	15th Floor	3-D15	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
405	Tower – 3	15th Floor	3-E15	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
406	Tower – 3	16th Floor	3-A16	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
407	Tower – 3	16th Floor	3-B16	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
408	Tower – 3	16th Floor	3-C16	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
409	Tower – 3	16th Floor	3-D16	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
410	Tower – 3	16th Floor	3-E16	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
411	Tower – 3	17th Floor	3-A17	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
412	Tower – 3	17th Floor	3-B17	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
413	Tower – 3	17th Floor	3-C17	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
414	Tower – 3	17th Floor	3-D17	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
415	Tower – 3	17th Floor	3-E17	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
416	Tower – 3	18th Floor	3-A18	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
417	Tower – 3	18th Floor	3-B18	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
418	Tower – 3	18th Floor	3-C18	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
419	Tower – 3	18th Floor	3-D18	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
420	Tower – 3	18th Floor	3-E18	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
421	Tower – 3	19th Floor	3-A19	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
422	Tower – 3	19th Floor	3-B19	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
423	Tower – 3	19th Floor	3-C19	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
424	Tower – 3	19th Floor	3-D19	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
425	Tower – 3	19th Floor	3-E19	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
426	Tower – 3	20th Floor	3-A20	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
427	Tower – 3	20th Floor	3-B20	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
428	Tower – 3	20th Floor	3-C20	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
429	Tower – 3	20th Floor	3-D20	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
430	Tower – 3	20th Floor	3-E20	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
431	Tower – 3	21st Floor	3-A21	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
432	Tower – 3	21st Floor	3-B21	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
433	Tower – 3	21st Floor	3-C21	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	

434	Tower – 3	21st Floor	3-D21	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
435	Tower – 3	21st Floor	3-E21	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
436	Tower – 3	22nd Floor	3-A22	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
437	Tower – 3	22nd Floor	3-B22	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
438	Tower – 3	22nd Floor	3-C22	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
439	Tower – 3	22nd Floor	3-D22	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
440	Tower – 3	22nd Floor	3-E22	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
441	Tower – 3	23rd Floor	3-A23	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
442	Tower – 3	23rd Floor	3-B23	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
443	Tower – 3	23rd Floor	3-C23	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
444	Tower – 3	23rd Floor	3-D23	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
445	Tower – 3	23rd Floor	3-E23	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
446	Tower – 3	24th Floor	3-A24	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
447	Tower – 3	24th Floor	3-B24	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
448	Tower – 3	24th Floor	3-C24	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
449	Tower – 3	24th Floor	3-D24	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
450	Tower – 3	24th Floor	3-E24	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
451	Tower – 3	25th Floor	3-A25	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
452	Tower – 3	25th Floor	3-B25	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
453	Tower – 3	25th Floor	3-C25	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
454	Tower – 3	25th Floor	3-D25	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
455	Tower – 3	25th Floor	3-E25	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
456	Tower – 3	26th Floor	3-A26	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
457	Tower – 3	26th Floor	3-B26	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
458	Tower – 3	26th Floor	3-C26	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
459	Tower – 3	26th Floor	3-D26	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
460	Tower – 3	26th Floor	3-E26	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
461	Tower – 3	27th Floor	3-A27	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
462	Tower – 3	27th Floor	3-B27	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
463	Tower – 3	27th Floor	3-C27	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
464	Tower – 3	27th Floor	3-D27	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
465	Tower – 3	27th Floor	3-E27	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
466	Tower – 3	28th Floor	3-A28	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
467	Tower – 3	28th Floor	3-B28	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
468	Tower – 3	28th Floor	3-C28	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
469	Tower – 3	28th Floor	3-D28	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
470	Tower – 3	28th Floor	3-E28	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
471	Tower – 3	29th Floor	3-A29	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
472	Tower – 3	29th Floor	3-B29	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
473	Tower – 3	29th Floor	3-C29	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
474	Tower – 3	29th Floor	3-D29	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
475	Tower – 3	29th Floor	3-E29	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
476	Tower – 3	30th Floor	3-A30	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
477	Tower – 3	30th Floor	3-B30	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
478	Tower – 3	30th Floor	3-C30	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
479	Tower – 3	30th Floor	3-D30	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
480	Tower – 3	30th Floor	3-E30	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
481	Tower – 3	31st Floor	3-A31	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
482	Tower – 3	31st Floor	3-B31	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	

483	Tower – 3	31st Floor	3-C31	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
484	Tower – 3	31st Floor	3-D31	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
485	Tower – 3	31st Floor	3-E31	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
486	Tower – 3	32nd Floor	3-A32	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
487	Tower – 3	32nd Floor	3-B32	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
488	Tower – 3	32nd Floor	3-C32	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
489	Tower – 3	32nd Floor	3-D32	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
490	Tower – 3	32nd Floor	3-E32	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
491	Tower – 3	33rd Floor	3-A33	3B + 3T	139.85	7.55	-	59.58	206.98	37.35	2	
492	Tower – 3	33rd Floor	3-B33	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
493	Tower – 3	33rd Floor	3-C33	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
494	Tower – 3	33rd Floor	3-D33	3B + 3T	132.34	4.58	-	54.96	191.88	34.62	2	
495	Tower – 3	33rd Floor	3-E33	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
	Tower – 3 Sub Total				**21078.85**	**891.30**		**8969.20**	**30939.34**	**5582.74**	**231**	
496	Tower – 4	3rd Floor	4-A3	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
497	Tower – 4	3rd Floor	4-B3	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
498	Tower – 4	3rd Floor	4-C3	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
499	Tower – 4	3rd Floor	4-D3	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
500	Tower – 4	3rd Floor	4-E3	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
501	Tower – 4	4th Floor	4-A4	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
502	Tower – 4	4th Floor	4-B4	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
503	Tower – 4	4th Floor	4-C4	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
504	Tower – 4	4th Floor	4-D4	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
505	Tower – 4	4th Floor	4-E4	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
506	Tower – 4	5th Floor	4-A5	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
507	Tower – 4	5th Floor	4-B5	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
508	Tower – 4	5th Floor	4-C5	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
509	Tower – 4	5th Floor	4-D5	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
510	Tower – 4	5th Floor	4-E5	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
511	Tower – 4	6th Floor	4-A6	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
512	Tower – 4	6th Floor	4-B6	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
513	Tower – 4	6th Floor	4-C6	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
514	Tower – 4	6th Floor	4-D6	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
515	Tower – 4	6th Floor	4-E6	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
516	Tower – 4	7th Floor	4-A7	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
517	Tower – 4	7th Floor	4-B7	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
518	Tower – 4	7th Floor	4-C7	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
519	Tower – 4	7th Floor	4-D7	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
520	Tower – 4	7th Floor	4-E7	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
521	Tower – 4	8th Floor	4-A8	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
522	Tower – 4	8th Floor	4-B8	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
523	Tower – 4	8th Floor	4-C8	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
524	Tower – 4	8th Floor	4-D8	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
525	Tower – 4	8th Floor	4-E8	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
526	Tower – 4	9th Floor	4-A9	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
527	Tower – 4	9th Floor	4-B9	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
528	Tower – 4	9th Floor	4-C9	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
529	Tower – 4	9th Floor	4-D9	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
530	Tower – 4	9th Floor	4-E9	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	

531	Tower – 4	10th Floor	4-A10	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
532	Tower – 4	10th Floor	4-B10	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
533	Tower – 4	10th Floor	4-C10	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
534	Tower – 4	10th Floor	4-D10	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
535	Tower – 4	10th Floor	4-E10	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
536	Tower – 4	11th Floor	4-A11	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
537	Tower – 4	11th Floor	4-B11	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
538	Tower – 4	11th Floor	4-C11	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
539	Tower – 4	11th Floor	4-D11	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
540	Tower – 4	11th Floor	4-E11	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
541	Tower – 4	12th Floor	4-A12	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
542	Tower – 4	12th Floor	4-B12	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
543	Tower – 4	12th Floor	4-C12	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
544	Tower – 4	12th Floor	4-D12	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
545	Tower – 4	12th Floor	4-E12	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
546	Tower – 4	13th Floor	4-A13	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
547	Tower – 4	13th Floor	4-B13	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
548	Tower – 4	13th Floor	4-C13	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
549	Tower – 4	13th Floor	4-D13	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
550	Tower – 4	13th Floor	4-E13	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
551	Tower – 4	14th Floor	4-A14	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
552	Tower – 4	14th Floor	4-B14	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
553	Tower – 4	14th Floor	4-C14	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
554	Tower – 4	14th Floor	4-D14	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
555	Tower – 4	14th Floor	4-E14	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
556	Tower – 4	15th Floor	4-A15	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
557	Tower – 4	15th Floor	4-B15	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
558	Tower – 4	15th Floor	4-C15	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
559	Tower – 4	15th Floor	4-D15	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
560	Tower – 4	15th Floor	4-E15	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
561	Tower – 4	16th Floor	4-A16	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
562	Tower – 4	16th Floor	4-B16	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
563	Tower – 4	16th Floor	4-C16	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
564	Tower – 4	16th Floor	4-D16	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
565	Tower – 4	16th Floor	4-E16	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
566	Tower – 4	17th Floor	4-A17	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
567	Tower – 4	17th Floor	4-B17	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
568	Tower – 4	17th Floor	4-C17	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
569	Tower – 4	17th Floor	4-D17	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
570	Tower – 4	17th Floor	4-E17	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
571	Tower – 4	18th Floor	4-A18	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
572	Tower – 4	18th Floor	4-B18	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
573	Tower – 4	18th Floor	4-C18	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
574	Tower – 4	18th Floor	4-D18	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
575	Tower – 4	18th Floor	4-E18	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
576	Tower – 4	19th Floor	4-A19	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
577	Tower – 4	19th Floor	4-B19	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
578	Tower – 4	19th Floor	4-C19	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
579	Tower – 4	19th Floor	4-D19	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	

580	Tower – 4	19th Floor	4-E19	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
581	Tower – 4	20th Floor	4-A20	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
582	Tower – 4	20th Floor	4-B20	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
583	Tower – 4	20th Floor	4-C20	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
584	Tower – 4	20th Floor	4-D20	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
585	Tower – 4	20th Floor	4-E20	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
586	Tower – 4	21st Floor	4-A21	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
587	Tower – 4	21st Floor	4-B21	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
588	Tower – 4	21st Floor	4-C21	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
589	Tower – 4	21st Floor	4-D21	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
590	Tower – 4	21st Floor	4-E21	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
591	Tower – 4	22nd Floor	4-A22	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
592	Tower – 4	22nd Floor	4-B22	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
593	Tower – 4	22nd Floor	4-C22	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
594	Tower – 4	22nd Floor	4-D22	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
595	Tower – 4	22nd Floor	4-E22	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
596	Tower – 4	23rd Floor	4-A23	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
597	Tower – 4	23rd Floor	4-B23	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
598	Tower – 4	23rd Floor	4-C23	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
599	Tower – 4	23rd Floor	4-D23	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
600	Tower – 4	23rd Floor	4-E23	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
601	Tower – 4	24th Floor	4-A24	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
602	Tower – 4	24th Floor	4-B24	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
603	Tower – 4	24th Floor	4-C24	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
604	Tower – 4	24th Floor	4-D24	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
605	Tower – 4	24th Floor	4-E24	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
606	Tower – 4	25th Floor	4-A25	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
607	Tower – 4	25th Floor	4-B25	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
608	Tower – 4	25th Floor	4-C25	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
609	Tower – 4	25th Floor	4-D25	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
610	Tower – 4	25th Floor	4-E25	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
611	Tower – 4	26th Floor	4-A26	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
612	Tower – 4	26th Floor	4-B26	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
613	Tower – 4	26th Floor	4-C26	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
614	Tower – 4	26th Floor	4-D26	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
615	Tower – 4	26th Floor	4-E26	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
616	Tower – 4	27th Floor	4-A27	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
617	Tower – 4	27th Floor	4-B27	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
618	Tower – 4	27th Floor	4-C27	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
619	Tower – 4	27th Floor	4-D27	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
620	Tower – 4	27th Floor	4-E27	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
621	Tower – 4	28th Floor	4-A28	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
622	Tower – 4	28th Floor	4-B28	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
623	Tower – 4	28th Floor	4-C28	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
624	Tower – 4	28th Floor	4-D28	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
625	Tower – 4	28th Floor	4-E28	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
626	Tower – 4	29th Floor	4-A29	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
627	Tower – 4	29th Floor	4-B29	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
628	Tower – 4	29th Floor	4-C29	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	

629	Tower – 4	29th Floor	4-D29	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
630	Tower – 4	29th Floor	4-E29	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
631	Tower – 4	30th Floor	4-A30	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
632	Tower – 4	30th Floor	4-B30	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
633	Tower – 4	30th Floor	4-C30	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
634	Tower – 4	30th Floor	4-D30	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
635	Tower – 4	30th Floor	4-E30	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
636	Tower – 4	31st Floor	4-A31	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
637	Tower – 4	31st Floor	4-B31	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
638	Tower – 4	31st Floor	4-C31	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
639	Tower – 4	31st Floor	4-D31	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
640	Tower – 4	31st Floor	4-E31	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
641	Tower – 4	32nd Floor	4-A32	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
642	Tower – 4	32nd Floor	4-B32	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
643	Tower – 4	32nd Floor	4-C32	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	
644	Tower – 4	32nd Floor	4-D32	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
645	Tower – 4	32nd Floor	4-E32	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
646	Tower – 4	33rd Floor	4-A33	3B + 3T	142.18	7.82	-	63.87	213.87	38.59	2	
647	Tower – 4	33rd Floor	4-B33	3B + 3T	122.19	4.96	-	52.42	179.56	32.40	1	
648	Tower – 4	33rd Floor	4-C33	3B + 3T	143.30	7.95	-	64.85	216.10	38.99	2	1
649	Tower – 4	33rd Floor	4-D33	3B + 3T	121.24	4.96	-	53.42	179.62	32.41	1	
650	Tower – 4	33rd Floor	4-E33	3B + 3T	121.31	4.96	-	53.30	179.56	32.40	1	
Tower – 4 Sub Total					**20156.79**	**950.09**		**8923.54**	**30030.41**	**5418.73**	**217**	**1**
651	Tower – 5	1st Floor	5-A1	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
652	Tower – 5	1st Floor	5-B1	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
653	Tower – 5	1st Floor	5-C1	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
654	Tower – 5	2nd Floor	5-A2	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
655	Tower – 5	2nd Floor	5-B2	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
656	Tower – 5	2nd Floor	5-C2	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
657	Tower – 5	2nd Floor	5-D2	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
658	Tower – 5	3rd Floor	5-A3	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
659	Tower – 5	3rd Floor	5-B3	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
660	Tower – 5	3rd Floor	5-C3	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
661	Tower – 5	3rd Floor	5-D3	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
662	Tower – 5	4th Floor	5-A4	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
663	Tower – 5	4th Floor	5-B4	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
664	Tower – 5	4th Floor	5-C4	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
665	Tower – 5	4th Floor	5-D4	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
666	Tower – 5	5th Floor	5-A5	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
667	Tower – 5	5th Floor	5-B5	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
668	Tower – 5	5th Floor	5-C5	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
669	Tower – 5	5th Floor	5-D5	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
670	Tower – 5	6th Floor	5-A6	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
671	Tower – 5	6th Floor	5-B6	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
672	Tower – 5	6th Floor	5-C6	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
673	Tower – 5	6th Floor	5-D6	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
674	Tower – 5	7th Floor	5-A7	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
675	Tower – 5	7th Floor	5-B7	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
676	Tower – 5	7th Floor	5-C7	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1

677	Tower – 5	7th Floor	5-D7	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
678	Tower – 5	8th Floor	5-A8	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
679	Tower – 5	8th Floor	5-B8	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
680	Tower – 5	8th Floor	5-C8	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
681	Tower – 5	8th Floor	5-D8	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
682	Tower – 5	9th Floor	5-A9	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
683	Tower – 5	9th Floor	5-B9	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
684	Tower – 5	9th Floor	5-C9	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
685	Tower – 5	9th Floor	5-D9	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
686	Tower – 5	10th Floor	5-A10	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
687	Tower – 5	10th Floor	5-B10	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
688	Tower – 5	10th Floor	5-C10	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
689	Tower – 5	10th Floor	5-D10	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
690	Tower – 5	11th Floor	5-A11	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
691	Tower – 5	11th Floor	5-B11	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
692	Tower – 5	11th Floor	5-C11	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
693	Tower – 5	11th Floor	5-D11	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
694	Tower – 5	12th Floor	5-A12	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
695	Tower – 5	12th Floor	5-B12	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
696	Tower – 5	12th Floor	5-C12	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
697	Tower – 5	12th Floor	5-D12	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
698	Tower – 5	13th Floor	5-A13	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
699	Tower – 5	13th Floor	5-B13	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
700	Tower – 5	13th Floor	5-C13	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
701	Tower – 5	13th Floor	5-D13	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
702	Tower – 5	14th Floor	5-A14	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
703	Tower – 5	14th Floor	5-B14	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
704	Tower – 5	14th Floor	5-C14	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
705	Tower – 5	14th Floor	5-D14	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
706	Tower – 5	15th Floor	5-A15	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
707	Tower – 5	15th Floor	5-B15	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
708	Tower – 5	15th Floor	5-C15	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
709	Tower – 5	15th Floor	5-D15	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
710	Tower – 5	16th Floor	5-A16	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
711	Tower – 5	16th Floor	5-B16	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
712	Tower – 5	16th Floor	5-C16	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
713	Tower – 5	16th Floor	5-D16	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
714	Tower – 5	17th Floor	5-A17	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
715	Tower – 5	17th Floor	5-B17	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
716	Tower – 5	17th Floor	5-C17	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
717	Tower – 5	17th Floor	5-D17	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
718	Tower – 5	18th Floor	5-A18	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
719	Tower – 5	18th Floor	5-B18	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
720	Tower – 5	18th Floor	5-C18	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
721	Tower – 5	18th Floor	5-D18	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
722	Tower – 5	19th Floor	5-A19	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
723	Tower – 5	19th Floor	5-B19	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
724	Tower – 5	19th Floor	5-C19	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
725	Tower – 5	19th Floor	5-D19	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	

726	Tower – 5	20th Floor	5-A20	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
727	Tower – 5	20th Floor	5-B20	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
728	Tower – 5	20th Floor	5-C20	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
729	Tower – 5	20th Floor	5-D20	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
730	Tower – 5	21st Floor	5-A21	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
731	Tower – 5	21st Floor	5-B21	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
732	Tower – 5	21st Floor	5-C21	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
733	Tower – 5	21st Floor	5-D21	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
734	Tower – 5	22nd Floor	5-A22	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
735	Tower – 5	22nd Floor	5-B22	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
736	Tower – 5	22nd Floor	5-C22	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	2	1
737	Tower – 5	22nd Floor	5-D22	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
738	Tower – 5	23rd Floor	5-A23	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
739	Tower – 5	23rd Floor	5-B23	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	2	1
740	Tower – 5	23rd Floor	5-C23	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	3	
741	Tower – 5	23rd Floor	5-D23	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
742	Tower – 5	24th Floor	5-A24	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
743	Tower – 5	24th Floor	5-B24	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	3	
744	Tower – 5	24th Floor	5-C24	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	3	
745	Tower – 5	24th Floor	5-D24	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
746	Tower – 5	25th Floor	5-A25	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
747	Tower – 5	25th Floor	5-B25	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	3	
748	Tower – 5	25th Floor	5-C25	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	3	
749	Tower – 5	25th Floor	5-D25	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
750	Tower – 5	26th Floor	5-A26	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
751	Tower – 5	26th Floor	5-B26	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	3	
752	Tower – 5	26th Floor	5-C26	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	3	
753	Tower – 5	26th Floor	5-D26	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
754	Tower – 5	27th Floor	5-A27	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
755	Tower – 5	27th Floor	5-B27	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	3	
756	Tower – 5	27th Floor	5-C27	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	3	
757	Tower – 5	27th Floor	5-D27	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
758	Tower – 5	28th Floor	5-A28	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
759	Tower – 5	28th Floor	5-B28	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	3	
760	Tower – 5	28th Floor	5-C28	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	3	
761	Tower – 5	28th Floor	5-D28	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
762	Tower – 5	29th Floor	5-A29	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
763	Tower – 5	29th Floor	5-B29	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	3	
764	Tower – 5	29th Floor	5-C29	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	3	
765	Tower – 5	29th Floor	5-D29	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
766	Tower – 5	30th Floor	5-A30	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
767	Tower – 5	30th Floor	5-B30	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	3	
768	Tower – 5	30th Floor	5-C30	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	3	
769	Tower – 5	30th Floor	5-D30	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
770	Tower – 5	31st Floor	5-A31	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	
771	Tower – 5	31st Floor	5-B31	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	3	
772	Tower – 5	31st Floor	5-C31	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	3	
773	Tower – 5	31st Floor	5-D31	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
774	Tower – 5	32nd Floor	5-A32	4B + 4T	183.07	12.85	-	78.08	274.00	49.44	3	

775	Tower – 5	32nd Floor	5-B32	4B + 4T	184.69	10.23	-	76.89	271.82	49.05	3	
776	Tower – 5	32nd Floor	5-C32	4B + 4T	185.16	10.23	-	76.41	271.80	49.04	3	
777	Tower – 5	32nd Floor	5-D32	4B + 4T	194.36	15.03	-	84.67	294.07	53.06	3	
Tower – 5 Sub Total					**23718.50**	**1532.11**		**10029.14**	**35279.75**	**6365.93**	**336**	**45**
778	Tower – 6	1st Floor	6-B1	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
779	Tower – 6	1st Floor	6-C1	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
780	Tower – 6	1st Floor	6-D1	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
781	Tower – 6	2nd Floor	6-A2	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
782	Tower – 6	2nd Floor	6-B2	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
783	Tower – 6	2nd Floor	6-C2	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
784	Tower – 6	2nd Floor	6-D2	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
785	Tower – 6	3rd Floor	6-A3	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
786	Tower – 6	3rd Floor	6-B3	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
787	Tower – 6	3rd Floor	6-C3	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
788	Tower – 6	3rd Floor	6-D3	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
789	Tower – 6	4th Floor	6-A4	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
790	Tower – 6	4th Floor	6-B4	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
791	Tower – 6	4th Floor	6-C4	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
792	Tower – 6	4th Floor	6-D4	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
793	Tower – 6	5th Floor	6-A5	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
794	Tower – 6	5th Floor	6-B5	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
795	Tower – 6	5th Floor	6-C5	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
796	Tower – 6	5th Floor	6-D5	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
797	Tower – 6	6th Floor	6-A6	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
798	Tower – 6	6th Floor	6-B6	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
799	Tower – 6	6th Floor	6-C6	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
800	Tower – 6	6th Floor	6-D6	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
801	Tower – 6	7th Floor	6-A7	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
802	Tower – 6	7th Floor	6-B7	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
803	Tower – 6	7th Floor	6-C7	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
804	Tower – 6	7th Floor	6-D7	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
805	Tower – 6	8th Floor	6-A8	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
806	Tower – 6	8th Floor	6-B8	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
807	Tower – 6	8th Floor	6-C8	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
808	Tower – 6	8th Floor	6-D8	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
809	Tower – 6	9th Floor	6-A9	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
810	Tower – 6	9th Floor	6-B9	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
811	Tower – 6	9th Floor	6-C9	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
812	Tower – 6	9th Floor	6-D9	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
813	Tower – 6	10th Floor	6-A10	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
814	Tower – 6	10th Floor	6-B10	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
815	Tower – 6	10th Floor	6-C10	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
816	Tower – 6	10th Floor	6-D10	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
817	Tower – 6	11th Floor	6-A11	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
818	Tower – 6	11th Floor	6-B11	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
819	Tower – 6	11th Floor	6-C11	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
820	Tower – 6	11th Floor	6-D11	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
821	Tower – 6	12th Floor	6-A12	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
822	Tower – 6	12th Floor	6-B12	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	

823	Tower – 6	12th Floor	6-C12	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
824	Tower – 6	12th Floor	6-D12	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
825	Tower – 6	13th Floor	6-A13	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
826	Tower – 6	13th Floor	6-B13	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
827	Tower – 6	13th Floor	6-C13	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
828	Tower – 6	13th Floor	6-D13	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
829	Tower – 6	14th Floor	6-A14	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
830	Tower – 6	14th Floor	6-B14	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
831	Tower – 6	14th Floor	6-C14	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
832	Tower – 6	14th Floor	6-D14	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
833	Tower – 6	15th Floor	6-A15	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
834	Tower – 6	15th Floor	6-B15	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
835	Tower – 6	15th Floor	6-C15	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
836	Tower – 6	15th Floor	6-D15	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
837	Tower – 6	16th Floor	6-A16	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
838	Tower – 6	16th Floor	6-B16	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
839	Tower – 6	16th Floor	6-C16	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
840	Tower – 6	16th Floor	6-D16	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
841	Tower – 6	17th Floor	6-A17	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
842	Tower – 6	17th Floor	6-B17	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
843	Tower – 6	17th Floor	6-C17	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
844	Tower – 6	17th Floor	6-D17	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
845	Tower – 6	18th Floor	6-A18	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
846	Tower – 6	18th Floor	6-B18	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
847	Tower – 6	18th Floor	6-C18	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
848	Tower – 6	18th Floor	6-D18	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
849	Tower – 6	19th Floor	6-A19	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
850	Tower – 6	19th Floor	6-B19	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
851	Tower – 6	19th Floor	6-C19	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
852	Tower – 6	19th Floor	6-D19	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
853	Tower – 6	20th Floor	6-A20	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
854	Tower – 6	20th Floor	6-B20	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
855	Tower – 6	20th Floor	6-C20	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
856	Tower – 6	20th Floor	6-D20	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
857	Tower – 6	21st Floor	6-A21	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
858	Tower – 6	21st Floor	6-B21	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
859	Tower – 6	21st Floor	6-C21	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
860	Tower – 6	21st Floor	6-D21	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
861	Tower – 6	22nd Floor	6-A22	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
862	Tower – 6	22nd Floor	6-B22	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
863	Tower – 6	22nd Floor	6-C22	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
864	Tower – 6	22nd Floor	6-D22	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
865	Tower – 6	23rd Floor	6-A23	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
866	Tower – 6	23rd Floor	6-B23	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
867	Tower – 6	23rd Floor	6-C23	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
868	Tower – 6	23rd Floor	6-D23	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
869	Tower – 6	24th Floor	6-A24	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
870	Tower – 6	24th Floor	6-B24	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
871	Tower – 6	24th Floor	6-C24	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	

872	Tower – 6	24th Floor	6-D24	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
873	Tower – 6	25th Floor	6-A25	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
874	Tower – 6	25th Floor	6-B25	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
875	Tower – 6	25th Floor	6-C25	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
876	Tower – 6	25th Floor	6-D25	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
877	Tower – 6	26th Floor	6-A26	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
878	Tower – 6	26th Floor	6-B26	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
879	Tower – 6	26th Floor	6-C26	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
880	Tower – 6	26th Floor	6-D26	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
881	Tower – 6	27th Floor	6-A27	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
882	Tower – 6	27th Floor	6-B27	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
883	Tower – 6	27th Floor	6-C27	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
884	Tower – 6	27th Floor	6-D27	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
885	Tower – 6	28th Floor	6-A28	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
886	Tower – 6	28th Floor	6-B28	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
887	Tower – 6	28th Floor	6-C28	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
888	Tower – 6	28th Floor	6-D28	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
889	Tower – 6	29th Floor	6-A29	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
890	Tower – 6	29th Floor	6-B29	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
891	Tower – 6	29th Floor	6-C29	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
892	Tower – 6	29th Floor	6-D29	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
893	Tower – 6	30th Floor	6-A30	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
894	Tower – 6	30th Floor	6-B30	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
895	Tower – 6	30th Floor	6-C30	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
896	Tower – 6	30th Floor	6-D30	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
897	Tower – 6	31st Floor	6-A31	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
898	Tower – 6	31st Floor	6-B31	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
899	Tower – 6	31st Floor	6-C31	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
900	Tower – 6	31st Floor	6-D31	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
901	Tower – 6	32nd Floor	6-A32	4B + 4T	198.24	8.76	-	85.69	292.69	52.81	3	
902	Tower – 6	32nd Floor	6-B32	4B + 4T	184.66	10.08	-	78.39	273.13	49.28	3	
903	Tower – 6	32nd Floor	6-C32	4B + 4T	185.16	10.23	-	77.63	273.01	49.26	3	
904	Tower – 6	32nd Floor	6-D32	4B + 4T	195.31	7.12	-	82.34	284.77	51.38	3	
	Tower – 6 Sub Total				**24229.41**	**1149.57**		**10283.83**	**35662.81**	**6435.05**	**381**	
	Grand Total				**131247.42**	**6205.77**		**56429.73**	**193882.92**	**34984.52**	**1684**	**46**

Total No.of Open Car Park - Commercial	***76***
Total No Of Carparks for Visitor & PC	***116***
Total Car Park as per CMDA	**1922**

TOTAL SITE EXTENT	40745.10 Sq.mtr
AREA GIFTED TOWARDS O.S.R AREA	3704.10 Sq.mtr
AREA RESERVED TOWARDS SUB STATION LAND	404.47 Sq.mtr
Balance Land Area	**36636.53 Sq.mtr**

TOTAL SITE EXTENT	40745.10 Sq.mtr
O.S. R AREA	3704.10 Sq.mtr
SUB STATION LAND	404.47 Sq.mtr
TOTAL UDS	**36636.53 Sq.mtr**
Residential UDS	34984.52 Sq.mtr
Commercial UDS	1652.01 Sq.mtr
TOTAL SALEABLE AREA	**203038.31 Sq.mtr**
Residential Saleable Area	193882.92 Sq.mtr
Commercial Saleable Area	9155.39 Sq.mtr
UDS Ratio %	**18.04%**

Total No.of Covered Car Park - Residential	***1684***
Total No.of Open Car Park - Residential	***46***
Total No.of Open Car Park - Commercial	***76***
Total No Of Carparks for Visitor & PC	***116***
Total Car Park as per CMDA	***1922***

Commercial Space				
	Saleable Area	**UDS**	**Tower**	
	Sq.m	**Sq.m**		
Hyper Market	4685.34	845.428	**Tower 2, Tower4, Tower 6**	**Stilt level**
Retail Space	4470.06	806.582		
Total	***9155.39***	***1652.01***		

THE FOLLOWING COMMON AMENITIES TO BE HANDED OVER TO ASSOCIATION
First Floor - Indoor Games, Minitheatre, GYM,Function hall, Swimming Pool,Business Centre
Second Floor - Association Room, Sauna & Massage Room

Our services go beyond

Buying & Selling Services

Property Buying Assistance, Property Selling Support, Market Price Analysis, Owner Outreach and Negotiation.

Legal & Documentation Services

Certified EC, Patta, legal opinions, property verification, due diligence, litigation solutions, and legal heir certificates.

Property Development & Approvals

Building plan approvals, construction, layout and sub-division approvals, zone conversion, and occupancy certification.

NRI & Investment Services

Escrow Services, Rentals, Litigation Solutions, Property Valuation and Property Management

Compliance & Special Services

Demolition, Vaasthu checks, regularization of unauthorized buildings, and office space solutions.

Smarter Tools, Stronger Decisions

Property Valuation & Cost Estimation

Guideline Value, Apartment Composite Value, Stamp Duty & Registration Fees Calculator, Building Value Calculator, Capital Gains Calculator, Area Unit Converter, Length Unit Converter

Ownership, Compliance & Legal Verification

Encumbrance Certificate (EC) Search, Find Your SRO, Temple Property Check, WAQF Property Check, View Patta/Chitta, View FMB, Patta Analyzer, EC Analyzer

Zoning & Land Use Analysis

Land Use Zone Finder, CRZ Zone Check, Aquifer Zone Check, CBA Check, EWS Check, Road Width Check, Proposed Road Widening Check, FSI Calculator

Property Documentation & Workflow Tools

Forms & Templates, Document Generator, Document Translation, Dictionary

Vastu & Property Management Tools

Home Vastu Shastra, Plot Vastu Shastra, Property Management

Verified RealEstate™

Verified RealEstate™

We're honored to be part of your
real estate journey

3/350/2 Mettukuppam,
OMR Thoraipakkam,
Chennai, India

hello@verified.realestate
+91 9996 12 9996
www.verified.realestate