Verified RealEstate™

Your trusted partner for buying, selling, and managing property, ensuring hassle-free service with 100% transparency.

3/350/2 Mettukuppam,
OMR Thoraipakkam,
Chennai, India

hello@verified.realestate
+91 9996 12 9996

Official Property Record

Digitally Verified Record - Powered by Verified RealEstate™



J.PRABAKARAN ,M.E
STRUCTURAL ENGINEER
No. 1/4, PIDARIAMMAN KOIL ST
UTHANDI
CHENNAI- 600119.

prabakaran_j@yahoo.co.in
Mobile: 9841757884

Date : 30.08.2024

STRUCTURAL STABILITY CERTIFICATE

It is certified that the

PLAN SHOWING THE PROPOSED CONSTRUCTION OF GROUP HOUSING DEVELOPMENT CONSISTING OF 2 BLOCKS , BLOCK -1: STILT FLOOR (PARKING) + 5 FLOORS (18.30M-HEIGHT) WITH 30 DWELLING UNITS , BLOCK -2, STILT FLOOR(PARKING) + 5 FLOORS (18.30M - HEIGHT)WITH 20 DWELLING UNITS, TOTALLY 50 DWELLING UNITS AVAILING PREMIUM FSI AT PLOT NO: 46,47,58,59 & 60 ,DOOR NO: 1,SHANMUGAPURAM 7 TH STREET, AND T. S. GOPAL NAGAR 1ST STREET , THIRUVOTTIYUR, CHENNAI.600019, COMPRISED IN OLD S.NO: 548/PART 1A1A1A1A1B1A, T.S. NO. 66, BLOCK NO:3 , WARD -G OF THIRUVOTTIYUR VILLAGE , WITHIN THE LIMIT OF GREATER CHENNAI CORPORATION.

is designed to resist for earthquake. Check has been made and found safe and I hereby certify that

1. The minimum grade of concrete is M25
2. The design analysis using the code of practice for loading . standards as per BIS-875 and Seismic forces as per the latest code BIS-1893 & BIS-456
3. Least dimension of column is 300mm in stilt floor.
4. The proposed building will structurally Safe & Sound.

J. Prabakaran.

J. PRABAKARAN, M.E.,
Structural Engineer
CMDA REG. No: SE/GR-I/2020/03/263
GCC REG No : RSE 101182020
No:1/4, Pidariamman Kovil Street,
Uthandi, Chennai - 600 119.
Mail : prabakaran_j@yahoo.co.in
Mobile : 9841757884

PLAN SHOWING THE PROPOSED CONSTRUCTION OF GROUP HOUSING DEVELOPMENT CONSISTING OF 2 BLOCKS , BLOCK -1: STILT FLOOR (PARKING) + 5 FLOORS (18.30M- HEIGHT) WITH 30 DWELLING UNITS , BLOCK -2, STILT FLOOR(PARKING) + 5 FLOORS (18.30M - HEIGHT)WITH 20 DWELLING UNITS, TOTALLY 50 DWELLING UNITS AVAILING PREMIUM FSI AT PLOT NO: 46,47,58,59 & 60 ,DOOR NO: 1,SHANMUGAPURAM 7 TH STREET, AND T. S. GOPAL NAGAR 1ST STREET , THIRUVOTTIYUR, CHENNAI.600019, COMPRISED IN OLD S.NO: 548/PART 1A1A1A1A1B1A, T.S. NO. 66, BLOCK NO:3 , WARD -G OF THIRUVOTTIYUR VILLAGE , WITHIN THE LIMIT OF GREATER CHENNAI CORPORATION.

TYPICAL STRUCTURAL DESIGN CALCULATION

1 General:

Proposed residential buildings are S + 5 FLOORS. Stilt floor is used as car park. Upper floors are used for Residential purpose. Typical floor height 3.05m. Typical one design calculation is given.

2 Design Basis:

Latest Design codes of BIS-456, 875 and 1893 are followed with SP-16 Design Aid book. A typical 2-D Frame was taken for analysis to arrive at the bending moment for column design. Since the building is 6 stories, wind force is taken into account. Also a live load reduction factor of 0.25 is taken for foundation and column design.

foundation is proposed pile foundation as per soil report.

Fe- 500 steel is used as main steel and minimum M25 concrete is provided

3 Earthquake consideration:

For better stability during earhquake, the columns are braced in both direction with beams. Continuous lintels are specified for outer walls and column ties are closely spaced for better ductility. For building on stilt, minimum size is taken as 300 mm(12")

J. Prabakaran

J. PRABAKARAN, M.E.,
Structural Engineer
CMDA REG. No: SE/GR-I/2020/03/263
GCC REG No : RSE 101182020
No:1/4, Pidariamman Kovil Street,
Uthandi, Chennai - 600 119.
Mail : prabakaran_j@yahoo.co.in
Mobile : 9841757884

4 EARTHQUAKE LOAD

Design horizontal Seismic coeff. Ag = $\frac{Z}{2} \times \frac{I}{R} \times \frac{Sa}{g}$

Z = Zone Factor = 0.16 for Chennai

I = Importance Factor = 1.0

R = Response reduction Factor = 5

$\frac{Sa}{g}$ = Avg. response acc.coeff. Depends on Ta

Ta = Fundamental natural period

= $\frac{0.09\ h}{\sqrt{d}}$ for infill walls

h = height of the building

d = Width of the building

= 0.075 h [0.75] for residential building

W = seismic weight of building

= 100% D.L + 25% L.L for residential <=300

= 100% D.L + 50% L.L for residential >300

Base Seismic Shear Vb = Ag x W

5 WIND LOAD

Vz = Vb x K1 x K2 x k3

Vb = 50 m/sec in Chennai

K1 = Probability Factor = 1

K2 = Terrain, Height Factor = 1

K3 = Topography Factor = 1

p = 0.6 x Vz x Vz

= 0.6 x 50 x 50

= 1500 N/Sq.m

150 Kg/Sq.m

J. Prabakaran

J. PRABAKARAN, M.E.,
Structural Engineer
CMDA REG. No: SE/GR-I/2020/03/263
GCC REG No : RSE 101182020
No:1/4, Pidariamman Kovil Street
Uthandi, Chennai - 600 119.
Mail : prabakaran_j@yahoo.co.in
Mobile : 9841757884

6 **Design Loads:**

Slab130 mm thk avg	=	3.3	KN/sq.m
Live load	=	2.0	KN/sq.m
Finishes	=	1.5	KN/sq.m
		6.8	KN/sq.m

Say 7 KN/sq.m/floor for slab and beam design

Applying live load reduction of = 0.25 ,

For column and foundation design, 5.1 Kn/sqm is taken.

This value is also taken for frame analysis

230 thick brick exterior walls

0.23 x 2.55 x 20 = 12 KN/m/floor

B.W. 115 thk for interior panels

0.100 X 2.55 x 20 = 5.1 KN/m/floor

Beams 0.23 x 0.45 x 25 .= 2.59 KN/m/floor

Columns 0.3 x 0.60 x 3.00 x 25 .= 13.5 KN/floor

These are taken for analysis with WL+LL+DL combination.

J. Prabakaran.

J. PRABAKARAN, M.E.,
Structural Engineer
CMDA REG. No: SE/GR-I/2020/03/263
GCC REG No : RSE 101182020
No:1/4, Pidariamman Kovil Street,
Uthandi, Chennai - 600 119.
Mail : prabakaran_j@yahoo.co.in
Mobile : 9841757884

7 SLAB DESIGN:

Thickness	=	130 mm	Fck	= M 30	N/sq.mm
Cover	=	25 mm	Fy	=Fe 500	N/sq.mm
Eff.Depth	=	100 mm			

Panel (3.1 x 3.9) m

Twoway slab Ly / Lx = 3.9 / 3.1 .= 1.3

Support condition - 1 short edges continuous

short span=	α x	=	0.061	(- BM at continuous edge)	Table:26
		=	0.046	(+ BM at midspan)	in IS-456-2000
Long span	α y	=	-	(- BM at support)	
			0.04	+BM AT MIDSPAN	

Designed for 0.061 co.efficient

$$Mu .= 0.061 \times 7.0 \quad 1.5 \times 3.1 \times 3.1 = 6.16 \text{ KNm/m}$$

$$Mu / b.d.d = \frac{6.16 \times 1000 \times \mathbf{1000}}{1000 \times 100 \times 100} = 0.62 \text{ N/sq.mm}$$

From Table-3of SP-16, Pt 0.210 %

Minimum Pt = 0.12 % as per code, for Fe-500

At = 0.210 x 1000 100 ./ 100 = **210** sq.mm/m

Provide	8	dia	@	150	=	**335.1** sq.mm/m	Short span
Provide	8	dia	@	175	=	**287.2** sq.mm/m	Long span

J. Prabakaran.


J. PRABAKARAN, M.E.,
Structural Engineer
CMDA REG. No: SE/GR-I/2020/03/263
GCC REG No : RSE 101182020
No:1/4, Pidariamman Kovil Street,
Uthandi, Chennai - 600 119.
Mail : prabakaran_j@yahoo.co.in
Mobile : 9841757884

8 **Beam design:**

span = 3.7 m **Beam size 200 x 600**

d = 545 mm

Fck = M 30



Bending moment for UDL 189.00 Kn.m

Max. B.M = 189.00 (top of support) This is taken for design

Mu = 189 x 1.5 x 10-e6 = **283.5** x **10-e6** Nmm

$$\frac{Mu}{b.d.d} = \frac{283.5 \times 10\text{-e6}}{200 \times 545 \times 545} = 4.77 \text{ N/sq.mm}$$

From table-53 SP-16 for d'/d = 80 / 670 = 0.12

Pt = **1.423** % Pc = **0.52** %

At = 1.423 x 200 x 545 / 100 = **1551** sq.mm (top)

Ac = 0.520 x 200 x 545 / 100 = **566.8** sq.mm (bot)

provided 3 No 20 = **942** sq.mm +

3 No 20 = **942**

1885 sq.mm at support top

Shear Design:

Shear force p/2 = 189 KN

Factored shear force = 1.5 x 189 = 284 KN

for 1.42 % steel Shear resisted by concrete section

from table-61 0.78 x 200 x 545 / 1000 = 85 KN

Balance shear (Vus) = 284 - 85 = 198 KN

Vus/d = 198 / 54.5 = 3.64 KN/cm

from table 62 of SP-16

Required 2 legged	8 stirrups	@	100	mm c/c
Provided 2 legged	**10** stirrups	@	**110**	mm c/c

J. Prabakaran.

J. PRABAKARAN, M.E.,
Structural Engineer
CMDA REG. No: SE/GR-I/2020/03/263
GCC REG No : RSE 101182020
No:1/4, Pidariamman Kovil Street,
Uthandi, Chennai - 600 119.
Mail : prabakaran_j@yahoo.co.in
Mobile : 9841757884

9 **COLUMN DESIGN:** COL-1 COL SIZE 300 X 600

Maximum load is with wind force P = 170 t

Pu = 1.5 x 170 x10 = 2550 KN

Max.Bending Moment = 8 t.m Mu = 1.5 x 8.0 x10= 120 Kn.m

Cover = 40 mm

d'/d = 0.07

Fck = 30 N/sq.mm

Provide bars equaly all sides

Refer chart 44 of SP-16

$$\frac{Pu}{Fck\ b\ d^2} = \frac{2550 \times 1000}{30 \times 300 \times 600} = 0.47$$

$$\frac{Mu}{Fck\ b\ d^2} = \frac{120 \times 10^6}{30 \times 300 \times 600} = 0.04$$

$$\frac{p}{Fck} = \frac{p\%}{600} = 0.06 \quad p\% = 0.03 \times 30 = 0.9\ \%$$

Minimum %age of steel is 0.8 %

$$As = \frac{0.9 \times 300 \times 600}{100} = 1620 \text{ sq.mm}$$

Provided 6 Nos 20 dia = 1885 sq.mm

\+ 4 Nos 20 dia = 1257 sq.mm

3142 SQ MM

Ties 8 @ 110 & 170 c/c

J. PRABAKARAN, M.E.,
Structural Engineer
CMDA REG. No: SE/GR-I/2020/03/263
GCC REG No : RSE 101182020
No:1/4, Pidariamman Kovil Street,
Uthandi, Chennai - 600 119.
Mail : prabakaran_j@yahoo.co.in
Mobile : 9841757884


10 Pile cap and pile

As per soil report, **25.0** m bored cast-in-situ pile can be adopted.

600 dia pile safe capacity	=	140	t
Col-A carries maximum load of	=	170	t
So No of piles provided	=	2	Nos

Pile cap size = 900 X 2400 X 1100 mm

M-30 grade = 30 N/sq.mm



Section of pile cap

Pile to pile distance = 1.50 m

axial force = 170 x 1.50 / / 1.03

= 61.9 tonnes

At reqd = 61.893 /2.5 '= 21 sqcm

Provided bttom bothways = **8 nos** 20

= 25.13 sqcm

J. Prabakaran.

J. PRABAKARAN, M.E.,
Structural Engineer
CMDA REG. No: SE/GR-I/2020/03/263
GCC REG No : RSE 101182020
No:1/4, Pidariamman Kovil Street,
Uthandi, Chennai - 600 119.
Mail : prabakaran_j@yahoo.co.in
Mobile : 9841757884

CHENNAI METROPOLITAN DEVELOPMENT AUTHORITY
'Thalamuthu Natarajan Building', No.1, Gandhi Irwin Road,
Egmore, Chennai-600 008.

PROFESSIONAL REGISTRATION CERTIFICATE

This is to certify that the **Thiru J.PRABAKARAN** enrolled as **Registered Structural Engineer Grade-I (SE)** with Chennai Metropolitan Development Authority (CMDA) who has the qualification of **M.E., (Structural Engg.)** and experience in the relevant field for **6 years**.

He has been given the Registration No.**SE/GR-I/2020/03/263** on **12.03.2020.** He shall be required to comply with the duties and responsibilities prescribed by the Government of Tamil Nadu in Part-V, "Registration of Professionals", Tamil Nadu Combined Development and Building Rules, 2019 approved vide G.O.(Ms) No.18 MAWS (MA1) Dept. dated 04.02.2019.

This Registration is valid upto **11.03.2025.**



12.03.2020
N. MUNIPRASAD
ASSISTANT PLANNER
CHENNAI METROPOLITAN DEVELOPMENT AUTHORITY
CHENNAI - 600 008.

J. Prabakaran

J. PRABAKARAN, M.E.,
Structural Engineer
CMDA REG. No: SE/GR-I/2020/03/263
GCC REG No : RSE 101182020
No:1/4, Pidariamman Kovil Street,
Uthandi, Chennai - 600 119.
Mail : prabakaran_j@yahoo.co.in
Mobile : 9841757834



our services doesn't just end there

Buying & Selling Services

Property Buying Assistance, Property Selling Support, Market Price Analysis, Owner Outreach and Negotiation.

Legal & Documentation Services

Certified EC, Patta, legal opinions, property verification, due diligence, litigation solutions, and legal heir certificates.

Property Development & Approvals

Building plan approvals, construction, layout and sub-division approvals, zone conversion, and occupancy certification.

NRI & Investment Services

Escrow Services, Rentals, Litigation Solutions, Property Valuation and Property Management

Compliance & Special Services

Demolition, Vaasthu checks, regularization of unauthorized buildings, and office space solutions.



empowering your real estate decisions with smart tools

Property Valuation & Cost Estimation

Guideline Value, Apartment Composite Value, Stamp Duty & Registration Fees Calculator, Building Value Calculator, Capital Gains Calculator, Area Unit Converter, Length Unit Converter

Ownership, Compliance & Legal Verification

Encumbrance Certificate (EC) Search, Find Your SRO, Temple Property Check, WAQF Property Check, View Patta/Chitta, View FMB, Patta Analyzer, EC Analyzer

Zoning & Land Use Analysis

Land Use Zone Finder, CRZ Zone Check, Aquifer Zone Check, CBA Check, EWS Check, Road Width Check, Proposed Road Widening Check, FSI Calculator

Property Documentation & Workflow Tools

Forms & Templates, Document Generator, Document Translation, Dictionary

Vastu & Property Management Tools

Home Vastu Shastra, Plot Vastu Shastra, Property Management

Verified RealEstate™

We're honored to be part of your real estate journey

3/350/2 Mettukuppam,
OMR Thoraipakkam,
Chennai, India

hello@verified.realestate
+91 9996 12 9996
www.verified.realestate