Verified RealEstate™

Your trusted partner for buying, selling, and managing property, ensuring hassle-free service with 100% transparency.

3/350/2 Mettukuppam,
OMR Thoraipakkam,
Chennai, India

hello@verified.realestate
+91 9996 12 9996
www.verified.realestate

Official Property Record



Digitally Verified Record - Powered by Verified RealEstate™

தமிழக அரசு

வருவாய்த் துறை

நில உரிமை விபரங்கள் : இ. எண் 10(1) பிரிவு

மாவட்டம் : செங்கல்பட்டு **வட்டம் : செங்கல்பட்டு**

வருவாய் கிராமம் : பரனூர் **பட்டா எண் : 235**

உரிமையாளர்கள் பெயர்

1. -- ... மகேந்திரா தொழிற் பூங்கா லிமிடெட்

புல எண்	உட்பிரிவு	புன்செய்		நன்செய்		மற்றவை		குறிப்புரைகள்
		பரப்பு	தீர்வை	பரப்பு	தீர்வை	பரப்பு	தீர்வை	
		ஹெக் - ஏர்	ரூ - பை	ஹெக் - ஏர்	ரூ - பை	ஹெக் - ஏர்	ரூ - பை	
10	1J	0 - 19.50	0.79	--	--	--	--	---- -- 29-01-2016
100	2	0 - 11.50	0.35	--	--	--	--	---- -- 29-01-2016
101	1	0 - 50.00	1.55	--	--	--	--	---- -- 29-01-2016
101	2A	0 - 4.00	0.13	--	--	--	--	---- -- 29-01-2016
101	2B	0 - 4.00	0.13	--	--	--	--	---- -- 29-01-2016
101	2C	0 - 9.00	0.27	--	--	--	--	---- -- 29-01-2016
102	1	0 - 11.50	0.35	--	--	--	--	---- -- 18-02-2016
102	2B	0 - 1.00	0.06	--	--	--	--	---- -- 18-02-2016
102	3	0 - 13.00	0.40	--	--	--	--	---- -- 18-02-2016
102	4A	0 - 2.00	0.06	--	--	--	--	---- -- 18-02-2016
102	4B	0 - 4.50	0.15	--	--	--	--	---- -- 18-02-2016
102	4C	0 - 7.50	0.24	--	--	--	--	---- -- 18-02-2016
102	4D	0 - 5.50	0.17	--	--	--	--	---- -- 18-02-2016
102	4E	0 - 6.00	0.18	--	--	--	--	---- -- 18-02-2016
102	5	0 - 5.50	0.16	--	--	--	--	---- -- 18-02-2016
102	6	0 - 11.50	0.38	--	--	--	--	---- -- 18-02-2016
102	7	0 - 5.50	0.16	--	--	--	--	---- -- 18-02-

								2016
103	1	0 - 14.00	0.43	--	--	--	--	---- -- 29-01-2016
103	3A	0 - 4.00	0.13	--	--	--	--	---- -- 29-01-2016
103	3B	0 - 3.50	0.11	--	--	--	--	---- -- 29-01-2016
103	3C	0 - 3.50	0.11	--	--	--	--	---- -- 29-01-2016
103	3D	0 - 4.00	0.10	--	--	--	--	---- -- 29-01-2016
103	3E	0 - 3.00	0.10	--	--	--	--	---- -- 29-01-2016
103	3F	0 - 4.00	0.13	--	--	--	--	---- -- 29-01-2016
16	1	0 - 3.50	0.15	--	--	--	--	---- -- 29-01-2016
16	2	0 - 2.00	0.08	--	--	--	--	---- -- 29-01-2016
16	3	0 - 5.00	0.19	--	--	--	--	---- -- 29-01-2016
16	4	0 - 8.00	0.32	--	--	--	--	---- -- 29-01-2016
16	5	0 - 9.00	0.36	--	--	--	--	---- -- 29-01-2016
16	6	0 - 9.00	0.36	--	--	--	--	---- -- 29-01-2016
16	7	0 - 7.50	0.31	--	--	--	--	---- -- 29-01-2016
76B	1A	0 - 3.00	0.10	--	--	--	--	---- -- 29-01-2016
76B	1B	0 - 3.00	0.10	--	--	--	--	---- -- 29-01-2016
76B	1C	0 - 3.00	0.09	--	--	--	--	---- -- 29-01-2016
76B	1D	0 - 3.00	0.09	--	--	--	--	---- -- 29-01-2016
76B	1E	0 - 12.00	0.38	--	--	--	--	---- -- 29-01-2016
76B	1F	0 - 3.00	0.10	--	--	--	--	---- -- 29-01-2016
76B	1G	0 - 3.00	0.10	--	--	--	--	---- -- 29-01-2016
77	-	0 - 18.00	0.58	--	--	--	--	---- -- 29-01-2016
78A	2A	0 - 1.50	0.06	--	--	--	--	---- -- 29-01-2016
78A	2B	0 - 3.00	0.10	--	--	--	--	---- -- 29-01-2016
78A	2C	0 - 1.50	0.06	--	--	--	--	---- -- 29-01-2016
78A	2D	0 - 0.50	0.06	--	--	--	--	---- -- 29-01-2016
78A	2E	0 - 0.50	0.06	--	--	--	--	---- -- 29-01-

								2016
78A	2F	0 - 1.50	0.06	--	--	--	--	---- -- 29-01-2016
78A	2G1	0 - 1.00	0.06	--	--	--	--	---- -- 29-01-2016
78A	2G2	0 - 3.00	0.09	--	--	--	--	---- -- 29-01-2016
78A	2H1	0 - 7.50	0.19	--	--	--	--	---- -- 29-01-2016
78A	2H2	0 - 0.50	0.06	--	--	--	--	---- -- 29-01-2016
78A	2I	0 - 1.00	0.06	--	--	--	--	---- -- 18-02-2016
78A	2J	0 - 2.00	0.06	--	--	--	--	---- -- 18-02-2016
78A	2K	0 - 1.00	0.06	--	--	--	--	---- -- 29-01-2016
78A	2L	0 - 7.50	0.24	--	--	--	--	---- -- 29-01-2016
78A	2M	0 - 6.50	0.20	--	--	--	--	---- -- 29-01-2016
78A	2N	0 - 6.00	0.19	--	--	--	--	---- -- 29-01-2016
78A	2O	0 - 6.00	0.19	--	--	--	--	---- -- 29-01-2016
78A	2P	0 - 10.50	0.30	--	--	--	--	---- -- 29-01-2016
78A	2Q	0 - 12.50	0.36	--	--	--	--	---- -- 29-01-2016
78A	2R	0 - 1.50	0.06	--	--	--	--	---- -- 29-01-2016
78A	2S	0 - 1.50	0.06	--	--	--	--	---- -- 29-01-2016
78A	2T	0 - 5.50	0.17	--	--	--	--	---- -- 29-01-2016
78A	2U	0 - 1.50	0.06	--	--	--	--	---- -- 29-01-2016
78A	2V	0 - 2.50	0.08	--	--	--	--	---- -- 29-01-2016
78A	2W	0 - 4.00	0.13	--	--	--	--	---- -- 29-01-2016
9	1A1	0 - 9.50	0.39	--	--	--	--	---- -- 29-01-2016
9	1B	0 - 45.00	1.80	--	--	--	--	---- -- 29-01-2016
100	1	--	--	0 - 17.50	1.98	--	--	---- -- 29-01-2016
103	2A	--	--	0 - 9.50	0.92	--	--	---- -- 29-01-2016
103	2B	--	--	0 - 11.50	1.16	--	--	---- -- 29-01-2016
103	2C	--	--	0 - 13.00	1.28	--	--	---- -- 29-01-2016
103	4	--	--	0 - 64.00	6.32	--	--	---- -- 29-01-

								2016
103	5A	--	--	0 - 5.50	0.52	--	--	---- -- 29-01-2016
103	5B	--	--	0 - 2.00	0.20	--	--	---- -- 29-01-2016
103	5C	--	--	0 - 16.00	1.60	--	--	---- -- 29-01-2016
103	5D	--	--	0 - 12.00	1.20	--	--	---- -- 29-01-2016
103	5E	--	--	0 - 1.50	0.16	--	--	---- -- 29-01-2016
104	1	--	--	0 - 62.00	6.08	--	--	---- -- 29-01-2016
104	2A	--	--	0 - 5.50	0.56	--	--	---- -- 29-01-2016
104	2B	--	--	0 - 11.50	1.16	--	--	---- -- 29-01-2016
104	2C1	--	--	0 - 5.00	0.55	--	--	---- -- 29-01-2016
104	2C2	--	--	0 - 6.50	0.61	--	--	---- -- 29-01-2016
105	1	--	--	0 - 22.50	2.20	--	--	---- -- 29-01-2016
105	2A	--	--	0 - 8.50	0.85	--	--	---- -- 29-01-2016
105	2B	--	--	0 - 1.00	0.10	--	--	---- -- 29-01-2016
105	2C	--	--	0 - 1.50	0.15	--	--	---- -- 29-01-2016
105	2D	--	--	0 - 1.00	0.10	--	--	---- -- 29-01-2016
107	1	--	--	0 - 7.50	0.83	--	--	---- -- 29-01-2016
107	2	--	--	0 - 7.50	0.83	--	--	---- -- 29-01-2016
107	3A1	--	--	0 - 6.50	0.71	--	--	---- -- 29-01-2016
107	3A2	--	--	0 - 6.50	0.71	--	--	---- -- 29-01-2016
107	3A3	--	--	0 - 7.00	0.89	--	--	---- -- 29-01-2016
107	3B	--	--	0 - 19.50	2.22	--	--	---- -- 29-01-2016
107	4	--	--	0 - 20.50	2.36	--	--	---- -- 29-01-2016
108	-	--	--	0 - 26.00	2.96	--	--	---- -- 29-01-2016
109	1A1	--	--	0 - 1.00	0.10	--	--	---- -- 29-01-2016
109	1A2	--	--	0 - 13.00	1.30	--	--	---- -- 29-01-2016
109	1B	--	--	0 - 1.00	0.12	--	--	---- -- 29-01-2016
109	1C	--	--	0 - 14.00	1.40	--	--	---- -- 29-01-

								2016
109	2A	--	--	0 - 2.00	0.20	--	--	---- -- 29-01-2016
109	2B	--	--	0 - 14.00	1.32	--	--	---- -- 29-01-2016
109	2C	--	--	0 - 11.50	1.12	--	--	---- -- 29-01-2016
11	1A1	--	--	0 - 8.00	0.91	--	--	---- -- 29-01-2016
11	1A2	--	--	0 - 4.00	0.48	--	--	---- -- 29-01-2016
11	1B	--	--	0 - 13.00	1.48	--	--	---- -- 29-01-2016
11	2A1	--	--	0 - 1.00	0.12	--	--	---- -- 29-01-2016
11	2A2	--	--	0 - 11.50	1.27	--	--	---- -- 29-01-2016
11	2B1	--	--	0 - 3.00	0.35	--	--	---- -- 29-01-2016
11	2B2	--	--	0 - 7.00	0.81	--	--	---- -- 29-01-2016
11	3A	--	--	0 - 13.50	1.53	--	--	---- -- 29-01-2016
11	3B	--	--	0 - 7.00	0.80	--	--	---- -- 29-01-2016
11	3C	--	--	0 - 1.00	0.12	--	--	---- -- 29-01-2016
110	1	--	--	0 - 23.50	2.32	--	--	---- -- 29-01-2016
110	2A	--	--	0 - 3.00	0.32	--	--	---- -- 29-01-2016
110	2B	--	--	0 - 7.50	0.72	--	--	---- -- 29-01-2016
110	2C	--	--	0 - 6.00	0.60	--	--	---- -- 29-01-2016
111	-	--	--	0 - 5.00	0.48	--	--	---- -- 29-01-2016
112	1	--	--	0 - 12.50	1.20	--	--	---- -- 29-01-2016
112	2	--	--	0 - 8.50	0.80	--	--	---- -- 29-01-2016
112	3	--	--	0 - 3.00	0.32	--	--	---- -- 29-01-2016
112	4	--	--	0 - 2.50	0.24	--	--	---- -- 29-01-2016
112	5	--	--	0 - 7.50	0.76	--	--	---- -- 29-01-2016
112	6	--	--	0 - 2.00	0.20	--	--	---- -- 29-01-2016
112	7	--	--	0 - 7.50	0.76	--	--	---- -- 29-01-2016
113	1	--	--	0 - 23.50	2.68	--	--	---- -- 29-01-2016
113	2	--	--	0 - 19.50	2.22	--	--	---- -- 29-01-

								2016
114	1	--	--	0 - 16.00	1.80	--	--	---- -- 29-01-2016
114	2	--	--	0 - 16.50	1.89	--	--	---- -- 18-02-2016
115	-	--	--	0 - 2.50	0.28	--	--	---- -- 29-01-2016
116	1	--	--	0 - 18.50	2.13	--	--	---- -- 29-01-2016
116	2	--	--	0 - 37.50	4.25	--	--	---- -- 29-01-2016
116	3	--	--	0 - 20.50	2.36	--	--	---- -- 29-01-2016
117	1	--	--	0 - 18.50	2.08	--	--	---- -- 29-01-2016
117	2	--	--	0 - 22.50	2.59	--	--	---- -- 29-01-2016
118	-	--	--	0 - 32.00	3.65	--	--	---- -- 29-01-2016
119	1A	--	--	0 - 6.00	0.68	--	--	---- -- 29-01-2016
119	1B	--	--	0 - 6.00	0.71	--	--	---- -- 18-02-2016
119	2	--	--	0 - 5.50	0.60	--	--	---- -- 29-01-2016
119	3	--	--	0 - 6.00	0.69	--	--	---- -- 29-01-2016
120	1	--	--	0 - 37.50	4.30	--	--	---- -- 29-01-2016
120	2	--	--	0 - 22.50	2.54	--	--	---- -- 29-01-2016
120	3	--	--	0 - 17.50	1.99	--	--	---- -- 29-01-2016
121	1	--	--	0 - 16.50	1.89	--	--	---- -- 29-01-2016
121	2	--	--	0 - 13.00	1.48	--	--	---- -- 29-01-2016
121	3A	--	--	0 - 2.00	0.23	--	--	---- -- 29-01-2016
121	3B	--	--	0 - 16.00	1.80	--	--	---- -- 29-01-2016
122	1	--	--	0 - 15.50	1.76	--	--	---- -- 29-01-2016
122	2	--	--	0 - 15.50	1.76	--	--	---- -- 29-01-2016
124	1	--	--	0 - 31.50	3.56	--	--	---- -- 29-01-2016
124	2	--	--	0 - 26.50	3.05	--	--	---- -- 29-01-2016
125	1	--	--	0 - 22.50	2.59	--	--	---- -- 29-01-2016
125	2A	--	--	0 - 22.00	2.50	--	--	---- -- 29-01-2016
125	2B	--	--	0 - 22.00	2.49	--	--	---- -- 29-01-

								2016
126	1	--	--	0 - 20.00	2.31	--	--	---- -- 29-01-2016
126	3A	--	--	0 - 3.00	0.33	--	--	---- -- 29-01-2016
126	3B	--	--	0 - 21.00	2.40	--	--	---- -- 18-02-2016
127	1	--	--	0 - 23.00	2.63	--	--	---- -- 29-01-2016
127	2	--	--	0 - 23.50	2.68	--	--	---- -- 29-01-2016
128	1	--	--	0 - 22.50	2.59	--	--	---- -- 29-01-2016
128	2	--	--	0 - 23.00	2.63	--	--	---- -- 29-01-2016
129	1	--	--	0 - 24.00	2.73	--	--	---- -- 29-01-2016
129	2	--	--	0 - 21.00	2.40	--	--	---- -- 29-01-2016
13	1	--	--	0 - 24.50	2.77	--	--	---- -- 29-01-2016
13	2	--	--	0 - 25.00	2.86	--	--	---- -- 29-01-2016
130	1	--	--	0 - 24.00	2.73	--	--	---- -- 29-01-2016
130	2	--	--	0 - 21.50	2.45	--	--	---- -- 29-01-2016
131	-	--	--	0 - 21.00	2.40	--	--	---- -- 29-01-2016
132	1	--	--	0 - 48.50	6.18	--	--	---- -- 29-01-2016
132	2	--	--	0 - 23.50	2.68	--	--	---- -- 29-01-2016
132	3	--	--	0 - 5.50	0.65	--	--	---- -- 29-01-2016
133	1	--	--	0 - 13.00	1.48	--	--	---- -- 29-01-2016
133	2	--	--	0 - 10.50	1.20	--	--	---- -- 29-01-2016
133	3A	--	--	0 - 18.00	2.05	--	--	---- -- 29-01-2016
133	4	--	--	0 - 12.00	1.56	--	--	---- -- 29-01-2016
134	1B	--	--	0 - 21.50	2.46	--	--	---- -- 29-01-2016
138	5A	--	--	0 - 1.50	0.23	--	--	---- -- 29-01-2016
14	-	--	--	0 - 24.00	2.73	--	--	---- -- 29-01-2016
142	1A	--	--	0 - 6.00	0.70	--	--	---- -- 29-01-2016
142	1B	--	--	0 - 7.00	0.78	--	--	---- -- 29-01-2016
142	2A1	--	--	0 - 1.00	0.11	--	--	---- -- 29-01-

								2016
142	2A2	--	--	0 - 1.00	0.12	--	--	---- -- 29-01-2016
142	2B	--	--	0 - 2.50	0.28	--	--	---- -- 29-01-2016
142	3A1	--	--	0 - 1.00	0.11	--	--	---- -- 29-01-2016
142	3A2	--	--	0 - 1.00	0.12	--	--	---- -- 29-01-2016
142	3B2	--	--	0 - 2.50	0.31	--	--	---- -- 18-02-2016
143	-	--	--	0 - 47.00	5.36	--	--	---- -- 29-01-2016
144	1	--	--	0 - 13.50	1.52	--	--	---- -- 29-01-2016
144	2	--	--	0 - 11.50	1.29	--	--	---- -- 29-01-2016
144	3	--	--	0 - 12.00	1.39	--	--	---- -- 29-01-2016
144	4	--	--	0 - 10.50	1.20	--	--	---- -- 29-01-2016
145	1	--	--	0 - 23.00	2.63	--	--	---- -- 29-01-2016
145	2A	--	--	0 - 7.50	0.88	--	--	---- -- 29-01-2016
145	2B	--	--	0 - 7.50	0.88	--	--	---- -- 29-01-2016
145	2C	--	--	0 - 8.50	0.92	--	--	---- -- 29-01-2016
147	1	--	--	0 - 15.50	1.76	--	--	---- -- 29-01-2016
147	2	--	--	0 - 24.00	2.73	--	--	---- -- 29-01-2016
147	3	--	--	0 - 24.50	2.82	--	--	---- -- 29-01-2016
148	2	--	--	0 - 2.50	0.32	--	--	---- -- 29-01-2016
149	-	--	--	0 - 48.50	5.54	--	--	---- -- 29-01-2016
15	1	--	--	0 - 11.50	1.29	--	--	---- -- 29-01-2016
15	2	--	--	0 - 11.50	1.29	--	--	---- -- 29-01-2016
15	3	--	--	0 - 18.50	2.13	--	--	---- -- 29-01-2016
150	1	--	--	0 - 8.00	0.92	--	--	---- -- 29-01-2016
150	2	--	--	0 - 18.00	2.03	--	--	---- -- 29-01-2016
150	3	--	--	0 - 9.00	1.02	--	--	---- -- 29-01-2016
151	1	--	--	0 - 17.00	1.94	--	--	---- -- 29-01-2016
151	10	--	--	0 - 4.00	0.46	--	--	---- -- 29-01-

								2016
151	2	--	--	0 - 4.00	0.46	--	--	---- -- 29-01-2016
151	3	--	--	0 - 3.00	0.37	--	--	---- -- 29-01-2016
151	4	--	--	0 - 5.00	0.55	--	--	---- -- 29-01-2016
151	5	--	--	0 - 17.00	1.94	--	--	---- -- 29-01-2016
151	6	--	--	0 - 15.50	1.71	--	--	---- -- 29-01-2016
151	7A	--	--	0 - 21.50	1.30	--	--	---- -- 29-01-2016
151	7B	--	--	0 - 10.00	1.15	--	--	---- -- 29-01-2016
151	8	--	--	0 - 10.00	1.16	--	--	---- -- 29-01-2016
151	9	--	--	0 - 4.00	0.46	--	--	---- -- 29-01-2016
152	1	--	--	0 - 24.50	2.82	--	--	---- -- 29-01-2016
152	2	--	--	0 - 23.50	2.63	--	--	---- -- 29-01-2016
153	-	--	--	0 - 27.00	3.10	--	--	---- -- 29-01-2016
154	1	--	--	0 - 22.50	2.59	--	--	---- -- 29-01-2016
154	2	--	--	0 - 25.50	2.86	--	--	---- -- 29-01-2016
154	3	--	--	0 - 14.50	1.66	--	--	---- -- 29-01-2016
154	4	--	--	0 - 10.50	1.20	--	--	---- -- 29-01-2016
155	1	--	--	0 - 21.50	2.45	--	--	---- -- 29-01-2016
155	2	--	--	0 - 23.50	2.68	--	--	---- -- 29-01-2016
156	-	--	--	0 - 1.50	0.18	--	--	---- -- 29-01-2016
157	1	--	--	0 - 33.00	3.79	--	--	---- -- 29-01-2016
157	2	--	--	0 - 2.50	0.28	--	--	---- -- 29-01-2016
157	3	--	--	0 - 35.00	3.97	--	--	---- -- 29-01-2016
158	-	--	--	0 - 22.50	2.54	--	--	---- -- 29-01-2016
159	-	--	--	0 - 22.00	2.49	--	--	---- -- 29-01-2016
160	-	--	--	0 - 49.00	5.59	--	--	---- -- 29-01-2016
161	1	--	--	0 - 11.00	1.25	--	--	---- -- 29-01-2016
161	2	--	--	0 - 16.50	1.89	--	--	---- -- 29-01-

								2016
161	3	--	--	0 - 11.00	1.25	--	--	---- -- 29-01-2016
161	4	--	--	0 - 17.00	1.94	--	--	---- -- 29-01-2016
161	5	--	--	0 - 15.50	1.76	--	--	---- -- 29-01-2016
164	1	--	--	0 - 15.00	1.72	--	--	---- -- 29-01-2016
166	-	--	--	0 - 37.50	4.30	--	--	---- -- 29-01-2016
167	1	--	--	0 - 23.00	2.59	--	--	---- -- 29-01-2016
167	2A1	--	--	0 - 0.50	0.06	--	--	---- -- 29-01-2016
167	2A2	--	--	0 - 0.50	0.06	--	--	---- -- 29-01-2016
167	2A3	--	--	0 - 0.50	0.06	--	--	---- -- 29-01-2016
168	1A	--	--	0 - 8.00	0.92	--	--	---- -- 29-01-2016
168	1B	--	--	0 - 8.00	0.92	--	--	---- -- 29-01-2016
168	1C	--	--	0 - 5.50	0.55	--	--	---- -- 29-01-2016
168	2A	--	--	0 - 1.50	0.18	--	--	---- -- 29-01-2016
168	2B	--	--	0 - 3.00	0.37	--	--	---- -- 29-01-2016
168	2C	--	--	0 - 3.00	0.37	--	--	---- -- 29-01-2016
168	2D	--	--	0 - 4.50	0.51	--	--	---- -- 29-01-2016
168	3A	--	--	0 - 5.00	0.55	--	--	---- -- 29-01-2016
168	3B	--	--	0 - 3.50	0.42	--	--	---- -- 29-01-2016
168	3C	--	--	0 - 3.50	0.42	--	--	---- -- 29-01-2016
169	-	--	--	0 - 19.50	2.22	--	--	---- -- 29-01-2016
17	1A1	--	--	0 - 4.50	0.50	--	--	---- -- 29-01-2016
17	1A2	--	--	0 - 4.00	0.47	--	--	---- -- 29-01-2016
17	1B	--	--	0 - 1.00	0.14	--	--	---- -- 29-01-2016
17	2A	--	--	0 - 3.00	0.32	--	--	---- -- 29-01-2016
17	2B	--	--	0 - 4.00	0.46	--	--	---- -- 18-02-2016
17	2C	--	--	0 - 4.50	0.51	--	--	---- -- 29-01-2016
170	1	--	--	0 - 12.00	1.39	--	--	---- -- 29-01-

								2016
170	2	--	--	0 - 13.00	1.48	--	--	---- -- 29-01-2016
171	-	--	--	0 - 16.50	2.97	--	--	---- -- 29-01-2016
172	-	--	--	0 - 14.00	2.89	--	--	---- -- 29-01-2016
173	2	--	--	0 - 28.00	5.87	--	--	---- -- 29-01-2016
173	3	--	--	0 - 27.00	5.78	--	--	---- -- 29-01-2016
173	4A	--	--	0 - 5.00	1.05	--	--	---- -- 29-01-2016
173	4B	--	--	0 - 5.00	1.05	--	--	---- -- 29-01-2016
173	4C	--	--	0 - 9.50	1.98	--	--	---- -- 29-01-2016
174	2	--	--	0 - 10.50	2.21	--	--	---- -- 29-01-2016
174	3	--	--	0 - 8.00	1.15	--	--	---- -- 29-01-2016
174	4	--	--	0 - 5.50	0.75	--	--	---- -- 29-01-2016
174	5	--	--	0 - 12.50	1.73	--	--	---- -- 29-01-2016
176	1	--	--	0 - 7.50	1.62	--	--	---- -- 29-01-2016
176	2	--	--	0 - 8.00	1.62	--	--	---- -- 29-01-2016
176	3	--	--	0 - 24.50	6.21	--	--	---- -- 29-01-2016
178	1	--	--	0 - 14.00	2.89	--	--	---- -- 29-01-2016
178	2A	--	--	0 - 11.50	2.41	--	--	---- -- 29-01-2016
178	2B	--	--	0 - 0.50	0.11	--	--	---- -- 29-01-2016
178	2C	--	--	0 - 8.00	1.67	--	--	---- -- 29-01-2016
178	2D	--	--	0 - 11.00	2.27	--	--	---- -- 29-01-2016
178	3	--	--	0 - 13.50	2.89	--	--	---- -- 29-01-2016
18	-	--	--	0 - 13.50	1.52	--	--	---- -- 29-01-2016
184	-	--	--	0 - 39.50	8.25	--	--	---- -- 29-01-2016
186	1	--	--	0 - 1.00	0.21	--	--	---- -- 29-01-2016
186	2	--	--	0 - 15.00	3.15	--	--	---- -- 18-02-2016
186	3	--	--	0 - 13.50	2.83	--	--	---- -- 29-01-2016
186	4	--	--	0 - 10.00	2.14	--	--	---- -- 29-01-

								2016
189	1	--	--	0 - 11.50	2.38	--	--	---- -- 29-01-2016
189	2	--	--	0 - 11.00	2.38	--	--	---- -- 29-01-2016
19	1	--	--	0 - 29.00	3.33	--	--	---- -- 29-01-2016
19	2A	--	--	0 - 0.50	0.06	--	--	---- -- 29-01-2016
19	2B	--	--	0 - 1.00	0.09	--	--	---- -- 29-01-2016
19	2C	--	--	0 - 2.50	0.32	--	--	---- -- 29-01-2016
19	3A	--	--	0 - 0.50	0.06	--	--	---- -- 29-01-2016
19	3B	--	--	0 - 1.00	0.09	--	--	---- -- 29-01-2016
19	3C	--	--	0 - 3.50	0.42	--	--	---- -- 29-01-2016
19	4A	--	--	0 - 3.00	0.33	--	--	---- -- 29-01-2016
19	4B	--	--	0 - 2.50	0.33	--	--	---- -- 29-01-2016
19	5	--	--	0 - 8.50	0.97	--	--	---- -- 29-01-2016
192	1	--	--	0 - 7.00	1.53	--	--	---- -- 29-01-2016
194	1	--	--	0 - 4.00	0.84	--	--	---- -- 29-01-2016
194	2	--	--	0 - 4.00	0.84	--	--	---- -- 29-01-2016
194	3	--	--	0 - 13.00	2.73	--	--	---- -- 29-01-2016
194	4	--	--	0 - 12.00	2.51	--	--	---- -- 29-01-2016
194	5	--	--	0 - 6.50	1.32	--	--	---- -- 29-01-2016
194	6	--	--	0 - 6.00	1.28	--	--	---- -- 29-01-2016
195	1	--	--	0 - 71.00	14.88	--	--	---- -- 29-01-2016
197	-	--	--	0 - 32.50	6.80	--	--	---- -- 29-01-2016
198	-	--	--	0 - 20.00	4.25	--	--	---- -- 29-01-2016
20	1	--	--	0 - 24.00	2.77	--	--	---- -- 29-01-2016
20	2	--	--	0 - 21.50	2.45	--	--	---- -- 29-01-2016
20	3A	--	--	0 - 9.50	1.11	--	--	---- -- 29-01-2016
20	3B	--	--	0 - 14.00	1.57	--	--	---- -- 29-01-2016
202	1	--	--	0 - 65.00	13.69	--	--	---- -- 29-01-

								2016
203	1	--	--	0 - 14.50	1.66	--	--	---- -- 29-01-2016
203	2	--	--	0 - 13.50	1.55	--	--	---- -- 29-01-2016
203	3	--	--	0 - 12.00	1.37	--	--	---- -- 29-01-2016
204	1	--	--	0 - 13.00	4.12	--	--	---- -- 29-01-2016
204	2	--	--	0 - 9.00	2.85	--	--	---- -- 29-01-2016
204	3	--	--	0 - 8.50	2.70	--	--	---- -- 29-01-2016
204	4	--	--	0 - 10.00	3.15	--	--	---- -- 29-01-2016
204	5	--	--	0 - 9.50	2.99	--	--	---- -- 29-01-2016
205	-	--	--	0 - 22.50	2.54	--	--	---- -- 29-01-2016
206	1	--	--	0 - 49.00	10.37	--	--	---- -- 29-01-2016
206	2	--	--	0 - 49.00	10.29	--	--	---- -- 29-01-2016
206	3	--	--	0 - 48.00	10.03	--	--	---- -- 29-01-2016
207	1	--	--	0 - 18.50	3.83	--	--	---- -- 29-01-2016
207	2	--	--	0 - 16.50	3.49	--	--	---- -- 29-01-2016
21	1	--	--	0 - 23.00	2.63	--	--	---- -- 29-01-2016
21	2	--	--	0 - 25.00	2.82	--	--	---- -- 29-01-2016
22	1	--	--	0 - 14.50	1.66	--	--	---- -- 29-01-2016
22	2	--	--	0 - 14.00	1.62	--	--	---- -- 29-01-2016
22	3	--	--	0 - 14.50	1.62	--	--	---- -- 29-01-2016
221	-	--	--	0 - 3.00	0.68	--	--	---- -- 29-01-2016
223	1	--	--	0 - 23.00	4.76	--	--	---- -- 29-01-2016
223	2	--	--	0 - 28.50	6.04	--	--	---- -- 29-01-2016
225	1	--	--	0 - 10.00	2.13	--	--	---- -- 29-01-2016
225	2	--	--	0 - 31.50	6.63	--	--	---- -- 29-01-2016
225	3	--	--	0 - 19.50	4.08	--	--	---- -- 29-01-2016
225	4	--	--	0 - 4.50	0.94	--	--	---- -- 29-01-2016
226	-	--	--	0 - 36.50	7.65	--	--	---- -- 29-01-

								2016
227	-	--	--	0 - 10.50	2.21	--	--	---- -- 29-01-2016
228	1	--	--	0 - 5.00	1.04	--	--	---- -- 29-01-2016
228	2	--	--	0 - 1.50	0.31	--	--	---- -- 29-01-2016
228	3	--	--	0 - 1.50	0.31	--	--	---- -- 29-01-2016
228	4	--	--	0 - 4.50	0.94	--	--	---- -- 29-01-2016
228	5	--	--	0 - 13.50	2.83	--	--	---- -- 29-01-2016
228	6	--	--	0 - 5.00	1.04	--	--	---- -- 29-01-2016
228	7	--	--	0 - 8.00	1.67	--	--	---- -- 29-01-2016
228	8	--	--	0 - 9.00	1.89	--	--	---- -- 29-01-2016
23	1	--	--	0 - 15.50	1.80	--	--	---- -- 29-01-2016
23	2	--	--	0 - 7.00	0.79	--	--	---- -- 29-01-2016
23	3	--	--	0 - 7.00	0.79	--	--	---- -- 29-01-2016
23	4	--	--	0 - 15.50	1.76	--	--	---- -- 29-01-2016
230	-	--	--	0 - 16.00	3.32	--	--	---- -- 29-01-2016
231	1A	--	--	0 - 4.50	0.94	--	--	---- -- 29-01-2016
231	1B	--	--	0 - 4.50	0.94	--	--	---- -- 29-01-2016
231	1C	--	--	0 - 4.50	0.95	--	--	---- -- 29-01-2016
231	1D	--	--	0 - 4.00	0.84	--	--	---- -- 29-01-2016
231	1E	--	--	0 - 4.00	0.84	--	--	---- -- 29-01-2016
231	2A	--	--	0 - 18.00	3.78	--	--	---- -- 29-01-2016
231	2B	--	--	0 - 11.00	2.34	--	--	---- -- 29-01-2016
232	1	--	--	0 - 16.50	3.49	--	--	---- -- 29-01-2016
232	2A	--	--	0 - 20.50	4.34	--	--	---- -- 29-01-2016
232	2B	--	--	0 - 21.00	4.34	--	--	---- -- 29-01-2016
233	-	--	--	0 - 20.50	6.50	--	--	---- -- 29-01-2016
24	1	--	--	0 - 15.00	1.71	--	--	---- -- 29-01-2016
24	2	--	--	0 - 15.00	1.71	--	--	---- -- 29-01-

								2016
24	3	--	--	0 - 16.00	1.86	--	--	---- -- 29-01-2016
249	1	--	--	0 - 88.00	27.72	--	--	---- -- 29-01-2016
249	2	--	--	0 - 30.00	9.44	--	--	---- -- 29-01-2016
249	3	--	--	0 - 31.00	9.69	--	--	---- -- 29-01-2016
249	4	--	--	0 - 15.50	4.85	--	--	---- -- 29-01-2016
249	5	--	--	0 - 20.00	6.50	--	--	---- -- 29-01-2016
249	6	--	--	0 - 10.50	3.32	--	--	---- -- 29-01-2016
25	1	--	--	0 - 28.00	3.19	--	--	---- -- 29-01-2016
25	2	--	--	0 - 16.00	1.85	--	--	---- -- 29-01-2016
25	3	--	--	0 - 15.00	1.71	--	--	---- -- 29-01-2016
252	-	--	--	0 - 23.00	4.13	--	--	---- -- 29-01-2016
26	1A	--	--	0 - 3.00	0.37	--	--	---- -- 29-01-2016
26	1B	--	--	0 - 3.50	0.37	--	--	---- -- 29-01-2016
26	1C	--	--	0 - 3.50	0.37	--	--	---- -- 29-01-2016
26	1D	--	--	0 - 3.50	0.42	--	--	---- -- 29-01-2016
26	2A	--	--	0 - 3.00	0.37	--	--	---- -- 29-01-2016
26	2B	--	--	0 - 3.00	0.32	--	--	---- -- 29-01-2016
26	2C	--	--	0 - 3.50	0.37	--	--	---- -- 29-01-2016
26	2D	--	--	0 - 3.00	0.37	--	--	---- -- 29-01-2016
27	1	--	--	0 - 25.00	2.77	--	--	---- -- 29-01-2016
27	2	--	--	0 - 11.50	1.34	--	--	---- -- 29-01-2016
27	3A	--	--	0 - 7.50	0.84	--	--	---- -- 29-01-2016
27	3B	--	--	0 - 4.00	0.46	--	--	---- -- 29-01-2016
27	3C	--	--	0 - 6.50	0.73	--	--	---- -- 29-01-2016
27	3D	--	--	0 - 5.50	0.65	--	--	---- -- 29-01-2016
27	4	--	--	0 - 12.50	1.43	--	--	---- -- 29-01-2016
27	5	--	--	0 - 11.50	1.34	--	--	---- -- 29-01-

								2016
28	1	--	--	0 - 8.00	0.92	--	--	---- -- 29-01-2016
28	2A	--	--	0 - 6.50	0.74	--	--	---- -- 29-01-2016
28	2B	--	--	0 - 5.50	0.60	--	--	---- -- 29-01-2016
28	3A	--	--	0 - 9.50	1.08	--	--	---- -- 29-01-2016
28	3B	--	--	0 - 1.00	0.12	--	--	---- -- 29-01-2016
28	4	--	--	0 - 3.50	0.42	--	--	---- -- 29-01-2016
28	5A	--	--	0 - 1.50	0.18	--	--	---- -- 29-01-2016
28	5B	--	--	0 - 1.50	0.19	--	--	---- -- 29-01-2016
29	-	--	--	0 - 4.50	0.51	--	--	---- -- 29-01-2016
30	1	--	--	0 - 4.50	0.51	--	--	---- -- 29-01-2016
30	2	--	--	0 - 5.50	0.65	--	--	---- -- 29-01-2016
30	3	--	--	0 - 1.00	0.14	--	--	---- -- 29-01-2016
30	4	--	--	0 - 1.50	0.18	--	--	---- -- 29-01-2016
30	5	--	--	0 - 1.50	0.18	--	--	---- -- 29-01-2016
30	6	--	--	0 - 7.00	0.74	--	--	---- -- 29-01-2016
33	-	--	--	0 - 22.50	2.59	--	--	---- -- 29-01-2016
34	1	--	--	0 - 26.00	2.96	--	--	---- -- 29-01-2016
34	2	--	--	0 - 26.50	3.00	--	--	---- -- 29-01-2016
34	3	--	--	0 - 25.00	2.86	--	--	---- -- 29-01-2016
35	1	--	--	0 - 8.50	0.97	--	--	---- -- 29-01-2016
35	2	--	--	0 - 13.00	1.48	--	--	---- -- 29-01-2016
35	3	--	--	0 - 10.50	1.20	--	--	---- -- 29-01-2016
36	1	--	--	0 - 45.50	5.22	--	--	---- -- 29-01-2016
36	2	--	--	0 - 39.00	4.44	--	--	---- -- 29-01-2016
37	-	--	--	0 - 15.50	1.76	--	--	---- -- 29-01-2016
38	-	--	--	0 - 95.50	10.90	--	--	---- -- 29-01-2016
39	1	--	--	0 - 10.00	1.16	--	--	---- -- 29-01-

								2016
39	2	--	--	0 - 10.50	1.20	--	--	---- -- 29-01-2016
39	3	--	--	0 - 24.50	2.77	--	--	---- -- 29-01-2016
40	-	--	--	0 - 24.50	2.80	--	--	---- -- 29-01-2016
41	-	--	--	0 - 65.00	7.44	--	--	---- -- 29-01-2016
43	1	--	--	0 - 25.00	2.86	--	--	---- -- 29-01-2016
43	2	--	--	0 - 46.50	5.31	--	--	---- -- 29-01-2016
44	1	--	--	0 - 14.00	1.62	--	--	---- -- 29-01-2016
44	2	--	--	0 - 22.50	2.54	--	--	---- -- 29-01-2016
44	3	--	--	0 - 23.00	2.63	--	--	---- -- 29-01-2016
45	1	--	--	0 - 19.50	2.22	--	--	---- -- 29-01-2016
45	2	--	--	0 - 23.50	2.68	--	--	---- -- 29-01-2016
46	1A	--	--	0 - 20.00	2.31	--	--	---- -- 29-01-2016
46	1B2	--	--	0 - 38.00	4.30	--	--	---- -- 29-01-2016
47	1	--	--	0 - 25.50	2.91	--	--	---- -- 29-01-2016
47	2	--	--	0 - 33.50	3.83	--	--	---- -- 29-01-2016
48	-	--	--	0 - 6.00	0.69	--	--	---- -- 29-01-2016
49	1A	--	--	0 - 4.50	0.52	--	--	---- -- 29-01-2016
49	1B	--	--	0 - 3.00	0.37	--	--	---- -- 29-01-2016
49	1C	--	--	0 - 2.00	0.23	--	--	---- -- 29-01-2016
49	2	--	--	0 - 11.00	1.25	--	--	---- -- 29-01-2016
49	3	--	--	0 - 29.00	3.28	--	--	---- -- 29-01-2016
50	-	--	--	0 - 21.50	2.45	--	--	---- -- 29-01-2016
51	1	--	--	0 - 12.00	1.39	--	--	---- -- 29-01-2016
51	2	--	--	0 - 10.50	1.20	--	--	---- -- 29-01-2016
52	1	--	--	0 - 24.50	2.77	--	--	---- -- 29-01-2016
52	2	--	--	0 - 24.00	2.77	--	--	---- -- 29-01-2016
52	3	--	--	0 - 22.50	2.54	--	--	---- -- 29-01-

								2016
53	1	--	--	0 - 23.50	2.73	--	--	---- -- 29-01-2016
53	2	--	--	0 - 22.50	2.54	--	--	---- -- 29-01-2016
54	-	--	--	0 - 26.50	3.05	--	--	---- -- 29-01-2016
55	-	--	--	0 - 24.50	2.82	--	--	---- -- 29-01-2016
56	-	--	--	0 - 29.00	3.33	--	--	---- -- 29-01-2016
78A	3	--	--	0 - 16.50	1.85	--	--	---- -- 29-01-2016
78A	4A	--	--	0 - 1.50	0.16	--	--	---- -- 29-01-2016
78A	4B1	--	--	0 - 0.50	0.06	--	--	---- -- 29-01-2016
78A	4B2	--	--	0 - 1.50	0.14	--	--	---- -- 29-01-2016
78A	4C	--	--	0 - 4.00	0.40	--	--	---- -- 29-01-2016
78A	4D	--	--	0 - 4.50	0.44	--	--	---- -- 29-01-2016
78A	4E	--	--	0 - 3.50	0.36	--	--	---- -- 29-01-2016
78A	4F	--	--	0 - 3.50	0.36	--	--	---- -- 29-01-2016
78A	4G	--	--	0 - 6.00	0.60	--	--	---- -- 29-01-2016
78A	4H	--	--	0 - 7.50	0.68	--	--	---- -- 29-01-2016
78A	4I	--	--	0 - 3.00	0.28	--	--	---- -- 29-01-2016
78A	4J	--	--	0 - 2.50	0.24	--	--	---- -- 29-01-2016
78A	4K	--	--	0 - 2.50	0.24	--	--	---- -- 29-01-2016
78A	4L	--	--	0 - 2.50	0.24	--	--	---- -- 18-02-2016
78A	4M	--	--	0 - 3.50	0.36	--	--	---- -- 29-01-2016
78A	4N	--	--	0 - 6.00	0.60	--	--	---- -- 29-01-2016
79B	1A	--	--	0 - 1.00	0.12	--	--	---- -- 29-01-2016
79B	1B	--	--	0 - 2.00	0.20	--	--	---- -- 29-01-2016
79B	1C	--	--	0 - 1.00	0.08	--	--	---- -- 29-01-2016
79B	1D	--	--	0 - 1.00	0.08	--	--	---- -- 29-01-2016
79B	1E	--	--	0 - 2.00	0.20	--	--	---- -- 29-01-2016
79B	1F	--	--	0 - 2.00	0.24	--	--	---- -- 29-01-

								2016
79B	1G	--	--	0 - 3.00	0.28	--	--	---- -- 29-01-2016
79B	1H	--	--	0 - 1.00	0.08	--	--	---- -- 29-01-2016
80	10	--	--	0 - 2.00	0.20	--	--	---- -- 29-01-2016
80	12	--	--	0 - 4.00	0.40	--	--	---- -- 29-01-2016
80	13	--	--	0 - 9.50	0.92	--	--	---- -- 29-01-2016
80	14	--	--	0 - 48.00	4.72	--	--	---- -- 29-01-2016
80	15A	--	--	0 - 3.00	0.32	--	--	---- -- 29-01-2016
80	15B	--	--	0 - 3.00	0.32	--	--	---- -- 29-01-2016
80	15C	--	--	0 - 7.00	0.64	--	--	---- -- 29-01-2016
80	16	--	--	0 - 9.50	0.96	--	--	---- -- 29-01-2016
80	1A	--	--	0 - 2.00	0.20	--	--	---- -- 29-01-2016
80	1B	--	--	0 - 1.00	0.12	--	--	---- -- 29-01-2016
80	2A	--	--	0 - 1.50	0.14	--	--	---- -- 29-01-2016
80	2B	--	--	0 - 1.00	0.10	--	--	---- -- 29-01-2016
80	3	--	--	0 - 2.50	0.24	--	--	---- -- 29-01-2016
80	4	--	--	0 - 1.50	0.16	--	--	---- -- 29-01-2016
80	5A	--	--	0 - 1.50	0.16	--	--	---- -- 29-01-2016
80	5B	--	--	0 - 1.50	0.16	--	--	---- -- 29-01-2016
80	6A1	--	--	0 - 3.00	0.30	--	--	---- -- 29-01-2016
80	6A2	--	--	0 - 4.00	0.38	--	--	---- -- 29-01-2016
80	6B	--	--	0 - 7.50	0.72	--	--	---- -- 29-01-2016
80	7	--	--	0 - 14.00	1.36	--	--	---- -- 29-01-2016
80	8	--	--	0 - 14.00	1.40	--	--	---- -- 29-01-2016
80	9A	--	--	0 - 7.50	0.74	--	--	---- -- 29-01-2016
80	9B	--	--	0 - 6.50	0.66	--	--	---- -- 29-01-2016
81	-	--	--	0 - 14.00	1.40	--	--	---- -- 29-01-2016
82	1	--	--	0 - 23.00	2.32	--	--	---- -- 29-01-

								2016
82	2	--	--	0 - 11.50	1.12	--	--	---- -- 29-01-2016
82	3	--	--	0 - 11.50	1.12	--	--	---- -- 29-01-2016
83	1A1	--	--	0 - 7.00	0.66	--	--	---- -- 29-01-2016
83	1A2	--	--	0 - 2.50	0.26	--	--	---- -- 29-01-2016
83	1B	--	--	0 - 3.50	0.36	--	--	---- -- 29-01-2016
83	1C	--	--	0 - 3.50	0.36	--	--	---- -- 29-01-2016
83	2	--	--	0 - 15.00	1.48	--	--	---- -- 29-01-2016
84	1A	--	--	0 - 1.50	0.15	--	--	---- -- 29-01-2016
84	1B	--	--	0 - 6.50	0.65	--	--	---- -- 29-01-2016
84	2	--	--	0 - 2.00	0.20	--	--	---- -- 29-01-2016
85	1	--	--	0 - 5.00	0.60	--	--	---- -- 29-01-2016
85	2	--	--	0 - 6.00	0.75	--	--	---- -- 29-01-2016
85	3	--	--	0 - 7.00	0.85	--	--	---- -- 29-01-2016
85	4	--	--	0 - 6.50	0.85	--	--	---- -- 29-01-2016
86	-	--	--	0 - 22.00	2.16	--	--	---- -- 29-01-2016
87	1	--	--	0 - 20.00	2.00	--	--	---- -- 29-01-2016
87	2	--	--	0 - 13.50	1.28	--	--	---- -- 29-01-2016
87	3	--	--	0 - 9.50	0.96	--	--	---- -- 29-01-2016
88	1	--	--	0 - 35.00	4.02	--	--	---- -- 29-01-2016
88	2	--	--	0 - 14.50	1.66	--	--	---- -- 29-01-2016
88	3A	--	--	0 - 8.50	1.34	--	--	---- -- 29-01-2016
88	3B	--	--	0 - 15.00	2.03	--	--	---- -- 29-01-2016
89	1A	--	--	0 - 14.00	1.57	--	--	---- -- 29-01-2016
89	1B	--	--	0 - 8.00	0.92	--	--	---- -- 29-01-2016
89	2	--	--	0 - 23.00	2.63	--	--	---- -- 29-01-2016
9	2A	--	--	0 - 2.00	0.23	--	--	---- -- 18-02-2016
9	2B	--	--	0 - 2.50	0.28	--	--	---- -- 29-01-

								2016
90	1	--	--	0 - 20.50	2.36	--	--	---- -- 29-01-2016
90	2	--	--	0 - 22.00	2.49	--	--	---- -- 29-01-2016
91	1	--	--	0 - 23.00	2.63	--	--	---- -- 29-01-2016
91	2	--	--	0 - 22.50	2.59	--	--	---- -- 29-01-2016
92	1	--	--	0 - 22.00	2.49	--	--	---- -- 29-01-2016
92	2	--	--	0 - 23.50	2.73	--	--	---- -- 29-01-2016
93	-	--	--	0 - 24.00	2.73	--	--	---- -- 29-01-2016
94	-	--	--	0 - 2.00	0.23	--	--	---- -- 29-01-2016
95	-	--	--	0 - 23.00	2.63	--	--	---- -- 29-01-2016
96	1	--	--	0 - 21.00	2.40	--	--	---- -- 29-01-2016
96	2	--	--	0 - 32.50	3.70	--	--	---- -- 29-01-2016
97	1	--	--	0 - 23.00	2.63	--	--	---- -- 29-01-2016
97	2	--	--	0 - 22.50	2.63	--	--	---- -- 29-01-2016
97	3	--	--	0 - 22.00	2.49	--	--	---- -- 29-01-2016
98	-	--	--	0 - 79.00	7.80	--	--	---- -- 29-01-2016
99	1	--	--	0 - 14.50	1.62	--	--	---- -- 29-01-2016
99	2	--	--	0 - 17.50	1.93	--	--	---- -- 29-01-2016
		4 - 44.00	15.16	66 - 98.50	911.30			

குறிப்பு2 :

1. மேற்கண்ட தகவல் / சான்றிதழ் நகல் விவரங்கள் மின் பதிவேட்டிலிருந்து பெறப்பட்டவை. இவற்றை தாங்கள் **https://eservices.tn.gov.in** என்ற இணைய தளத்தில் **35/04/221/00235/50190** என்ற குறிப்பு எண்ணை உள்ளீடு செய்து உறுதி செய்துகொள்ளவும்.
2. இத் தகவல்கள் 04-08-2022 அன்று 02:54:32 PM நேரத்தில் அச்சடிக்கப்பட்டது.
3. கைப்பேசி கேமராவின்2D barcode படிப்பான் மூலம் படித்து 3G/GPRS வழி இணையதளத்தில் சரிபார்க்கவும்

தமிழக அரசு

வருவாய்த் துறை

நில உரிமை விபரங்கள் : இ. எண் 10(1) பிரிவு

மாவட்டம் : செங்கல்பட்டு **வட்டம் : செங்கல்பட்டு**

வருவாய் கிராமம் : பரனூர் **பட்டா எண் : 236**

உரிமையாளர்கள் பெயர்

1. -- ... மகேந்திரா இன்டஸ்ரியல் பார்க் லிட

புல எண்	உட்பிரிவு	புன்செய்		நன்செய்		மற்றவை		குறிப்புரைகள்
		பரப்பு	தீர்வை	பரப்பு	தீர்வை	பரப்பு	தீர்வை	
		ஹெக் - ஏர்	ரூ - பை	ஹெக் - ஏர்	ரூ - பை	ஹெக் - ஏர்	ரூ - பை	
102	2A	0 - 2.00	0.06	--	--	--	--	---- -- 18-02-2016
9	1A2	0 - 2.00	0.08	--	--	--	--	---- -- 29-01-2016
133	3B	--	--	0 - 5.50	0.63	--	--	---- -- 29-01-2016
134	1A	--	--	0 - 22.50	2.58	--	--	---- -- 29-01-2016
134	2	--	--	0 - 23.00	2.63	--	--	---- -- 29-01-2016
142	3B1	--	--	0 - 0.50	0.06	--	--	---- -- 29-01-2016
164	2	--	--	0 - 12.00	1.38	--	--	---- -- 29-01-2016
		0 - 4.00	0.14	0 - 63.50	7.28			

குறிப்பு2 :

1. மேற்கண்ட தகவல் / சான்றிதழ் நகல் விவரங்கள் மின் பதிவேட்டிலிருந்து பெறப்பட்டவை. இவற்றை தாங்கள் **https://eservices.tn.gov.in** என்ற இணைய தளத்தில் **35/04/221/00236/50101** என்ற குறிப்பு எண்ணை உள்ளீடு செய்து உறுதி செய்துகொள்ளவும்.
2. இத் தகவல்கள் 04-08-2022 அன்று 02:55:44 PM நேரத்தில் அச்சடிக்கப்பட்டது.
3. கைப்பேசி கேமராவின்2D barcode படிப்பான் மூலம் படித்து 3G/GPRS வழி இணையதளத்தில் சரிபார்க்கவும்

Our services go beyond

Buying & Selling Services

Property Buying Assistance, Property Selling Support, Market Price Analysis, Owner Outreach and Negotiation.

Legal & Documentation Services

Certified EC, Patta, legal opinions, property verification, due diligence, litigation solutions, and legal heir certificates.

Property Development & Approvals

Building plan approvals, construction, layout and sub-division approvals, zone conversion, and occupancy certification.

NRI & Investment Services

Escrow Services, Rentals, Litigation Solutions, Property Valuation and Property Management

Compliance & Special Services

Demolition, Vaasthu checks, regularization of unauthorized buildings, and office space solutions.

Smarter Tools, Stronger Decisions

Property Valuation & Cost Estimation

Guideline Value, Apartment Composite Value, Stamp Duty & Registration Fees Calculator, Building Value Calculator, Capital Gains Calculator, Area Unit Converter, Length Unit Converter

Ownership, Compliance & Legal Verification

Encumbrance Certificate (EC) Search, Find Your SRO, Temple Property Check, WAQF Property Check, View Patta/Chitta, View FMB, Patta Analyzer, EC Analyzer

Zoning & Land Use Analysis

Land Use Zone Finder, CRZ Zone Check, Aquifer Zone Check, CBA Check, EWS Check, Road Width Check, Proposed Road Widening Check, FSI Calculator

Property Documentation & Workflow Tools

Forms & Templates, Document Generator, Document Translation, Dictionary

Vastu & Property Management Tools

Home Vastu Shastra, Plot Vastu Shastra, Property Management

Verified RealEstate™

Verified RealEstate™

We're honored to be part of your
real estate journey

3/350/2 Mettukuppam,
OMR Thoraipakkam,
Chennai, India

hello@verified.realestate
+91 9996 12 9996
www.verified.realestate